

POWER RALLOOZA

DIRECT TO THE PUBLIC. Valid from 1 July - 30 September 2024. Prices include VAT. Only while stocks last - E & OE
Terms & conditions apply. Please note that actual stock may vary from pictures provided.



10
YEAR
warranty

High Voltage 3 Phase Grid-Tied Hybrid Inverters

DEYE-H-30K-3P HV

R77,489⁰⁰

30kVA | High Voltage
PV Input: 39000W Max | 3 x MPPT

DEYE-H-50K-3P HV

R124,589⁰⁰

50kVA | High Voltage
PV Input: 65000W Max | 4 x MPPT

Deye

SOLAR SOLUTIONS FOR SMALL BUSINESSES & FARMS




DEYE-HV-3UX12-RACK

R7,669⁰⁰

Rack for 12 x High Voltage Batteries & 1 x BMS 3U



Complete set with
Rack & Batteries



DEYE-HV-BOS-G5.12KWH

R28,819⁰⁰

High Voltage Battery 5.12KWH
3U Rack Mount



DEYE-HV-B750V/100A-EU

R15,599⁰⁰

BMS for HV Battery Cluster
Control Box with Cables

NEW



10
YEAR
warranty

IP55
OUTDOOR

DEYE-HV-GE-50/60KWH

R576,039⁰⁰

Hybrid All-in-one ESS
High Voltage | 50kW/61kWh
Includes: Battery, Inverter, HVAC & Fire
Suppression

Deye

HYBRID GRID-TIED INVERTERS

Parallel Capable | c/w Full Remote Monitoring & Control

10
YEAR
warranty



5KVA
1PH

DEYE-H-5K 48VDC

R23,409⁰⁰

5kVA | 48VDC | 1PH
PV Input: 6500W Max
2 x MPPT



8KVA
1PH

DEYE-H-8K 48VDC

R35,269⁰⁰

8kVA | 48VDC | 1PH
PV Input: 10400W Max
2 x MPPT



12KVA
3PH

DEYE-H-12K-3P 48VDC

R58,799⁰⁰

12kVA | 48VDC | 3PH
PV Input: 15600W Max
2 x MPPT



16KVA
1PH

DEYE-H-16K 48VDC

R65,333⁰⁰

16kVA | 48VDC | 1PH
PV Input: 20800W Max
2 x MPPT

Deye

LIFEPO4 BATTERIES

DEYE-SE52V-G5.3KWH

R21,159⁰⁰

51.2V | 104Ah / 5.32KWh
Max. Charge/Discharge: 100A
Cycle: ≥6000 (0.3C/90%DOD)
c/w Rack/Wall/Stacking
Brackets



10
YEAR
warranty

1C

DEYE-RW52V-M5.3K-WM

R21,415⁰⁰

51.2V | 104Ah / 5.32KWh
Max. Charge/Discharge: 100A
Cycle: ≥6000 (0.5/1C / 90%DOD)

DEYE-RW52V-F10.6-WM

R42,429⁰⁰

51.2V | 208Ah / 10.64KWh
Max. Charge/Discharge: 250A
Cycle: ≥6000 (0.5/1C / 90%DOD)



10
YEAR
warranty

1C

RACK OR WALL MOUNTING



Solar Hot Line: 010 045 8002



Whatsapp Support: 078 780 8546



solar@acdc.co.za



OFF-GRID & HYBRID INVERTERS

OFF-GRID

2
YEAR
warranty



XANADU-10K 48VDC

R25,999⁰⁰

10kW | 230VAC | Dual AC Output
Lithium or Lead Acid Battery | 48VDC
BMS Communication (incl.)
PV Input: 500VDC | Max. 12000W
2 MPPT Trackers

HYBRID

- Lithium-ion/ Lead-Acid Battery 48VDC
- BMS Communication (incl.)
- c/w Full Remote Monitoring & Control



SE-H-6K 48VDC

R22,499⁰⁰

6000W | 230VAC | 1PH
PV Input: 550VDC | Max. 9000W



SE-H-10K 48VDC

R35,999⁰⁰

10 000W | 230VAC | 1PH
PV Input: 600VDC | Max. 15000W

Powering Tomorrow, Today!

Why
choose
SupaSol?



Repair services with
quick turnaround
guarantee



Dedicated support
channels online or
off site



Free, certified, and
accredited
training



Complimentary
gift by simply
registering

OFF-GRID INVERTERS

Pure Sine Wave | Combines the functions of Inverter,
MPPT Solar Charger, AC Battery Charger, UPS



1
YEAR
warranty

Wall Mount

EM-5.5K 48VDC

R6,029⁰⁰

5500W | 230VAC
Lithium/Lead Acid Battery 48VDC
BMS Communication (incl.)
PV Input: 500VDC | Max. 5500W



1
YEAR
warranty

Wall Mount

HP-5K 48VDC

R8,999⁰⁰

5000W | 230VAC
Lithium/Lead Acid Battery 48VDC
BMS Communication (incl.)
PV Input: 500VDC | Max. 5000W
Parallel Capable



1
YEAR
warranty

Rack Mount

RM-5.5K 48VDC

R12,999⁰⁰

5500W | 230VAC
Lithium/Lead Acid Battery 48VDC
BMS Communication (incl.)
PV Input: 500VDC | Max. 5500W
Parallel Capable

PV18-1K 12VDC

R4,469⁰⁰

1KVA/1KW | 230VAC
PV Input:
625W/75V Max

PV18-3K 24VDC

R5,579⁰⁰

3KVA/3KW | 230VAC
PV Input:
1500W/145V Max

PV18-5K 48VDC

R9,739⁰⁰

5KVA/5KW | 230VAC
PV Input:
4000W/145V Max

Add PV18-WIFI for Remote Monitoring



2
YEAR
warranty

LUXPOWER^{TEK}

LUX-SNA-5K 48VDC

R10,299⁰⁰

5KVA/5KW | 230VAC
PV Input: 2 x 3200W/480V Max | Lithium
BMS Communication (incl.)
Parallel Capable | c/w Full Remote
Monitoring & Control



ALL-IN-ONE BACKUP
SOLUTION

LS-AIO-5K-5KWH

R32,669⁰⁰

5000W | 230VAC
5.12kWh @ 100Ah Lithium Battery
PV Input: 3500W/450V Max
BMS Communication (incl.)
CAN/RS485/WIFI

- Long Life & Safety
- Easy to Install & Use
- Multiple Working Modes
- Fast & Flexible charging



ALL-IN-ONE INVERTER & BATTERY



2
YEAR
warranty

AIO-2KW-LITHIUM

R20,819⁰⁰

2000W | 230VAC
2048Wh LiFePO4 Battery
≥2000 cycles

AIO-3KW-LITHIUM

R25,719⁰⁰


3000W | 230VAC
3072Wh LiFePO4 Battery
≥2000 cycles

Wall Mount



HUAWEI

ISITEPOWER-M HYBRID SOLUTION



10
YEAR
warranty

ISP-M-5K-5KWH

R44,999⁰⁰

5kW 1PH Power Module &
1x5kWh Battery Module
Maximum Output Power
in Backup Mode: 2500W

ISP-M-5K-10KWH

R75,899⁰⁰

5kW 1PH Power Module &
2x5kWh Battery Modules

ISP-M-5K-15KWH

R99,999⁰⁰

5kW 1PH Power Module &
3x5kWh Battery Modules



Integrated system of
Grid Supply, Backup
Power & Power
Management



IP65 Protection Rating
Waterproof & Dustproof



Adapts to Complex
Power Grids



Compact & Light
Weight Design



National Sales Centre: 010 2023400



Whatsapp Support: 078 780 8546



www.acdc.co.za

SOLAR READY EASY INSTALL BACKUP KITS

3
YEAR
BATTERY
warranty

1
YEAR
INVERTER
warranty



Can Add Solar

HYLH-CK-1K-108-BP

R13,699⁰⁰

1KW Inverter – Basic Kit | 108Ah/1280Wh Lithium
Battery fuse protection | 75VDC PV input /
625W Max

Can Add Solar

3
YEAR
BATTERY
warranty

1
YEAR
INVERTER
warranty



Can Add Solar

HYLH-CK-1K-1280WH

R16,829⁰⁰

1KW Inverter – Easy Installation Kit |
108Ah/1280Wh Lithium | With AC/DC Combiner
75VDC PV input / 625W Max

5
YEAR
BATTERY
warranty

1
YEAR
INVERTER
warranty



Can Add Solar

HYLH-EK-3K-2.5KWH-BP

R20,299⁰⁰

3KW Inverter – Basic Kit | 2560Wh
Lithium Battery | Battery fuse protection
145VDC PV input / 1500W Max

Can Add Solar

5
YEAR
BATTERY
warranty

1
YEAR
INVERTER
warranty



Can Add Solar

HYLH-EK-3K-2.5KWH

R22,899⁰⁰

3KW Inverter – Easy Installation Kit | 2560Wh
Lithium Battery | With AC/DC Combiner
145VDC PV input / 1500W Max

1
YEAR
warranty



ACDC
DYNAMICS

Solar Ready Inverter
on Easy Install Kit

MKS-CK-03

R10,699⁰⁰

3kW | 24VDC | Inverter
PV Input: 150V / 1500W Max

MKS-CK-05

R14,199⁰⁰

5kW | 48VDC | Inverter
PV Input: 150V / 4000W Max

1
YEAR
warranty



ACDC
DYNAMICS

Solar Ready Inverter
on Easy Install Kit

HYHP-CK-5K

R14,299⁰⁰

5kW | 48VDC | Inverter
PV Input: 450V / 5000W Max

2
YEAR
warranty



LU X POWER^{TEK}

Solar Ready Inverter
on Easy Install Kit

HYLH-CK-5K

R17,729⁰⁰

5kW | 48VDC | Inverter
PV Input: 450V / 2x3200W Max

5
YEAR
warranty



Deye

Solar Ready Hybrid Inverter
on Easy Install Kit

DEYE-CK-5K

R33,469⁰⁰

5kVA | 48VDC | 1PH

DEYE-CK-8K

R53,236⁰⁰

8kVA | 48VDC | 1PH

DEYE-CK-12K

R72,799⁰⁰

12kVA | 48VDC | 3PH



LITHIUM BATTERIES

Up to 6200 cycles
@ 80% DoD (0,5C)



1C

5
YEAR
warranty



1C

Rack Mount

LFP26V-100-2.5K-RM

R12,899⁰⁰

25.6V | 2560Wh | 100Ah
Max. Discharge: 100A

Wall Mount

LFP26V-100-2.5K-WM

R12,999⁰⁰

25.6V | 2560Wh | 100Ah
Max. Discharge: 100A

Up to 6200 cycles
@ 80% DoD (0,5C)



1C

5
YEAR
warranty



1C

Rack Mount

LFP52V-100-5.2K-RM

R21,229⁰⁰

51.2V | 5120Wh | 100Ah
Max. Discharge: 100A

Wall Mount

LFP52V-100-5.2K-WM

R21,469⁰⁰

51.2V | 5120Wh | 100Ah
Max. Discharge: 100A

Up to 6000 cycles @ 80% DoD (0,5C)



1C

Wall Mount

LFP52V-200-10K-FS

R39,359⁰⁰

51.2V | 10240Wh | 200Ah
Max. Discharge: 200A

Up to 8000 cycles @ 80% DoD (0,5C)



1C

10
YEAR
warranty



1C

Rack Mount

ELF52V-100-5.12K-RM

R22,999⁰⁰

51.2V | 5120Wh | 100Ah
Max. Discharge: 100A

Wall Mount

ELF52V-100-5.12K-WM

R22,999⁰⁰

51.2V | 5120kWh | 100Ah
Max. Discharge: 100A

Up to 6000 cycles @ 80% DoD (0,5C)



1C

5
YEAR
warranty



1C

Rack Mount

RESI-51100RM-5.1KWH

R21,219⁰⁰

51.2V | 5120Wh | 100Ah
Max. Discharge: 100A

Wall Mount

RESI-51100WM-5.1KWH

R22,369⁰⁰

51.2V | 5120Wh | 100Ah
Max. Discharge: 100A

DIRECT TO THE PUBLIC. Valid from 1 July - 30 September 2024. Prices include VAT. Only while stocks last - E & OE
Terms & conditions apply. Please note that actual stock may vary from pictures provided.

LITHIUM BATTERIES

BUY BULK AND SAVE!

SAVE

when you buy

5

R6,699⁰⁰

SAVE MORE

when you buy

10

R5,999⁰⁰

SAVE EVEN MORE

when you buy

20

R5,599⁰⁰

SAVE THE MOST

when you buy

50

R5,199⁰⁰

High
Performance,
Ultra Safe LifePO4
Technology

Heavy Duty
for Gate
Motors

SPF12-7.5

R759⁰⁰

12.8V | 7Ah / 96Wh
Max. Discharge: 20A

SPF12-8-HD

R939⁰⁰

12.8V | 8Ah / 102.4Wh
Max. Discharge: 24A

SPF12-20

R1,599⁰⁰

12.8V | 20Ah / 256Wh
Max. Discharge: 20A

SPF12-40

R3,689⁰⁰

12.8V | 40Ah / 512Wh
Max. Discharge: 50A

SPF12-50

R3,939⁰⁰

12.8V | 50Ah / 640Wh
Max. Discharge: 50A

SPF12-200

R13,729⁰⁰

12.8V | 200Ah / 2560Wh
Max. Discharge: 200A

SPF26V-100

R12,299⁰⁰

25.6V | 100Ah / 2560Wh
Max. Discharge: 100A

SPF26V-200

R26,429⁰⁰

25.6V | 200Ah / 5120Wh
Max. Discharge: 150A

SPF12-100

R7,199⁰⁰

12.8V | 100Ah / 1280Wh
Max. Discharge: 100A

3
YEAR
warranty

BLUE NOVA LITHIUM BATTERIES

MOBILE POWER SERIES - Up to 3000 cycles @ 80% DoD



3
YEAR
warranty

13V

BN13V-8-104WH

R1,139⁰⁰

104Wh
13VDC | 8Ah



3
YEAR
warranty

13V

BN13V-11-140WH

R1,699⁰⁰

140Wh
13VDC | 11Ah



3
YEAR
warranty

13V

BN13V-22-280WH

R2,399⁰⁰

280Wh
13VDC | 22Ah



3
YEAR
warranty

13V

BN13V-108-1.4K

R9,999⁰⁰

1400Wh
13VDC | 108Ah



3
YEAR
warranty

13V

BN13V-218-2.8K

R18,499⁰⁰

2800Wh
13VDC | 218Ah



3
YEAR
warranty

26V

BN26V-50-1.3K

R9,999⁰⁰

1300Wh
26VDC | 50Ah



1C

10
YEAR
warranty

BN52V-100-5.2K BP

R25,999⁰⁰

5120Wh | 48VDC
100Ah | Max.
Discharge: 100A
Up to 4500 cycles
@ 80% DoD (C2)

RACPOWER
RANGE



1C

10
YEAR
warranty

BN52V-100-5.2K DU

R42,499⁰⁰

5120Wh | 48VDC
100Ah | Max.
Discharge: 100A
Up to 7500 cycles
@ 80% DoD (C2)

COMPACT INVERTER

SG-PSI-150W

R429⁰⁰

150W Continuous Power
300W Surge Power | Input: 12VDC
Output 230VAC/150W
2 x USB-A (5V/2.1A Total)

Modified
Sine
Wave



DC INVERTERS

Inverter/Chargers with
Automatic Changeover

Pure
Sine
Wave

CPS600-12-2

R2,829⁰⁰

600W | 12V | 10A

CPS1000-12-2

R3,999⁰⁰

1000W | 12V | 10A

EP-1500-600W

R2,799⁰⁰

600W | 12VDC/230VAC
c/w charger/ATS

EP-1500-1200W

R3,599⁰⁰

1200W | 24VDC/230VAC
c/w charger/ATS

With Lithium Charging Profile

EP15-0612-PLUS

R3,399⁰⁰

600W
12VDC/230VAC
c/w charger/ATS
With Lithium
Charging Profile



INVERTER TROLLEYS

BTR-1K 12VDC

R5,649⁰⁰

1000W, 230VAC
3-Pin SA socket
12VDC (Excl Batteries)

BTR-2K 24VDC

R6,429⁰⁰

1200W, 230VAC
3-Pin SA socket
24VDC (Excl Batteries)



Built-in
Fast
Charger

Can accommodate 12V/100Ah or 24V/50Ah
Lithium/Lead-acid Battery | No PV Input

LEAD-ACID BATTERIES

AGM/GEL



NSB100-12

R2,999⁰⁰

12V | 100Ah
328 x 172 x 220mm

NSB200-12

R6,589⁰⁰

12V | 200Ah
522 x 240 x 240mm

DEEP CYCLE AGM



SY1270

R219⁰⁰

12V | 7.2Ah
150 x 65 x 102mm

Note: Lead-Acid Batteries are not well-suited for applications that require frequent cycling or deep discharge. Due to the current load shedding situation, there is no warranty on Lead-Acid Batteries.

RECHARGEABLE MOBILE BACK-UP UNITS

1 YEAR warranty



DQ1208A500-1

R4,799⁰⁰

500W | 230VAC
450Wh Battery

Pure Sine Wave



DQ1208B1000-1

R6,699⁰⁰

1000W | 230VAC
690Wh Battery

c/w 2 x LED Lamps | AC, USB & 12VDC Outlets Onboard LED Light

1 YEAR warranty



PBU-MS-150

R2,899⁰⁰

150W | 230VAC
162Wh Lithium Battery
Solar Input: 13-22V/30W Max



PBU-PS-500

R7,999⁰⁰

500W | 230VAC
500Wh Lithium Battery
Solar Input: 11-26V/120W Max



PBU-PS-1300

R19,999⁰⁰

1300W | 230VAC
1254Wh LiFePO4 Battery
Solar Input: 12-26V/250W Max

AC, USB & 12VDC Outlets | Note: AC output cannot be used while charging



YZY-300WY

R3,699⁰⁰

300W, 230VAC
256Wh Lithium Battery
c/w 2 LED Lamps & Onboard LED Light



YZY-1000WH

R8,599⁰⁰

1000W, 230VAC
768Wh Lithium Battery
c/w 2 LED Lamps & Onboard LED Light

AC, USB & 12VDC Outlets | Note: AC output cannot be used while charging

PYLONTECH LITHIUM BATTERIES

10 YEAR warranty



US2000C

R19,935⁰⁰

Voltage 48VDC
2.4kWh / 50Ah LiFePO4 Batt.
Max. Discharge: 25A
Up to 4500 cycles @ 90% DoD (0.5C)

7 YEAR warranty



US3000C

R23,915⁰⁰

Voltage 48VDC
3.552kWh / 74Ah LiFePO4 Batt.
Max. Discharge: 37A
Up to 4500 cycles @ 90% DoD (0.5C)

5 YEAR warranty



UP5000

R28,245⁰⁰

Voltage 48VDC
4.800kWh / 75Ah LiFePO4 Batt.
Max. Discharge: 75A
Up to 4500 cycles @ 90% DoD (0.5C)

GREENRICH

LITHIUM BATTERIES

Up to 6000 Cycles @ 80% DoD (0.5C)

10 YEAR warranty



GR-UP5000-5KWH

R25,999⁰⁰

4960Wh | 51.2VDC | 96Ah
Max. Discharge: 150A (1.5C)



GR-UP6100-6.1KWH

R32,219⁰⁰

6123Wh | 51.2VDC | 119.6Ah
Max. Discharge: 200A (1.5C)



GR-UP5000-WM-5KWH

R28,069⁰⁰

4960Wh | 51.2VDC | 96Ah
Max. Discharge: 150A (1.5C)

MOBILE BACK-UP UNITS WITH UPS FUNCTION



HYTR-1K-100AHL

R14,399⁰⁰

12VDC Lithium Battery incl.
100Ah / 1280Wh | 1000W, 230VAC
3-Pin SA, Schuko & N-Type Sockets
PV Input | Built-in Charger

1 YEAR warranty

With PV Input

2 YEAR warranty

Complete with:

- USB-A, PV Input
- Built-in Charger
- 3-Pin SA socket
- Surge & Lightning Protection
- Earth Leakage Protection on Output

ESS-1.5KW-1.28KWH

R14,699⁰⁰

1500W, 230VAC
1280Wh | PV Input: 960W Max

2 YEAR warranty

Built-in LED & Remote Monitoring App

BP-EB3A

R4,399⁰⁰

600W | 230VAC
268Wh Lithium Battery
AC, USB & 12VDC Outlets
Solar Input: 12-28V / 200W Max

2 YEAR warranty

PBU-1000W-UPS

R14,649⁰⁰

1000W | 230VAC | 999Wh
Lithium Battery | AC, USB & 12VDC Outlets | Built-in LED Light
Solar Input: 12-75V | 400W Max

1 YEAR warranty

DP1000IL

R21,999⁰⁰

1000W | 230VAC
2048Wh Lithium Battery
AC, USB & 12VDC Outlets
PV Input: 140V / 600W Max

1 YEAR warranty



ESS-1KW-LITHIUM

R14,999⁰⁰

1000W | 230VAC
1024Wh Lithium Battery
PV Input: 30-160VDC / 1000W Max

2 YEAR warranty

Programmable Charging & Load Priority
MPPT Solar Input

2 YEAR warranty

ESS-2KW-LITHIUM

R21,139⁰⁰

2000W | 230VAC
2048Wh Lithium Battery
PV Input: 30-160VDC / 1500W Max

2 YEAR warranty

ESS-1.5KW-LITHIUM

R18,999⁰⁰

1500W | 230VAC
1536Wh Lithium Battery
PV Input: 30-160VDC / 1000W Max

2 YEAR warranty

ESS-3KW-LITHIUM

R27,799⁰⁰

3000W | 230VAC
3072Wh Lithium Battery
PV Input: 30-160VDC / 1500W Max

2 YEAR warranty

Complete with: 12VDC Barrel Output | USB-A | USB-C | Built-in Fast Charger | PV Input

CFE

RESIDENTIAL LITHIUM ESS BATTERIES

10 YEAR warranty



CFE-5100S-5.1KWH

R24,049⁰⁰

5.1kWh | 100Ah | 51.2V LiFePO4 Battery
Max. Discharge: 100A
Up to 6000 cycles @ 80% DoD (0.2C)

ACCESSORIES - To be ordered Separately

CFE-FLOOR-BRKT

R159⁰⁰

Floor Mounting

CFE-PCAB

R319⁰⁰

Battery Parallel

CFE-ICAB

R725⁰⁰

Battery Input

Dyness

LITHIUM BATTERY

10 YEAR warranty



DYN-A48100-4.8KWH

R19,831⁰⁰

Voltage: 48VDC | IP20
Capacity: 4.8kWh/100Ah
Max. Discharge: 100A
Cycle Life: 6000 @ 80% DOD (0.5C)

BATTERY MOUNTING BRACKETS

WMBRKT-1BAT

R499⁰⁰

For 1 Rack Mount Battery up to 4u

WMBRKT-2BAT

R1,199⁰⁰

For 2 Rack Mount Batteries, Flat Pack, up to 8u

DIRECT TO THE PUBLIC. Valid from 1 July - 30 September 2024. Prices include VAT. Only while stocks last - E & OE
Terms & conditions apply. Please note that actual stock may vary from pictures provided.

ACDC DYNAMICS

SOLAR LIGHTING

ECO FLOOD LIGHTS WITH REMOTE CONTROL

IP65



TK-03-20W
R459⁰⁰

3.2V/5Ah Battery
20W / 400lm
6W PV Panel

TK-03-60W



TK-03-60W
R699⁰⁰

3.2V/10Ah Battery
60W / 800lm
10W PV Panel

TK-03-100W



TK-03-100W
R949⁰⁰

3.2V/15Ah Battery
100W / 1200lm
15W PV Panel

TK-03-200W



TK-03-200W
R1,289⁰⁰

3.2V/20Ah Battery
200W / 1800lm
20W PV Panel

TK-03-300W



TK-03-300W
R1,999⁰⁰

3.2V/40Ah Battery
300W / 3200lm
40W PV Panel



IP65

FLOODLIGHT/LANTERN

- Solar/USB Charging
- 3 Light Modes + Red & Blue Flash
- 180° Rotatable Bracket
- 5V/1A USB Input/Output Ports
- Up to 6hrs Battery Life

CPL-PL-50W

R329⁰⁰

10W/580lm

CPL-PL-100W

R389⁰⁰

15W/780lm



IP44

SOLAR LED SPOT LIGHT

PIR motion sensing

BSSJ09

R429⁰⁰

Lithium 3.7V / 2000mAh
3.6W / 500lm
Multiple Lighting Modes



IP65

SOLAR WALL LIGHT

PIR motion sensing

B72306-16W

R449⁰⁰

3.7V/2000mAh Battery
16W / 700lm
Easy Installation



SOLAR TORCH/LANTERN

SP-SCL01

R99⁰⁰

3.7V 600mAh
2-5W Lamp Power
Charged via Solar or USB



IP65

SOLAR WALL LIGHT

PIR motion sensing

SWL-20W

R559⁰⁰

3.7V/4000mAh Battery
20W / 2000lm
Adjustable LED



IP55

SOLAR PERIMETER ALARM LIGHT

KW-SNLN

R319⁰⁰

2W / 60lm | PIR Motion Sensor
(5-8m/125°) | Siren (129dB),
Flashing LED's | c/w Remote Control
to set Working Mode



Rechargeable

LED DESK LAMPS

DL-YD007-BK

R249⁰⁰

DL-YD007-GLD

R269⁰⁰

Backup Time: 6-7hrs
Charge Time: 5hrs | Touch Switch
Colour Temp Adjustable -
1800K & 5000K

SOLAR STREET LIGHTING IP65



ST-S20

R449⁰⁰

20W | 360lm
7W PV Panel
3.2V / 5Ah Batt.



ST-S40

R599⁰⁰

40W | 750lm
8W PV Panel
3.2V / 5Ah Batt.



ST-S60

R699⁰⁰

60W | 1350lm
12W PV Panel
3.2V / 12Ah Batt.



ST-S90

R779⁰⁰

90W | 1850lm
18W PV Panel
3.2V / 18Ah Batt.



ALL-IN-ONE



Light weight
ABS housing



PIR motion
sensing

Note: Pole
not included

LED TORCHES



SP-WL47B

R69⁰⁰

3W | 300lm
3 x AA (Incl.)
Magnet & 360°
Flexible Hook



SP-FL3WC

R75⁰⁰

3W | 150lm
3 x AAA (Not Incl.)
Ø45 x 123mm
3 Lighting Modes



EL-WPROOF-2AA

R179⁰⁰

Reflective Panels
Floats | 55lm | IPX7
Battery: 2 x AA included



SP-WL14ARC

R229⁰⁰

3.7V 1800mAh Li-ion
USB Rechargeable
c/w 360° Rotating Hook
& Magnetic Base



SP-W814

R249⁰⁰

300lm | 3.7V 1800mAh
Rechargeable
c/w Magnetic Base

LED WORKLIGHTS



SP-019

R699⁰⁰

2 x 10W / 1000lm
3.7V | 2 x 2000mAh
Rechargeable (5hrs)



SP-010A

R729⁰⁰

2 x 10W / 1000lm
3.7V | 2 x 2000mAh
Rechargeable (5hrs)
Double Sided



KB8933CP

R349⁰⁰

10W | 650lm
c/w Car Plug
12VDC



SP-016

R399⁰⁰

2 x 10W | 700lm
4000mAh | Rechargeable (4hrs)
Foldable | Magnetic

LED LANTERN/TORCH



With Handle Strap

3W | 300lm
400mAh Battery
Rechargeable
8-10hrs Run Time
Colour Temp: 6000K

CS2008GR

R159⁰⁰

LED LANTERN



RW-DL-2

R339⁰⁰

Dimmable
CCT Adjustable:
3000/4000/5000K
USB Rechargeable

- Backup Time:
Up to 6-7hrs
- Charge Time:
5hrs

LED HEADLIGHT



SP2022

R119⁰⁰

300lm | 800mAh | 3hrs Charge /
2hrs Discharge | On/Off Wave Sensing

ACDC DYNAMICS

National Sales Centre: 010 2023400

Whatsapp Support: 078 780 8546

www.acdc.co.za

LED FLOODLIGHTS



LED ECONOMICAL FLOODLIGHTS

230VAC | Beam Angle: 120°
Cool White

FL-10W-CW

R49⁰⁰

10W | 800lm

FL-20W-CW

R79⁰⁰

20W | 1600lm

FL-30W-CW

R109⁰⁰

30W | 2400lm

FL-50W-CW

R149⁰⁰

50W | 4000lm

FL-100W-CW

R269⁰⁰

100W | 8000lm

FL-150W-CW

R429⁰⁰

150W | 12000lm

FL-200W-CW

R599⁰⁰

200W | 16000lm

FL-400W-CW

R1,299⁰⁰

400W | 32000lm

INDOOR LINEAR LIGHTS

XLN-1200-40W-CW

R1,159⁰⁰

36W | 3060lm
1200 x 54 x 85mm
Cool White

c/w 1m Suspension Kit
& Connector | Linkable

LED WEATHERPROOF IP65



C/W FUSE LINKS

LED-YZ-T8-8W-NT

R159⁰⁰

1 x 8W | 2FT
675 x 85 x 90mm

LED-YZ-T8-18W-NT

R269⁰⁰

1 x 18W | 4FT
1278 x 85 x 90mm

LED-YZ-T8-22W-NT

R319⁰⁰

1 x 22W | 5FT
1578 x 85 x 90mm

LED-YZ-T8-2X8W-NT

R249⁰⁰

2 x 8W | 2FT
675 x 129 x 90mm

LED-YZ-T8-2X18W-NT

R419⁰⁰

2 x 18W | 4FT
1278 x 129 x 90mm

LED-YZ-T8-2X22W-NT

R539⁰⁰

2 x 22W | 5FT
1578 x 129 x 90mm

T8 FLUORESCENT WEATHERPROOF IP65



ELECTRONIC BALLAST (240V)

YZ-8136-ELC 240V

R299⁰⁰

1 x 36W | 4FT
1278 x 85 x 90mm

YZ-8158-ELC 240V

R489⁰⁰

1 x 58W | 5FT
1578 x 85 x 90mm

IRON BALLAST

YZ-8136A

R239⁰⁰

1 x 36W | 4FT
1278 x 85 x 90mm

YZ-8236-ELC 240V

R399⁰⁰

2 x 36W | 4FT
1278 x 129 x 90mm

YZ-8258-ELC 240V

R489⁰⁰

2 x 58W | 5FT
1578 x 129 x 90mm

YZ-8158A

R319⁰⁰

1 x 58W | 5FT
1578 x 85 x 90mm


OUTDOOR LED LIGHTING

RECESSED WALL LIGHTS IP65



FG07601-*

3.5W LED | 195lm
135 x 135 x 65mm



FG07701-*

3.5W LED | 187lm
205 x 95 x 65mm



FG07602-*

3.5W LED | 136lm
135 x 135 x 65mm



FG07702-*

3.5W LED | 125lm
205 x 95 x 65mm

R239⁰⁰
EACH

*Add Colour to Code:
CW (Cool White),
WW (Warm White)

LED BULKHEADS - ABS



IP54

LED-BL1A-C-10W-*

10W | 900lm | Ø211 x 55mm

LED-BL1A-O-10W-*

10W | 900lm | 230 x 105 x 55mm

R179⁰⁰
EACH

Ideal for
Coastal
Regions

LED CEILING LIGHTS

Steel body + ABS diffuser

IP44



XCL-1738-*

R299⁰⁰

24W | 1800lm
Ø380 x 63mm

XCL-1743-*

R579⁰⁰

36W | 2700lm
Ø435 x 63mm

*Add Colour to Code:

DL (Daylight), CW (Cool White)



TRIM RINGS

Add Flair
to your
Lighting

XCL-1738-TR-WH

White Trim

XCL-1743-TR-WH

White Trim

XCL-1738-TR-BK

Black Trim

XCL-1743-TR-BK

Black Trim

R29⁰⁰

R39⁰⁰

XCL-1738-TR-WD

R69⁰⁰

Wood Finish Trim

XCL-1743-TR-WD

R89⁰⁰

Wood Finish Trim

INDOOR CEILING/WALL LIGHTS



HF-12-1908F

R219⁰⁰

2 x E27 | Ø300mm (12")



HF-12-1934F

R179⁰⁰

2 x E27 | Ø300mm (12")



HF-12-1942F

R159⁰⁰

2 x E27 | Ø300mm (12")



HF-12-1952F

R199⁰⁰

2 x E27 | Ø300mm (12")

HF-16-1908F

R239⁰⁰

2 x E27 | Ø400mm (16")

HF-16-1934F

R239⁰⁰

2 x E27 | Ø400mm (16")

HF-16-1942F

R239⁰⁰

2 x E27 | Ø400mm (16")

HF-16-1952F

R239⁰⁰

2 x E27 | Ø400mm (16")



HF-12-1908H

R149⁰⁰

2 x E27 | Ø300mm (12")



HF-12-1934H

R99⁰⁰

2 x E27 | Ø300mm (12")



HF-12-1942H

R99⁰⁰

2 x E27 | Ø300mm (12")



HF-12-1952H

R99⁰⁰

2 x E27 | Ø300mm (12")



DOMESTIC SOCKETS & SWITCHES

					
A7001	A7011	A7002	A7003	A7004	A7400
R1900	R2300	R2500	R3100	R3900	R4900
1 Lever 1 Way Switch 2x4	1 Lever 2 Way Switch 2x4	2 Lever 1 Way Switch 2x4	3 Lever 1 Way Switch 2x4	4 Lever 1 Way Switch 2x4	16A Switched Socket 2x4
					
A7401	A7402	A7403	A7405	A7302	A7304
R4900	R5700	R6900	R7900	R5900	R8900
16A Switched Socket 4x4	2 x 16A Switched Socket 4x4	1 x 16A + 1 x N-Type Switched Socket 4x4	1 x 16A + 10A Multi sockets 4x4	Stove Isolator 32A DP (2x4)	Stove Isolator 45A 2P 4x4
					
					A7305
					R6900
					Air-Conditioning Isolator 20A DP 4x2

SURGE PROTECTION



AR-21SP
R8500
1 x SA & 1 x N-Type & 1 x Schuko
c/w 6kA Surge Protection




LP-600
R8500
15A Mains Plug.
6500A Surge Protector
Protection between L-N, L-E and N-E. Plus wiring check.

LP-603
R8900
15A Dedicated Plug.
6500A Surge Protector



LP-601
R8900
15A main surge protection without wiring check

PLUG TOPS



SNP300-*
R1400
Snapper 16A
* Add colour to code:
○ WH (White), ● BL (Blue),
● Y (Yellow), ● OR (Orange),
● R (Red), ○ CL (Clear),
● BR (Brown), ● BK (Black)



A300-WH/3
R5900
3 x Plugs
Retail Pack



4036
R900
16A Hollow Pins

RUBBER PLUGS



RA300BK
R1500
Rubber Plug
Top 16A



RA310BK
R2500
16A Janus Coupler
Rubber Material


SMART WIFI ADAPTOR



HSA01WT
R39900
3 Pin SA Smart Socket
15A@250VAC (3750W)
• Energy Meter Function
• Physical On/Off Button on Device
• 100-240VAC



WIFI Control App Control Remote Switching Count Down Timer Share Control with Others Consumption Monitoring



PULL-UP SOCKETS



ECONOMICAL
STP-IE-2-2C2U
R99900
2 x 16A 3Pin Socket
2 x 10A RJ45 Cat5e Ports
2 x USB (5V/2.1A Total)
Ø100 x 339mm
Cut-out Ø90mm
• 1.5m Supply Cable
• 230VAC



DESKTOP POWER + USB
STS-R90-2N-*
R69900
2 x 16A (N-Type)
2 x USB (5V/2.1A Total)
Ø90 x 75mm
Cut out: Ø80mm
*Add Colour to Code:
WH (White), BK (Black)
IEC Supply Cable to be ordered separately

ADAPTORS



YJ-N12-1
R3900
1 x SA, 1 x Euro & 1 x Schuko



YJ-N22
R3900
2 x SA & 2 x Euro

EXTENDERS



YJ-N43-1F
R14900
4 x 16A + 3 x 2Pin Euro + 1 x Schuko
With overload protection
c/w 0.5m cord



YJ-N33F
R12900
3 x 16A + 3 x 2Pin Euro + 1 x Schuko
With overload protection
c/w 0.5m cord

EXTENSION REELS



MXM-1020
R72900
10A | 20m Cord
Double socket outlet
Medium Duty PVC



• Double socket outlet
• Steel Reel/PVC Socket with cable and plug
• Heavy Duty, Durable and Robust

SXM-1620 R99900 16A 20m Cord	SXM-2020 R1,29900 20A 20m Cord
SXM-1625 R1,14900 16A 25m Cord	SXM-2030 R1,79900 20A 30m Cord
SXM-1630 R1,28900 16A 30m Cord	SXM-2040 R2,06900 20A 40m Cord

DIRECT TO THE PUBLIC. Valid from 1 July - 30 September 2024. Prices include VAT. Only while stocks last - E & OE
Terms & conditions apply. Please note that actual stock may vary from pictures provided.





ELECTRICAL INSULATION TAPES



1710 PVC ELECTRICAL TAPE
General Purpose | 0.18mm Thick

R24⁰⁰
EACH

3M-74712

Black

3M-74713

Yellow

3M-74714

Red

3M-74715

White

3M-74716

Green

3M-74717

Blue



3M-44881

R129⁰⁰

SCOTCH SUPER 33+
PVC TAPE
All Weather
Premium Grade
Size: 19mm x 20m
Thickness: 0.178mm



3M-79430

R259⁰⁰

SELF AMALGAMATING
INSULATION TAPE
EPR based high voltage
jointing tape
Size: 19mm x 9m
Thickness: 0.76mm



3M-11247

R319⁰⁰

ELECTRICAL
INSULATION PUTTY
Electrical grade insulation
compound in tape form
Size: 38mm x 1.5mm
Thickness: 3.175mm

PREMIUM GRADE FADE RESISTANT SCOTCH 35 PVC TAPE
Size: 19mm x 20m | Thickness: 0.178mm



3M-53414

White

3M-50655

Yellow

3M-50656

Blue

3M-50657

Red

3M-50654

Green

R129⁰⁰
EACH



SPLICING CONNECTORS

COMPACT - LEVER TYPE

Solid: 0.2-4mm² | Flexible: 0.14-4mm²



221-412/16

R203⁷⁸

2-Way
16 per pack



221-413/12

R198³⁸

3-Way
12 per pack



221-415/8

R252⁴³

5-Way
8 per pack



INLINE - LEVER TYPE

221-2411/12

R222⁷⁶

Inline | 12 per pack
Solid: 0.2-4mm²
Flexible: 0.2-2.5mm²



INLINE COMPACT - PUSH TYPE

2773-2401/20

R285⁰⁹

Inline | 20 per pack
Solid: 0.75-4mm²

NEW

TRUNKING



2M

- Solid Trunking
- c/w Cover

ST15X10

R11⁰⁰

15 x 10mm

ST16X16

R12⁰⁰

16 x 16mm

ST20X10

R12⁰⁰

20 x 10mm

ST25X16

R23⁰⁰

25 x 16mm

ST25X25

R24⁰⁰

25 x 25mm

ST25X40

R28⁰⁰

25 x 40mm

ST40X25

R33⁰⁰

40 x 25mm

ST40X40

R38⁰⁰

40 x 40mm

ST75X75

R95⁰⁰

75 x 75mm

ST100X100

R199⁰⁰

100 x 100mm

CABLE TIES



BLACK

T18RBK

T30RBK

T50RBK

T50IBK

T120RBK

NATURAL

T18RNT

T30RNT

T50RNT

T50INT

T120RNT

Length: 100mm
Width: 2.5mm
Pack Size: 100

Length: 148mm
Width: 3.5mm
Pack Size: 100

Length: 198mm
Width: 4.7mm
Pack Size: 100

Length: 305mm
Width: 4.7mm
Pack Size: 100

Length: 388mm
Width: 7.8mm
Pack Size: 50

R23⁰⁰
EACH

R47⁰⁰
EACH

R79⁰⁰
EACH

R129⁰⁰
EACH

R185⁰⁰
EACH



ZMX-B600H

R99⁰⁰

600pcs Cable Ties

150pcs - 100mm Natural, Black
100pcs - 200mm Natural, Black
50pcs - 180mm Natural, Black



ZMX-E1200

R119⁰⁰

1200pcs Cable Ties

200pcs - 100mm Natural, R, G, B, Y
100pcs - 150mm Natural
100pcs - 200mm Natural

FISH TAPE



FT-30M

R219⁰⁰

30m | Steel Tape
Easy Pull Reel

Very Long Life | High Thrust
Very high tensile strength
and flexibility

LABEL PRINTER



**FREE
PRINTER**

when you buy
20 cartridges or more!

M210

R3,769⁰⁰

- Thermal Transfer Printer
- Keyboard: ABC + 104 Symbols
- Battery not included



142803

R559⁰⁰

9.5mm x 6.4m Vinyl
Tape Black on Yellow

142811

R729⁰⁰

19.05mm x 6.4m Vinyl
Tape Black on Yellow

142800

R559⁰⁰

9.5mm x 6.4m Vinyl
Tape Black on White

142807

R629⁰⁰

12.5mm x 6.4m Vinyl
Tape Black on White

142797

R729⁰⁰

19.05mm x 6.4m Vinyl
Tape Black on White

110924

R1,219⁰⁰

8.5mm x 2.1m Heat
Shrink Black on White

110929

R929⁰⁰

30.4mm x 4.3m Self
Laminating Vinyl
Tape Black on White

110893

R499⁰⁰

9.5mm x 4.9m
Nylon Cloth Tape
Black on White

110895

R679⁰⁰

19.05mm x 4.9m
Nylon Cloth Tape
Black on White



National Sales Centre: 010 2023400



Whatsapp Support: 078 780 8546



www.acdc.co.za

TOOLS

VDE TOOL KITS

SB0607243

R459⁰⁰

13pc Screwdriver Set | All in one driver set with clip on handle

V10-010

R889⁰⁰

1000V 10 Pc Electrician Tool Set + Carry Bag (VDE)

1000V VDE



SCREWDRIVER SET

W-10001/6

R519⁰⁰

Kraftform 6Pcs Set
2 x ELS, 2 x MS, 2 x PH



ALLEN KEY SETS



SB202403

R149⁰⁰

30pc 0.028-3/8", 0.7-10mm Flat End

SB233157

R119⁰⁰

Ball Point 9 pieces 1.5 - 10mm

MINI PLIERS

HT10-3061

Long Nose 128mm

HT10-3062

Bent Nose 128mm

HT10-3063

Flat Nose 115mm

HT10-3064

Round Nose 101mm

HT10-3065

Diagonal Cut 101mm

HT10-3066

End Cut 101mm

HT10-3067

Linesman 115mm

HT10-3068

Needle Nose 153mm

R39⁰⁰ EACH

RATCHET WRENCH SET

SB133249

R849⁰⁰

9Pc 8-19mm Wrenches



TOOL BAGS

SB-L001

R1,079⁰⁰

Professional Trolley Tool Bag
10-Exterior, 32-Interior Pockets
360 x 250 x 430mm
Three-Step Heavy Duty Trolley with stop

SB-T017

R769⁰⁰

Tool Bag with Tubular Handle
14-Exterior, 42-Interior Pockets
490 x 280 x 370mm
Foldable Sides

CABLE & WIRE STRIPPING TOOLS

WEICON®

STRIP-2

R169⁰⁰

2-level stripping of all coaxial cables of 4.8 - 7.5mm outer Ø

STRIP-3

R249⁰⁰

2-level stripping of all coaxial cables of 4.8 - 7.5mm outer Ø

STRIP-7-FLAT

R989⁰⁰

Cable and wire stripping of two or three core flat cables with PVC insulation 0.75mm² - 4.0mm²

STRIP-500

R579⁰⁰

All-in-one Stripper, Cutter & Voltage Tester
Screwdriver with 2 Bits

STRIP-SOLARMINI

R779⁰⁰

Stripping depth stop
Compact
Suits 1.5-Ø6mm
Side blade cutter

STRIP-7-SOLAR

R1,399⁰⁰

Automatic
Precise adjustment for easy removal of multiple layers
For Solar Cables 1.5-6mm²

STRIP-5-SOLAR-PRO

R1,549⁰⁰

For stripping common PV Cables 1.5-10mm²

WITH SIDE CUTTER

NEW

• Excellent precision and accuracy
• Hardened Blades
• Automatically adjusts required conductor
• Slim design for accessibility
• Durable & Reliable mechanics

TOOL BOXES

MJ-3083

R579⁰⁰

Aluminium
520L x 210H x 230Wmm

MJ-3085

R629⁰⁰

Aluminium
594L x 210H x 230Wmm

SAFETY EQUIPMENT

TOOG774

R79⁰⁰

Safe Face Shield

TOOE505

R95⁰

Disposable Ear Plugs

JW-SFT028

R25⁰⁰

Safety Glasses with Side Shield

3M

COMFORT GRIP GLOVES

WX300921193

R169⁰⁰

Large

WX300921201

R149⁰⁰

X-Large

DIRECT TO THE PUBLIC. Valid from 1 July - 30 September 2024. Prices include VAT. Only while stocks last - E & OE
Terms & conditions apply. Please note that actual stock may vary from pictures provided.



CORDLESS POWER TOOL KITS



KUC30.1

Brushless
Hammer Drill

R3,199⁰⁰

20V | 13mm metal-chuck 60Nm | c/w 2 x 4.0Ah Battery, Charger & Stack Case



Complete with
COMPLIMENTARY
ACCESSORY KIT
*While stocks last

- Max 60Nm torque @ 33600impacts /pm
- Robust heavy duty 13mm metal chuck
- Auto spindle lock
- Variable 2-speed gear control
- LED with pre-light function
- Forward & reverse rotation control



KUG02

R4,599⁰⁰

12V Hammer Drill &
Impact Driver Combo
c/w 2 x 12V 2.0Ah, 1.5A Charger
& Stacking Case

Impact Driver
No Load: 0-3300rpm
Chuck Size: 1/4" Hex
Impact: 0-4000bpm
Max Torque: 140Nm

Hammer Drill
No Load: 0-1800rpm
Chuck Size: 10mm
Impact: 0-2700bpm
Max Torque: 40Nm

- Compact size, longer motor life & increased run time
- Compact design for accessing tight spaces
- Variable speed for fastening applications
- Soft grip handle | Built-in power indicator | LED Light



KUS58.1

R3,999⁰⁰

Oscillating/Multi Tool
480W | 5" Angle | Ideal for wood, metal,
plastic tile, drywall & more

- Vibrafree® features 3X Cutting efficiency with reduced vibration
- Microsonic high frequency oscillation technology
- Variable speed control & multi-angle adjustment
- Hyperlock™ tool free system provides 1 ton clamping force preventing blade slippage



KUS04P

R999⁰⁰

Angle Grinder
830W | 115mm | Soft Start &
Anti-Restart Function



KUS35P

R2,999⁰⁰

Angle Grinder | 2200W | 230mm
Soft Start & Anti-Restart Function



KU110K

R799⁰⁰

Corded Drill
500W Robust motor
10mm | Keyless Chuck



KU120

R999⁰⁰

Corded Drill
650W Robust motor
13mm | Keyless Chuck



KUX12P

R2,999⁰⁰

Rotary
Hammer

850W motor
SDS Plus
Powerful 3J of impact
energy drilling,
hammer drilling &
chiselling



KUX15P

R4,499⁰⁰

Rotary Hammer
1100W motor | SDS Max
Powerful 5J of Hammer
drilling & chiselling
Rotation Control Clutch



DIGITAL METERS

MULTIMETERS



C-LOGIC-55

R499⁰⁰

300VAC/DC | 200mA AC
2MΩ Resistance
Pocket Size | DMM



C-LOGIC-520

R699⁰⁰

600VAC/DC | 10A DC
2MΩ Resistance

CLAMP METERS



C-LOGIC-85

R899⁰⁰

600VAC/DC
400A AC

VOLT TESTERS



C-LOGIC-25

R179⁰⁰

90-1000VAC
Non Contact



C-LOGIC-35

R499⁰⁰

20-1000VAC



C-LOGIC-250

R1,649⁰⁰

Light Meter
Lux: 0-200000Lux
FC: 0-20000FC
CD: 999900



C-LOGIC-230

R1,129⁰⁰

IR Thermometer
Temperature: -
20°C - +300°C
Relative Humidity:
10%-90%



C-LOGIC-280

R1,529⁰⁰

Anemometer
Air speed:
Meter/Sec: 0.8-40W
km/h: 2.88 - 144km/h



C-LOGIC-290

R2,229⁰⁰

Digital Sound Level
Range: 30dB - 130dB
Dynamic Range: 50dB
Freq range: 30Hz - 8KHz



C-LOGIC-95

R1,389⁰⁰

Laser Tachometer
Range: 50 -
99999RPM
Measure Distance:
50-250mm

CONDUIT BUNDLES

EASY
CABLE
MANAGEMENT



Bundle of
25 x 4m
Lengths

JHB & KZN ONLY

CON-20/25

R345⁰⁰

20mm | 100m

CON-25/25

R578⁰⁰

25mm | 100m

CAPE TOWN ONLY

CON-20/25

R397⁰⁰

20mm | 100m

CON-25/25

R594⁰⁰

25mm | 100m

DISTRIBUTION BOARDS



SDBEDIN-8

R99⁰⁰

White Surface Mount
DIN DB 8-Way with
door & tray



SDBEDIN-12

R149⁰⁰

White Surface Mount
DIN DB 12-Way with
door & tray

