

CHARGED FOR

SUMMER

DIRECT TO THE PUBLIC. Valid from 1 October - 31 December '23. Prices include VAT. Only while stocks last - E & OE - Terms & conditions apply. Please note that actual stock may vary from pictures provided.

ISITEPOWER-M HYBRID SOLUTION



10 YEAR warranty

10 YEAR warranty

10 YEAR warranty

ISP-M-5K-5KWH

R69,999⁰⁰

5kW 1PH Power Module & 1 x 5kWh Battery Module
Maximum Output Power in Backup Mode: 2500W

ISP-M-5K-10KWH

R109,999⁰⁰

5kW 1PH Power Module & 2 x 5kWh Battery Modules

ISP-M-5K-15KWH

R149,999⁰⁰

5kW 1PH Power Module & 3 x 5kWh Battery Modules

Solar Panels to be ordered separately

STACKABLE SOLUTION



BATTERY 5 YEAR warranty
INVERTER 3 YEAR warranty

BATTERY 5 YEAR warranty
INVERTER 3 YEAR warranty

LS-AIO-3.5K-5KWH

R29,589⁰⁰

3500W | 230VAC/50Hz
1 x 5kWh Batteries
10.24KWH /100Ah

LS-AIO-3.5K-10KWH

R49,999⁰⁰

3500W | 230VAC/50Hz
2 x 5kWh Batteries
10.24KWH /200Ah

LS-AIO-3.5K-15KWH

R70,499⁰⁰

3500W | 230VAC/50Hz
3 x 5kWh Batteries
15.36KWH /300Ah

5000 cycles @ 80%DOD | 80A MPPT Solar Charger | Base, Mounting Frame



Integrated system of Grid Supply, Backup Power & Power Management



IP65 Protection Rating Waterproof & Dustproof



Adapts to Complex Power Grids



Compact & Light Weight Design

OFF-GRID INVERTERS

Pure Sine Wave Solar Inverters | Combines the functions of Inverter, MPPT Solar Charger, AC Battery Charger, UPS



1 YEAR warranty

PV18-1K 12VDC

R4,789⁰⁰

1KVA/1KW | 230VAC
PV Input:
625W/75V Max
Add PV18-WIFI for Remote Monitoring



2 YEAR warranty

LUX-SNA-5K 48VDC

R11,899⁰⁰

5KVA/5KW | 230VAC
PV Input: 2 x 3200W / 450V Max | CAN Lithium
BMS Communication (incl.)
Parallel Capable | c/w Full Remote Monitoring & Control



2 YEAR warranty

XANADU-10K 48VDC

R27,499⁰⁰

10KVA | 230VAC/50Hz | Dual AC Output
Lithium or Lead Acid Battery | 48VDC
200A Max. Charge Current
BMS Communication (incl.)
PV Input: 500VDC | MAX. 12000W
2 MPPT Trackers

PV18-3K 24VDC

R5,999⁰⁰

3KVA/3KW | 230VAC
PV Input:
1500W/145V Max
Add PV18-WIFI for Remote Monitoring

PV18-5K 48VDC

R10,299⁰⁰

5KVA/5KW | 230VAC
PV Input:
4000W/145V Max
Add PV18-WIFI for Remote Monitoring



PLEASE NOTE THAT SPECIFIC INVERTER & BATTERY WARRANTY T'S & C'S ARE DETERMINED BY THE RESPECTIVE MANUFACTURERS AND CAN BE PROVIDED ON REQUEST.

SOLAR READY EASY INSTALL BACKUP KITS



1 YEAR
warranty



Solar Ready Grid Interactive Inverter on Easy Install Kit

MKS-CK-03

R13,615⁰⁰

3kW Inverter
PV Input: 150V / 1500W Max

MKS-CK-05

R18,149⁰⁰

5kW Inverter
PV Input: 150V / 4000W Max



1 YEAR
warranty



Solar Ready Hybrid Inverter on Easy Install Kit

HYHP-CK-5K

R18,379⁰⁰

5kW Inverter
PV Input: 450V / 5000W Max



2 YEAR
warranty



Solar Ready Hybrid Inverter on Easy Install Kit

HYLH-CK-5K

R21,299⁰⁰

5kW Inverter
PV Input: 450V / 2x3200W Max



5 YEAR
warranty



Solar Ready Hybrid On-Grid Inverter on Easy Install Kit

DEYE-CK-5K

R43,565⁰⁰

5kVA | 48VDC | 1PH

DEYE-CK-8K

R64,999⁰⁰

8kVA | 48VDC | 1PH

DEYE-CK-12K

R80,459⁰⁰

12kVA | 48VDC | 3PH



BATTERY 3 YEAR
warranty | **INVERTER 1 YEAR**
warranty

CAN ADD SOLAR

HYLH-CK-1K-108-BP

R18,899⁰⁰

1KW Inverter - Basic Kit
108Ah/1280Wh Lithium
Battery fuse protection
75VDC PV input / 625W Max



BATTERY 3 YEAR
warranty | **INVERTER 1 YEAR**
warranty

CAN ADD SOLAR

HYLH-CK-1K-1280WH

R23,999⁰⁰

1KW Inverter - Easy Installation Kit
108Ah/1280Wh Lithium
With AC/DC Combiner
75VDC PV input / 625W Max



BATTERY 3 YEAR
warranty | **INVERTER 1 YEAR**
warranty

CAN ADD SOLAR

HYLH-CK-3K-2X108-BP

R31,799⁰⁰

3KW Inverter - Basic Kit
2 x 108Ah/2560Wh Lithium
Battery fuse protection
145VDC PV input / 1500W Max



BATTERY 3 YEAR
warranty | **INVERTER 1 YEAR**
warranty

CAN ADD SOLAR

HYLH-CK-3K-2560WH

R36,499⁰⁰

3KW Inverter - Easy Installation Kit
2 x 108Ah / 2560Wh Lithium
With AC/DC Combiner
145VDC PV input / 1500W Max



c/w DC surge & AC/DC overload protection & bypass capability

NOTE: KITS DO NOT INCLUDE CABLING, SOLAR PANELS, OR INSTALLATION



HYBRID INVERTERS




5 YEAR
warranty

SE-H-6K 48VDC

R24,479⁰⁰

6000W Back-up Output power
230VAC/50Hz Input/Output
Lithium-ion/ Lead-Acid Battery (48VDC)
120A Max. Charge/Discharge Current
BMS Communication (incl.)
PV Input: 550VDC | Max. 9000W



5 YEAR
warranty

SE-H-10K 48VDC

R42,679⁰⁰

10 000W Back-up Output power
230VAC/50Hz Input/Output
Lithium-ion/ Lead-Acid Battery (48VDC)
210A Max. Charge/Discharge Current
BMS Communication (incl.)
PV Input: 600VDC | Max. 15000W

COMPACT INVERTER



Modified Sine Wave

SG-PSI-150W

R429⁰⁰

150W Continuous Power
300W Surge Power
Input: 12VDC
Output 230VAC/150W
2 x USB-A (5V/2.1A Total)



HYBRID GRID-TIED INVERTERS

Parallel Capable | c/w Full Remote Monitoring & Control



1 YEAR
warranty

10KVA

INFINI-10K-48

R58,095⁰⁰

10kVA | 48VDC | 3PH
PV Input: 14850W Max
2 x MPPT



5 YEAR
warranty

5KVA

DEYE-H-5K 48VDC

R24,749⁰⁰

5kVA | 48VDC | 1PH
PV Input: 6500W Max
2 x MPPT



5 YEAR
warranty

8KVA

DEYE-H-8K 48VDC

R40,229⁰⁰

8kVA | 48VDC | 1PH
PV Input: 10400W Max
2 x MPPT



5 YEAR
warranty

12KVA

DEYE-H-12K-3P 48VDC

R61,045⁰⁰

12kVA | 48VDC | 3PH
PV Input: 15600W Max
2 x MPPT



5 YEAR
warranty

16KVA

DEYE-H-16K 48VDC

R73,799⁰⁰

16kVA | 48VDC | 1PH
PV Input: 20800W Max
2 x MPPT

PLEASE NOTE THAT SPECIFIC INVERTER & BATTERY WARRANTY T'S & C'S ARE DETERMINED BY THE RESPECTIVE MANUFACTURERS AND CAN BE PROVIDED ON REQUEST.



Solar Hot Line: **010 045 8002**



Whatsapp Support: **078 780 8546**



solar@acdc.co.za

INVERTER CHARGERS

MULTIPLUS II RANGE - With Optional Ext. Current Sensor



MPIC-II-48/3000/35

R18,329⁰⁰

48V | 3000VA
5500W | 230VAC

MPIC-II-48/5000/70

R27,629⁰⁰

48V | 5000VA
4000W | 230VAC

PHOENIX INVERTERS



PURE SINE WAVE | VE DIRECT - 230VAC

GX-12/250

R1,549⁰⁰

12V | 250VA | 200W

GX-12/375

R1,999⁰⁰

12V | 375VA | 300W

GX-12/500

R2,529⁰⁰

12V | 500VA | 400W

GX-12/800

R4,519⁰⁰

12V | 800VA | 650W

GX-12/1200

R6,089⁰⁰

12V | 1200VA | 1000W

GX-24/250

R1,569⁰⁰

24V | 250VA | 200W

GX-24/375

R1,999⁰⁰

24V | 375VA | 300W

GX-24/500

R2,519⁰⁰

24V | 500VA | 400W

GX-24/800

R4,499⁰⁰

24V | 800VA | 650W

GX-24/1200

R5,969⁰⁰

24V | 1200VA | 1000W

BATTERY MONITORING & CONTROL



BB-12/24

R1,139⁰⁰

Battery Balancer



CERBO GX

R5,219⁰⁰

Cerbo GX
Communication
Gateway

CHARGE CONTROLLERS

SMART SOLAR - c/w
Built-in Bluetooth for
Remote Monitoring



SS-MPPT-75/15

R1,839⁰⁰

15A | 12/24 (Auto)
PV: 220/440W
Max Solar: 75VDC/15A

SS-MPPT-100/50

R5,129⁰⁰

50A | 12/24V(Auto)
PV: 700/1400W
Max Solar: 100V/60A

SS-MPPT-100/20

R2,359⁰⁰

20A | 12/24V(Auto)
PV: 290/580W
Max Solar: 100VDC/20A

SS-MPPT-150/35

R4,869⁰⁰

35A | 12/24/48V (Auto)
PV: 500/1000/2000W
Max Solar: 150V/40A

SMART SOLAR MPPT CONTROLLERS - With Terminal Connection



SS-MPPT-250/100-TR

R18,189⁰⁰

100A | 12/24/48V (Auto)
PV: 1450/2900/5800W
Max Solar: 250V/70A



SS-MPPT-450/100-TR

R21,649⁰⁰

100A | 48V
PV: 5760W Max (2xMPPT)
Max Solar: 450V/20A

BLUE SOLAR MPPT CONTROLLERS - PWM LIGHT



BLUESOLAR-10

R439⁰⁰

10A | 12/24V (Auto)
Max Solar: 28/55VDC

BLUESOLAR-5

R359⁰⁰

5A | 12/24V (Auto)
Max Solar: 28/55VDC

BLUESOLAR-20

R549⁰⁰

20A | 12/24V (Auto)
Max Solar: 28/55VDC



LEAD-ACID BATT.



AGM/GEL

NSB065-12

R2,239⁰⁰

12V | 65Ah
350 x 167 x 183mm

NSB100-12

R3,229⁰⁰

12V | 100Ah
328 x 172 x 220mm

NSB200-12

R6,589⁰⁰

12V | 200Ah
522 x 240 x 240mm

DEEP CYCLE AGM



SY12065

R1,910⁰⁰

12V | 65Ah
350 x 167 x 181mm

SY12035

R1,159⁰⁰

12V | 35Ah
196 x 131 x 180mm

SY12045

R1,439⁰⁰

12V | 45Ah
197 x 166 x 170mm

SY120102

R2,779⁰⁰

12V | 102Ah
331 x 173 x 218mm

SY120200

R5,419⁰⁰

12V | 200Ah
522 x 240 x 240mm

Please Note: Lead-Acid Batteries are not well-suited for applications that require frequent cycling or deep discharge. Due to the current load shedding situation, there is no warranty on Lead-Acid Batteries.



LITHIUM BATTERIES

3
YEAR
warranty



SPF12-100

R7,449⁰⁰

12.8V | 100Ah / 1280Wh
Max. Discharge: 100A

SPF12-7.5

R849⁰⁰

12.8V | 7Ah / 89.6Wh
Max. Discharge: 7A

SPF12-20

R1,599⁰⁰

12.8V | 20Ah / 256Wh
Max. Discharge: 20A

SPF12-200

R13,729⁰⁰

12.8V | 200Ah / 2560Wh
Max. Discharge: 200A

SPF12-8-HD

R939⁰⁰

12.8V | 8Ah / 102.4Wh
Max. Discharge: 24A

SPF12-40

R3,689⁰⁰

12.8V | 40Ah / 512Wh
Max. Discharge: 50A

SPF26V-100

R13,729⁰⁰

25.6V | 100Ah / 2560Wh
Max. Discharge: 100A

SPF12-10

R1,139⁰⁰

12.8V | 10Ah / 128Wh
Max. Discharge: 20A

SPF12-60

R4,569⁰⁰

12.8V | 60Ah / 768Wh
Max. Discharge: 50A

SPF26V-200

R26,429⁰⁰

25.6V | 200Ah / 5120Wh
Max. Discharge: 150A

Heavy Duty
for Gate
Motors

MOBILE POWER SERIES - Up to 3000 cycles @ 80% DoD



3
YEAR
warranty

13V

BN13V-8-104WH

R1,139⁰⁰

104Wh | 13VDC | 8Ah



3
YEAR
warranty

13V

BN13V-11-140WH

R1,699⁰⁰

140Wh | 13VDC | 11Ah



3
YEAR
warranty

13V

BN13V-22-280WH

R2,399⁰⁰

280Wh | 13VDC | 22Ah



3
YEAR
warranty

13V

BN13V-108-1.4K

R9,999⁰⁰

1400Wh | 13VDC | 108Ah



3
YEAR
warranty

13V

BN13V-218-2.8K

R18,499⁰⁰

2800Wh | 13VDC | 218Ah



3
YEAR
warranty

26V

BN26V-50-1.3K

R9,999⁰⁰

1300Wh | 26VDC | 50Ah

PLEASE NOTE THAT SPECIFIC INVERTER & BATTERY WARRANTY T'S & C'S ARE DETERMINED BY THE RESPECTIVE MANUFACTURERS AND CAN BE PROVIDED ON REQUEST.



1C

Rack Mount

LFP26V-100-2.5K-RM

R14,179⁰⁰

25.6V | 2560Wh | 100Ah
Max. Discharge: 100A
Up to 6200 Cycles @ 80%
DoD (0.5C)



1C

Wall Mount

LFP26V-100-2.5K-WM

R14,329⁰⁰

25.6V | 2560Wh | 100Ah
Max. Discharge: 100A
Up to 6200 Cycles @ 80%
DoD (0.5C)




1C

Rack Mount

LFP52V-100-5.2K-RM

R26,869⁰⁰

51.2V | 5120Wh | 100Ah
Max. Discharge: 100A
Up to 6200 Cycles @ 80%
DoD (0.5C)



1C

Wall Mount

LFP52V-100-5.2K-WM

R28,279⁰⁰

51.2V | 5120Wh | 100Ah
Max. Discharge: 100A
Up to 6200 Cycles @ 80%
DoD (0.5C)



1C

Floor Standing

LFP52V-200-10K-FS

R46,259⁰⁰

51.2V | 10240Wh | 200Ah
Max. Discharge: 200A
Up to 6200 Cycles @ 80%
DoD (0.5C)



1C

ELFBULB
POWER YOUR LIFE

ELF52V-100-5.12K-WM

R24,710⁰⁰

Voltage 51.2VDC
5.12kWh / 100Ah LiFePO4 Battery
Max. Discharge: 100A
Up to 8000 cycles @ 80% DoD (0,5C)

LIFEP04 BATTERIES

ELF52V-200-10K-WM

R47,725⁰⁰

Voltage 51.2VDC
1.024kWh / 200Ah LiFePO4 Battery
Max. Discharge: 200A
Up to 8000 cycles @ 80% DoD (0,5C)



1C

ELF52V-100-5.12K-RM

R24,710⁰⁰

Voltage 51.2VDC
5.12kWh / 100Ah LiFePO4 Battery
Max. Discharge: 100A
Up to 8000 cycles @ 80% DoD (0,5C)

NEW!

10
YEAR
warranty

PYLONTECH

LITHIUM BATTERIES



0.5C

US2000C

R19,935⁰⁰

Voltage 48VDC
2.4kWh / 50Ah LiFePO4 Battery
Max. Discharge: 25A
Up to 4500 cycles @ 90% DoD (0.5C)



0.5C

US3000C

R23,915⁰⁰

Voltage 48VDC
3.552kWh / 74Ah LiFePO4 Battery
Max. Discharge: 37A
Up to 4500 cycles @ 90% DoD (0.5C)



0.5C

UP5000

R28,245⁰⁰

Voltage 48VDC
4.800kWh/75Ah LiFePO4 Battery
Max. Discharge: 50A
Up to 4500 cycles @ 90% DoD (0.5C)

10
YEAR
warranty

7
YEAR
warranty

5
YEAR
warranty

Dyness
ENERGY STORAGE SYSTEM

LITHIUM BATT.

10
YEAR
warranty



0.5C

DYN-A48100-4.8KWH

R26,149⁰⁰

Voltage: 48VDC | IP20
Capacity: 4.8kWh/100Ah
Max. Discharge: 50A
Cycle Life: 6000 @ 80% DOD (0,5C)



0.5C

DYBA51100-5KWH

R27,429⁰⁰

Voltage: 51.2VDC | IP20
Capacity: 5.12kWh/100Ah
Max. Discharge: 50A
Cycle Life: 6000 @ 80% DOD (0,5C)

CFE
energy storage system

RESIDENTIAL ESS BATTERIES

10
YEAR
warranty



CFE-5100S-5.1KWH

R28,792⁰⁰

5.1kWh | 100Ah | 51.2V LiFePO4 Battery
Max. Discharge: 100A
Up to 6000 cycles @ 80% DoD (0.2C)

ACCESSORIES - To be ordered Separately

- CFE-FLOOR-BRKT** Floor Mounting **R159⁰⁰**
- CFE-WALL-BRKT** Wall Mounting **R159⁰⁰**
- CFE-PCAB** Battery Parallel **R319⁰⁰**
- CFE-ICAB** Battery Input **R725⁰⁰**

BLUE NOVA
energy

LITHIUM BATTERIES

RACPOWER RANGE



0.5C

6
YEAR
warranty

BN52V-100-5.2K BP

R25,999⁰⁰

5120Wh | 48VDC | 100Ah
Max. Discharge: 50A
Up to 4000 cycles @ 80% DoD (C2)



1C

10
YEAR
warranty

BN52V-100-5.2K DU

R42,499⁰⁰

5120Wh | 48VDC | 100Ah
Max. Discharge: 100A
Up to 8000 cycles @ 80% DoD (C2)

Deye **LITHIUM BATTERIES**

10
YEAR
warranty



1C

DEYE-SE52V-G5.3KWH

R26,435⁰⁰

51.2VDC
5320WH/104AH
≥6000 Cycles @ 90% DOD, | 0.3C
Max. Discharge: 100A



1.5C
5.4KW

GR-UP3686-3.6KWH

R23,019⁰⁰

3686Wh | 51.2VDC | 72Ah
Max. Discharge: 115A (1.5C)
Up to 6000 Cycles @ 80% DoD (0.5C)



1.5C
7.5KW

GR-UP5000-5KWH

R25,999⁰⁰

4960Wh | 51.2VDC | 96Ah
Max. Discharge: 150A (1.5C)
Up to 6000 Cycles @ 80% DoD (0.5C)



1.5C
7.5KW

GR-UP5000-WM-5KWH

R28,069⁰⁰

4960Wh | 51.2VDC | 96Ah
Max. Discharge: 150A (1.5C)
Up to 6000 Cycles @ 80% DoD (0.5C)



1.5C
9KW

GR-UP6100-6.1KWH

R32,219⁰⁰

6123Wh | 51.2VDC | 119.6Ah
Max. Discharge: 200A (1.5C)
Up to 6000 Cycles @ 80% DoD (0.5C)



Buy any **GREENRICH**
LIGHT UP AFRICA
product and stand a chance to

WIN BIG!

We're giving away a top-of-the-line Portable Power Station to the value of **R20,000** to one lucky customer!


BATTERY MOUNTING BRACKETS



WMBRKT-1BAT

R499⁰⁰

For 1 Rack Mount
Battery up to 4u



WMBRKT-2BAT

R1,199⁰⁰

For 2 Rack Mount
Batteries, Flat Pack,
up to 8u

MOBILE BACK-UP UNITS - RECHARGEABLE



PURE
SINE WAVE

DQ1208A500-1

R6,279⁰⁰

500W | 230VAC
450Wh Battery
c/w 2 x LED Lamps | AC, USB & 12VDC Outlets

DQ1208B1000-1

R9,229⁰⁰

1000W | 230VAC
690Wh Battery



PBU-PS-500

R8,750⁰⁰

500W | 230VAC
500Wh Lithium Battery
Solar Input: 11-26V / 120W Max



PBU-PS-1300

R20,199⁰⁰

1300W | 230VAC
1254Wh LiFePO4 Battery
Solar Input: 11-26V / 250W Max

AC, USB & 12VDC Outlets | Note: AC output cannot be used while charging

MOBILE BACK-UP UNITS

- WITH UPS FUNCTION



WITH PV
INPUT

HYTR-1K-100AHL

R18,589⁰⁰

12VDC Lithium Battery incl.
100Ah/ 1280Wh | 1000W, 230VAC
3-Pin SA, Schuko & N-Type Sockets
PV Input Built-in Charger



Built-in LED
and Remote
Monitoring App



BP-EB3A

R5,999⁰⁰

600W | 230VAC
268Wh Lithium Battery
AC, USB & 12VDC Outlets
Solar Input: 12-28V / 200W Max



PBU-1000W-UPS

R14,649⁰⁰

1000W, 230VAC
3-Pin SA Sockets | 800WH
USB-A, USB-C, Wireless Charger
Output, LED light



DP1000iL

R23,859⁰⁰

1000W | 230VAC
2048Wh Lithium Battery
AC, USB & 12VDC Outlets
PV Input: 140V / 600W Max



ESS-1KW-LITHIUM

R14,999⁰⁰

1000W | 230VAC
1024Wh Lithium Battery
PV Input: 30-160VDC / 1000W Max

ESS-1.5KW-LITHIUM

R18,999⁰⁰

1500W | 230VAC
1536Wh Lithium Battery
PV Input: 30-160VDC / 1000W Max

Complete with: 12VDC Barrel Output | USB-A | USB-C
Built-in Fast Charger | PV Input

PORTABLE FOLDING PV PANELS



SLP-P60W

R2,439⁰⁰

Folded Size: 300 x 400 x 45mm
Outputs:
1 x Anderson: 18V (60W)
1 x USB-A QC: 5-12V (24W)
1 x USB-C PD: 5-15V (18W)



ESS-1.5KW-1.28KWH

R17,729⁰⁰

1500W, 230VAC
1280Wh | ≥ 2500 cycles

ESS-3K2-5.12KWH

R32,369⁰⁰

3000W, 230VAC
5120Wh | ≥ 2500 cycles

ESS3-KW-2.56KWH

R21,249⁰⁰

3000W, 230VAC
2560Wh | ≥ 2500 cycles

Complete with:
• USB-A, PV Input
• Built-in Charger
• 3-Pin SA socket



SOLAR FANS

SF-DESK-15W

R1,099⁰⁰

15W | Can be charged using Solar or AC adapter
3-speed with oscillation



SF-FLOOR-15W

R1,189⁰⁰

15W | Can be charged using Solar or AC adapter
Electronic speed control



SOLAR FLOODLIGHT/LANTERN

Solar or USB Charging | 3 Light Modes + Red & Blue Flash | 180° Rotatable Bracket



IP65

CPL-PL-50W

R339⁰⁰

Up to 6hrs Battery Life
10W/580lm | 5V/1A USB
Input/Output Ports

CPL-PL-100W

R399⁰⁰

Up to 6hrs Battery Life
15W/780lm | 5V/1A USB
Input/Output Ports



TORCH/LANTERN

SP-SCL01

R99⁰⁰

3.7V 600mAh | 2.5W Lamp Power
Charged via Solar or USB

SOLAR FLOODLIGHTS



IP65

TK-03-200W

R1,289⁰⁰

3.2V/20Ah Battery
200W / 1800lm
20W PV Panel




IP65

TK-03-300W

R1,999⁰⁰

3.2V/40Ah Battery
300W / 3200lm
40W PV Panel



SOLAR LIGHTING SOLUTIONS

LANTERN/POWER BANK



SG-MYLAMP

R299⁰⁰

0.5W / 120lm
Dimmable | 2200mAh
Charge through Solar,
USB or Crank

SOLAR POWER BANK



ES-130

R599⁰⁰

Lithium, 3000mAh
Dependant on device
iPhone/ iPod,
Blackberry, Samsung

SOLAR CARRY BAG



CB-03

R989⁰⁰

Li-Ion | 4hrs full charge
Mini Controller with 5V
500mA USB + LED Lights
Phone Connectors



SOLAR POWER BANK

WAKA-P-Y

R649⁰⁰

Solar: 1.8W Monocrystalline
Battery: 10000mAh
Charging: 55hrs Solar /
≥6hrs USB
Working: 20hrs (LED Only)



- Solar mobile phone or tablet charger with LED light
- Large Lithium battery capacity
- Water, dust and shock resistant
- c/w Cigarette Lighter Function

PORTABLE SOLAR LAMP KIT



c/w USB Cable & Mini USB

MRD-401

R399⁰⁰

3.7V / 4400mAh Battery
7 - 8hrs Full brightness
1.7W / 120lm per lamp




2 LAMPS

MRD-401/2

R469⁰⁰

3.7V / 2000mAh Battery
3 - 4hrs Full brightness
1.7W / 120lm per lamp



4 LAMPS

MRD-401/4

R879⁰⁰

3.7V / 2000mAh Battery
3 - 4hrs Full brightness
1.7W / 120lm per lamp

SOLAR TORCH



BSS-00107

R139⁰⁰

Lithium
7hrs full charge
0.6W / 50lm
Lamp Holder

SOLAR CAMP LIGHT



BSS-00207

R229⁰⁰

Lithium
6 / 24hrs full charge
1.2 / 0.2W / 110/20lm
Carry Holder, Cell Accessories

SOLAR JUNIOR LIGHT



BSS-00314LH

R429⁰⁰

Lithium
7hrs full charge
1.5W / 120lm
Cell Accessories



SOLAR WIFI SECURITY LIGHT WITH CAMERA

MJ-01W-100W

R2,149⁰⁰

100W/800lm
Camera: 1080P HD with
full Colour Night Vision
Talk Back Function



App Control

WiFi Control

Remote Switching

Talk back microphone & speaker



Cloud Storage for Videos

Subscribe



SOLAR LIGHTING SOLUTIONS

GUTTER/WALL LIGHT



IP44

0.2W / 21lm | 1.2V 600mAh
Up to 6hrs Working Time

SLL-02 **SINGLE**

R89⁰⁰

SLL-02/3 **3 PACK**

R259⁰⁰

SOLAR WALL LIGHTS WITH MOTION SENSORS



IP65

PIR motion sensing

LD-SWL-03W-CL-1

R269⁰⁰

3.7V/1200mAh Battery
1.5W / 200lm
2 Selectable working modes and back lighting onto wall



IP65

PIR motion sensing

LSD-SWL-3.2W-B

R399⁰⁰

3.7V/2000mAh Battery
3.2W / 400lm
3 Selectable working modes and back lighting onto wall



IP65

PIR motion sensing

B72306-16W

R449⁰⁰

3.7V/2000mAh Battery
16W / 700lm
Easy Installation

SOLAR PERIMETER ALARM LIGHT



IP55

KW-SNLN

R319⁰⁰

2W / 60lm | PIR Motion Sensor
Siren (129dB), //Flashing LED's
c/w Remote Control to Set Working Mode

SOLAR STREET LIGHTING

IP65



ALL-IN-ONE



Light weight
ABS housing



PIR motion
sensing

Note: Pole not included



ST-S20

R479⁰⁰

20W | 360lm
7W PV Panel
3.2V / 5Ah Batt.

ST-S40

R639⁰⁰

40W | 750lm
8W PV Panel
3.2V / 5Ah Batt.

ST-S60

R769⁰⁰

60W | 1350lm
12W PV Panel
3.2V / 12Ah Batt.

RECHARGEABLE DESK LAMPS



DL-YD007-*

*Add Colour to Code:

BK (Black)

R279⁰⁰

• Rechargeable
• Backup Time: 6-7hrs
• Charge Time: 5hrs

GLD (Gold)

R299⁰⁰

• Touch Switch
• CCT Adjustable -
1800K & 5000K



MYT10392-1-*

R429⁰⁰

*Add Colour to Code:
WH (White), BK (Black),
GLD (Gold)

• Touch On/Off,
Dimming & CCT
• Rechargeable
• Backup Time: 6-7hrs
• Charge Time: 5hrs

SOLAR GARDEN SPIKES

IP44



E2009

R49⁰⁰

390H x 130Ø | 1 x LED
1 x NiMh 600mAh
Stainless Steel



RW-SLS004

R69⁰⁰

360 x 115Ø | 1 x LED
1 x NiMh 600mAh
Stainless Steel



RW-SLS003

R79⁰⁰

365H x 125Ø | 1 x LED
1 x NiMh 600mAh
Stainless Steel

SOLAR INGROUND LIGHTS

IP44



RW2LED-120

R149⁰⁰

120Ø x 35D
2 x White LED
1 x NiMh 600mAh

SOLAR LED BULKHEADS

Remote Control for dimming & colour temperature adjustment

IP65



SL02-D-60W

R339⁰⁰

60W | 520-535lm
5000mAh Battery
6W PV Panel



SL02-D-100W

R429⁰⁰

100W | 770-860lm
5000mAh Battery
8W PV Panel

CABINET LIGHTS

Mini Drawer LED Light



MMSL1/2

R219⁰⁰

0.6W | 36lm | 5VDC
USB Chargeable
Colour Temp. 6000K

Ultra Slim Cabinet Light



DL-6110-23

R219⁰⁰

1.4W | 140lm | 5VDC
USB Chargeable
900mAh Battery
Colour Temp.: 4200K

DL-6110-40

R279⁰⁰

3W | 300lm | 5VDC
USB Chargeable
1500mAh Battery
Colour Temp.: 4200K

Smart Sensor Light - Auto On & Off



M3062CH-DL

R289⁰⁰

4W | 180lm | 5VDC
PIR & Daylight Sensor
Sensing Distance <3m
Colour Temp. 6000K
c/w Power Supply

Smart PIR Cabinet Light



M45A1CH-DL

R299⁰⁰

11W | 850lm | 5VDC
PIR Sensor
Sensing Distance <3m
Colour Temp. 6000K
c/w Power Supply

LED TORCHES



SP-WL32C

R69⁰⁰

3W | 200lm
3 x AAA (Not Incl.)
Magnetic Base & Pocket Clip



SP-WL47B

R69⁰⁰

3W | 300lm
3 x AA (Incl.)
Magnet & 360° Flexible Hook



SP-BLH015

R95⁰⁰

Mini Torch
3W | 120lm
Rechargeable | USB



SP-WL14ARC

R229⁰⁰

3.7V 1800mAh Li-ion
USB Rechargeable
c/w 360° Rotating Hook & Magnetic Base



SP-W814

R239⁰⁰

300lm | 3.7V 1800mAh
Rechargeable
c/w Magnetic Base



HL-TC6145-1

R49⁰⁰

3W | 100lm
3 x AAA (Not Incl.)
Magnetic base
360° Rotatable & Detachable Head



HL-TC6145-2

R109⁰⁰

5W | 300lm
3 x AAA (Not Incl.)
Magnetic base



SP-SNL14D

R59⁰⁰

Magnetic Wall Light
3W | 120lm
4 x AAA (Not Incl.)



KB8201

R569⁰⁰

10W | 700lm
3.7V 2400mAh
Rechargeable
Floodlight / Spotlight / Emergency Mode



KB2146-20W

R789⁰⁰

20W | 1600lm
7.4V 2400mAh
Rechargeable

c/w
MOTION
SENSOR

LED LANTERN / TORCH



CS2008GR

R159⁰⁰

LED Lantern/Torch
3W | 300lm | 400mAh Battery
Rechargeable | 8-10hrs Run Time
Colour Temp: 6000K

WITH
HANDLE
STRAP

LED WORKING LIGHTS



WL03-COB-10W

R379⁰⁰

10W | 750lm | 6000K
7.4V, 2 x 2200mAh (Li)
4hrs High / 8hrs Low
USB Charging

LED HEADLIGHTS



SP-WL606

R179⁰⁰

120lm
3.7V / 1200mAh Lithium
USB Rechargeable
On/Off Wave Sensing



SP2022

R109⁰⁰

300lm | 800mAh
3hrs Charge / 2hrs Discharge
On/Off Wave Sensing

Energizer LED TORCHES

BASIC PLASTIC LED




EL-PLASTIC-2D

R59⁰⁰

25lm
Battery: 2 x D (not incl.)

VISION HEADLIGHT



EL-V-HL-200LM

R159⁰⁰

200lm(high) / 45lm(low)
Battery: 3 x AAA included

HARDCASE PIVOT



EL-HC-PIVOT

R399⁰⁰

Magnetic Base
300lm(high) / 30lm(low)
Battery: 2 x AA included

VISION DIY LANTERN



EL-V-LANTERN-RC

R579⁰⁰

300° Area Lighting
1000lm | Rechargeable
USB Output

LED EMERGENCY LIGHTS

A60 EMERGENCY LAMPS



EMG-A60-5W-*

R69⁰⁰

5W | 375lm (normal)
E27 Base
B22 Adaptor Incl.



EMG-A60-9W-*

R79⁰⁰

9W | 675lm (normal)
E27 Base
B22 Adaptor Incl.

Working Time: 4-5 Hours

*Add Colour to Code: DL (Daylight), CW (Cool White)

GU10 EMERGENCY LAMPS



EMG-GU10-3W-*

R59⁰⁰

3W | 190/85lm | GU10
Working Time: 2-3hrs

*Add Colour to Code:

DL (Daylight), CW (Cool White),
WW (Warm White)



EMG-GU10-5W-*

R69⁰⁰

5W | 350/120lm | GU10
Working Time: 2-3hrs

*Add Colour to Code:

DL (Daylight), CW (Cool White)

LED EMERGENCY TUBES

NON-DIMMABLE



- Non-Maintained,
- Follows Light Switch
- Back-up Time: 1hr @ 300lm
- T8 Type - Ø26.3mm

EMG-LEDT8-A2FR-*

R179⁰⁰

9W | 2FT | 800lm

EMG-LEDT8-A4FR-*

R219⁰⁰

18W | 4FT | 1600lm

EMG-LEDT8-A5FR-*

R269⁰⁰

22W | 5FT | 1900lm

*Add Colour to Code: DL (Daylight), CW (Cool White)

LED TUBE LAMPS

T8 | Frosted | Ø26.3mm | Non-Dimmable

LEDT8-A2FR-*

R29⁰⁰

8W | 2FT

LEDT8-A4FR-*

R39⁰⁰

18W | 4FT

LEDT8-A5FR-*

R49⁰⁰

22W | 5FT

*Add Colour to Code: DL (Daylight), CW (Cool White)



LED GU10 LAMPS

NON-DIMMABLE

LED-GU10-6W-*/5

R69⁰⁰

6W | 480lm | GU10
230VAC | 120°

*Add Colour to Code: DL (Daylight),
CW (Cool White), WW (Warm White)

NON-DIMMABLE

HS-GU10-5W-*/-5Y

R35⁰⁰

5W | 350lm | GU10
230VAC | 48°

5
YEAR
warranty

*Add Colour to Code: DL (Daylight),
CW (Cool White), WW (Warm White)



LED HIGH POWER LAMPS

CRD-HP100W

R399⁰⁰

100W | 9000lm
E27 with E40 Adaptor
230VAC | Daylight (6500K)

HN-HB001-150W

R529⁰⁰

150W | 13500lm | E40
230VAC | Daylight (6500K)

c/w
REFLECTOR



HN-HB001-65W

R389⁰⁰

65W | 5525lm | E40
230VAC | Daylight (6500K)

HN-HB001-85W

R489⁰⁰

85W | 7225lm | E40
230VAC | Daylight (6500K)

HN-HB001-105W

R499⁰⁰

100W | 8500lm | E40
230VAC | Daylight (6500K)

DOWNLIGHT FITTINGS



*PB

*SN

*WH

R18⁰⁰

R18⁰⁰

R14⁰⁰

SL-076*

Fixed (Pressed Metal)
Hole size: 60mm
Bezel size: 80mm



IP54

CT-3309

R45⁰⁰

MR16 | Satin Nickel
Size: Ø86 x 35mm
Cutout: 60mm

MR11 DOWNLIGHT FITTINGS



*PB

*SN

*WH

SL-078*

R16⁰⁰
EACH


Fixed (Pressed Metal)
2 Way Tilt | MR11
Hole size: 55mm
Bezel size: 68mm

+

MR11-1W-*

R49⁰⁰

12V | 1W | Blue | MR11 Base
*Add Colour to Code: BL (Blue),
GN (Green), R (Red), Y (Yellow)



*PB

*SN

*WH

SL-080*

R13⁰⁰
EACH

Fixed (Pressed Metal)
Hole size: 55mm
Bezel size: 68mm

LED A60 LAMPS



NON-DIMMABLE



HS-E27-10W-*

R16⁵⁰

9W | 720lm | E27
Non-Dimmable

HS-B22-10W-*

R16⁵⁰

9W | 720lm | B22
Non-Dimmable

*Add Colour to Code: DL (Daylight),
CW (Cool White), WW (Warm White)



LED-A60-7W-E27-*/2

R29⁰⁰

7W | 540lm | E27
2 per pack



LED-A60-7W-B22-*/2

R29⁰⁰

7W | 540lm | B22
2 per pack

*Add Colour to Code: DL (Daylight),
CW (Cool White), WW (Warm White)

LED RECESSED PANELS IP40



HIGH
QUALITY
ULTRA
EFFICIENT

DFL-P0606-40W-*

R379⁰⁰

40W | 4400lm
595 x 595 x 30mm

DFL-P1203-40W-*

R439⁰⁰

40W | 4400lm
1195 x 300 x 30mm

DFL-P1206-64W-*

R799⁰⁰

64W | 7040lm
1195 x 595 x 30mm

*Add Colour to Code: DL (Daylight), CW (Cool White)

CFL DOWNLIGHTS



SD-75113V

R119⁰⁰

Size: Ø180 x 190mm
Cutout: Ø155mm
Requires 13W PLC Lamp (not included)
c/w Magnetic Ballast



PLC-13-CW

R32⁰⁰

Energy Saving Lamp
2 Pin Type | Off Centre
13W | G24d1 Base
130mm Length

T8 FLUORESCENT FITTINGS & LAMPS



Iron Ballast | Twin Lamp | Narrow Fitting | c/w P.F. Capacitor
| Lamp not Included

MF-3240

R269⁰⁰

1235mm Length

MF-3258

R329⁰⁰

1535mm Length

FLT8-36-CW

R25⁰⁰

36W | 3350lm | 4FT | T8

FLT8-58-CW

R33⁰⁰

58W | 5200lm | 5FT | T8

LED FLOODLIGHTS

IP65

LED ECONOMICAL FLOODLIGHTS

230VAC | Beam Angle: 120°

2

YEAR
warranty

IP65

LOW PROFILE - Supply Voltage: 180-290VAC

Beam Angle: 90° | Colour Temp: 6000K | 50 000hrs

5

YEAR
warranty



IK02-2-100W-DL

R599⁰⁰

100W | 11000lm

IK02-2-200W-DL

R1,259⁰⁰

200W | 22000lm

IK02-2-150W-DL

R889⁰⁰

150W | 16500lm

IK02-2-400W-DL

R2,849⁰⁰

400W | 44000lm



IP65

230VAC | Beam Angle: 120°

GY290TG-40W-CW

R189⁰⁰

40W | 3600lm
Cool White

GY290TG-50W-CW

R199⁰⁰

50W | 4500lm
Cool White

3

YEAR
warranty

FL-10W-CW

R49⁰⁰

10W | 800lm
Cool White

FL-20W-CW

R79⁰⁰

20W | 1600lm
Cool White

FL-30W-CW

R109⁰⁰

30W | 2400lm
Cool White

FL-50W-CW

R149⁰⁰

50W | 4000lm
Cool White

FL-100W-CW

R269⁰⁰

100W | 8000lm
Cool White

FL-150W-CW

R429⁰⁰

150W | 12000lm
Cool White

FL-200W-CW

R599⁰⁰

200W | 16000lm
Cool White

FL-400W-*

R1,479⁰⁰

400W | 32000lm

FL-500W-DL

R2,249⁰⁰

500W | 42500lm
Daylight

*Add Colour to Code: DL (Daylight), CW (Cool White), WW (Warm White)

LED HIGHBAYS

3

YEAR
warranty



IP65

GY630-100-CW

R779⁰⁰

100W | 15000lm
100-265VAC
Beam Angle: 120°

GY630-150-CW

R979⁰⁰

150W | 22500lm
100-265VAC
Beam Angle: 120°

GY630-200-CW

R1,289⁰⁰

200W | 30000lm
100-265VAC
Beam Angle: 120°

DECORATIVE BULKHEADS

IP54



NS-1851

R699⁰⁰

60W Max. | 2 x E27
Lamps not included
Die-Cast Aluminium
300 x 350 x 120mm



NS-1852

R699⁰⁰

60W Max. | 2 x E27
Lamps not included
Die-Cast Aluminium
300 x 350 x 120mm



NS-1853

R699⁰⁰

60W Max. | 2 x E27
Lamps not included
Die-Cast Aluminium
300 x 350 x 120mm



NS-1854

R699⁰⁰


60W Max. | 2 x E27
Lamps not included
Die-Cast Aluminium
300 x 350 x 120mm



NS-1855

R699⁰⁰

60W Max. | 2 x E27
Lamps not included
Die-Cast Aluminium
300 x 350 x 120mm



NS-1928A

R239⁰⁰

60W Max. | 1 x E27
Lamp not included
Die-Cast Aluminium
247 x 252 x 110mm

NS-1928B

R239⁰⁰







60W Max. | 1 x E27
Lamp not included
Die-Cast Aluminium
247 x 252 x 110mm




DOMESTIC SOCKETS & SWITCHES

 A7001 R19⁰⁰ 1 Lever 1 Way Switch 2x4	 A7002 R25⁰⁰ 2 Lever 1 Way Switch 2x4	 A7003 R29⁰⁰ 3 Lever 1 Way Switch 2x4	 A7004 R39⁰⁰ 4 Lever 1 Way Switch 2x4	 A7300 R79⁰⁰ Stove Isolator 32A DP with neon 2x4
 A7400 R49⁰⁰ 16A Switched Socket 2x4	 A7401 R49⁰⁰ 16A Switched Socket 4x4	 A7402 R59⁰⁰ 2 x 16A Switched Socket 4x4	 A7403 R65⁰⁰ 1 x 16A + 1 x N-Type Switched Socket 4x4	 A7301 R99⁰⁰ Stove Isolator 45A DP with neon 4x4



3M ELECTRICAL INSULATION TAPES

 3M-74712 Black	 3M-74713 Yellow	 3M-74714 Red
 3M-74715 White	 3M-74716 Green	 3M-74717 Blue

 3M-44881 R129⁰⁰ SCOTCH SUPER 33+ PVC TAPE All Weather Premium Grade Size: 19mm x 20mm Thickness: 0.178mm	 3M-79430 R279⁰⁰ SELF AMALGAMATING INSULATION TAPE EPR based high voltage jointing tape Size: 19mm x 9mm Thickness: 0.76mm	 3M-11247 R315⁰⁰ ELECTRICAL INSULATION PUTTY Electrical grade insulation compound in tape form Size: 38mm x 1.5mm Thickness: 3.175mm
---	--	--

VOLTAGE & SURGE PROTECTION



Sollatek products are designed to protect against harmful effects of poor power quality and we invest heavily in our products to provide you with solutions that enhance and protect your valuable equipment. Using genuine Sollatek assures you of quality, performance and service.



AVS15-R16
R899⁰⁰
230VAC | 15A
6.5kA Surge
16A SA Plug



AVS30-MICRO
R1,189⁰⁰
230VAC | 30A
6.5kA Surge
Microprocessor Controlled

S.A. EXTENDERS

5 x 16A + 5 x 2Pin Euro + 1 x Schuko with Overload Protection c/w 500mm Cord Standard



AP5X5
R149⁰⁰

Built-in Surge Protection



AP5X5-SP
R169⁰⁰

Switched




AP5X5-SW
R179⁰⁰

ADAPTORS



AR-38
R19⁰⁰
3 x Euro & 1 x Schuko



AR-13
R29⁰⁰
1 x SA & 3 x N-Type



A41
R10⁰⁰
Euro Plug Adaptor



SK250096
R13⁰⁰
Schuko / Euro Adaptor



YJ-N22
R39⁰⁰
2 x SA & 2 x Euro

DISTRIBUTION BOARDS

SURFACE MOUNT

 SDBEDIN-12 R149⁰⁰ 200 x 256 x 95mm 12 Way	 SDBEDIN-18 R209⁰⁰ 200 x 365 x 95mm 18 Way
 ESDB-112 R249⁰⁰ 240 x 300 x 70mm 12 Way	 ESDB-118 R329⁰⁰ 240 x 405 x 70mm 18 Way
 SDB-112 R719⁰⁰ 335 x 398 x 150mm 12 Way	 SDB-117 R819⁰⁰ 335 x 465 x 150mm 17 Way

FLUSH MOUNT

 FDBEDIN-12 R209⁰⁰ 222 x 279 x 87mm 12 Way	 FDBEDIN-18 R279⁰⁰ 251 x 298 x 94mm 18 Way
 EFDB-112 R249⁰⁰ 300 x 348 x 80mm 12 Way	 EFDB-118 R429⁰⁰ 300 x 454 x 80mm 18 Way
 FDB-112 R839⁰⁰ 404 x 437 x 120mm 12 Way	 FDB-117 R939⁰⁰ 404 x 526 x 120mm 18 Way

EXTENSION CORDS



A2-3W
R109⁰⁰
16A | 3 meters
c/w 2 x Sockets

A2-5W
R149⁰⁰
16A | 5 meters
c/w 2 x Sockets

CORDLESS POWER TOOL KITS



KUC30

R4,999⁰⁰

20V Brushless Hammer Drill
13mm metal-chuck | 60Nm | c/w 2 x 4.0Ah
Battery, Charger & Stack Case



KUC35

R7,699⁰⁰

20V Brushless Hammer Drill
13mm metal-chuck | 150Nm | c/w 2 x 4.0Ah
Battery, Charger & Stack Case



KUC50.2

R6,299⁰⁰

20V Brushless rotary Hammer Drill + Pulse assist
function (ceramic tiles) | 20mm SDS + 3 functions
c/w 2 x 4.0Ah Battery, Charger & Stack Case



KUH02.2

R5,999⁰⁰

20V Brushless 115mm Angle Grinder
3 Speed

CORDLESS BARE POWER TOOLS



KUF30.9

R1,299⁰⁰

20V Blower | Powerful max.
290 km/h airspeed
3 speed settings

Battery & Charger to be ordered separately



KUB61.91

R3,299⁰⁰

20V Brushless Impact Driver
114" | 6.35mm hex | 230Nm
of torque | c/w Stacking Case



KAD21

R3,499⁰⁰

2 x 4.0 Ah Batteries +
1 x 6.0 Ah Rapid charger



KAC21

R1,099⁰⁰

6.0 Ah Rapid Charger
2.0Ah:22mins 6.0Ah:65mins
4.0Ah:45mins 8.0Ah:100mins



KAB21

R1,359⁰⁰

20V 4.0Ah Lithium-Ion
battery



KAB24

R1,999⁰⁰

20V 6.0Ah Lithium-Ion
battery

ACCESSORIES



DIGITAL METERS

MULTIMETERS



C-LOGIC-55

R549⁰⁰

300VAC/DC | 200mA AC
2MΩ Resistance
Pocket Size | DMM



C-LOGIC-520

R759⁰⁰

600VAC/DC | 10A DC
2MΩ Resistance



C-LOGIC-3200

R979⁰⁰

600VAC/DC | 200mA AC/DC
20MΩ Resistance
Pen Type



C-LOGIC-5900

R1,659⁰⁰

600VAC/DC | 10A AC/DC
Resistance | Capacitance
Frequency | True RMS
Smart Phone Connectivity

CLAMP METERS



C-LOGIC-85

R989⁰⁰

600VAC/DC
400A AC



C-LOGIC-810

R1,449⁰⁰

600VAC/DC | 600A AC
Resistance | Capacitance
Frequency | Temperature

VOLT TESTERS



C-LOGIC-25

R199⁰⁰

90-1000VAC
Non Contact



C-LOGIC-35

R599⁰⁰

20-1000VAC



C-LOGIC-350

R399⁰⁰

12-400VAC
LED Indication

CORDED POWER TOOLS



KUS04P

R999⁰⁰

830W 115mm Angle Grinder
Soft Start & Anti-Restart Function



KUS35P

R2,499⁰⁰

2200W 230mm Angle Grinder
Soft Start & Anti-Restart Function



KU110K

R699⁰⁰

500W | Robust motor
10mm Keyless Chuck



KU120

R899⁰⁰

650W | Robust motor
13mm Keyless Chuck



KUX12P

R2,499⁰⁰

850W motor | SDS Plus
Powerful 3J of impact
energy 3 functions:
drilling, hammer drilling
and chiselling