

NEW YEAR

NEW ENERGY

DIRECT TO THE PUBLIC. Valid from 1 January - 31 March 2024. Prices include VAT. Only while stocks last - E & OE Terms & conditions apply. Please note that actual stock may vary from pictures provided.



OFFGRID & HYBRID INVERTERS

2 YEAR warranty

XANADU-10K 48VDC

R25,999⁰⁰

10kW | 230VAC | Dual AC Output
Lithium or Lead Acid Battery | 48VDC
BMS Communication (incl.)
PV Input: 500VDC | Max. 12000W
2 MPPT Trackers

5 YEAR warranty

SE-H-6K 48VDC

R22,959⁰⁰

6000W | 230VAC | 1PH
PV Input: 550VDC | Max. 9000W

Lithium-ion/ Lead-Acid | Battery 48VDC |
BMS Communication incl. | c/w Full Remote Monitoring & Control

5 YEAR warranty

SE-H-10K 48VDC

R38,859⁰⁰

10 000W | 230VAC | 1PH
PV Input: 600VDC | Max. 15000W

ALL-IN-ONE BACKUP SOLUTION

Supasol

5 YEAR BATTERY warranty

3 YEAR INVERTER warranty

LS-AIO-3.5K-5KWH

R29,589⁰⁰

3500W | 230VAC
1 x 5kWh Batteries
5.12KWH /200Ah

5000 cycles @ 80% DOD | 80A MPPT Solar Charger | Base, Mounting Frame incl.

Supasol

5 YEAR BATTERY warranty

LS-AIO-3.5K-10KWH

R49,999⁰⁰

3500W | 230VAC
2 x 5kWh Batteries
10.24KWH /400Ah

Supasol

5 YEAR BATTERY warranty

3 YEAR INVERTER warranty

LS-AIO-3.5K-15KWH

R70,499⁰⁰

3500W | 230VAC
3 x 5kWh Batteries
15.36KWH /600Ah

ALL-IN-ONE BACKUP UNIT

2 YEAR warranty

INVERTER & BATTERY ALL-IN-ONE

Wall Mount

AIO-2KW-LITHIUM

R21,999⁰⁰

2000W | 230VAC
2048Wh LiFePO4 Battery
≥2000 cycles
PV Input 160VDC/1500W Max
c/w 12VDC Output, USB-A, USB-C

AIO-3KW-LITHIUM

R28,599⁰⁰

3000W | 230VAC
3072Wh LiFePO4 Battery
≥2000 cycles

OFF-GRID INVERTERS

Pure Sine Wave | Combines the functions of Inverter, MPPT Solar Charger, AC Battery Charger, UPS

1 YEAR warranty

Wall Mount

EM-5.5K 48VDC

R7,219⁰⁰

5500W | 230VAC
Lithium/Lead Acid Battery 48VDC
BMS Communication (incl.)
PV Input: 500VDC | Max. 5500W

1 YEAR warranty

Wall Mount

HP-5K 48VDC

R10,699⁰⁰

5000W | 230VAC
Lithium/Lead Acid Battery 48VDC
BMS Communication (incl.)
PV Input: 500VDC | Max. 5000W
Parallel Capable

1 YEAR warranty

Rack Mount

RM-5.5K 48VDC

R12,999⁰⁰

5500W | 230VAC
Lithium/Lead Acid Battery 48VDC
BMS Communication (incl.)
PV Input: 500VDC | Max. 5500W
Parallel Capable

ALL-IN-ONE BACKUP SOLUTION

NEW

SRNE

5 YEAR BATTERY warranty

3 YEAR INVERTER warranty

SR-EOV48-5K-5KWH

R32,699⁰⁰

5000W | 230VAC
1 x 5kWh Battery | 5.12kWh/100Ah
6000 Cycles @ 80% DoD
100A MPPT
Base, Mounting Frame incl.

PLEASE NOTE THAT SPECIFIC INVERTER & BATTERY WARRANTY T'S & C'S ARE DETERMINED BY THE RESPECTIVE MANUFACTURERS AND CAN BE PROVIDED ON REQUEST.



NATIONAL SALES CENTRE: 010 202 3400 | TECHNICAL CENTRE: 010 202 3500 | EMAIL: info@acdc.co.za
HEAD OFFICE - LONGMEADOW - 010 202 3300 - 26 Nguni Drive, Longmeadow Estate West, Edenvale, Gauteng
Germiston 011 418 9600 | Richmond Park 021 492 2000 | Riverhorse 031 492 4800 | Pinetown 031 700 4215

Solar Hot Line: 010 045 8002 Whatsapp Support: 078 780 8546 solar@acdc.co.za

OFF-GRID INVERTERS



2
YEAR
warranty

LUX-SNA-5K 48VDC
R11,499⁰⁰

5KVA/5KW | 230VAC
PV Input: 2 x 3200W/480V Max | Lithium
BMS Communication (incl.)
Parallel Capable | c/w Full Remote
Monitoring & Control

Deye HYBRID GRID-TIED INVERTERS

Parallel Capable | c/w Full Remote Monitoring & Control



5
YEAR
warranty

5KVA

DEYE-H-5K 48VDC
R24,749⁰⁰

5kVA | 48VDC | 1PH
PV Input: 6500W Max | 2 x MPPT



5
YEAR
warranty

8KVA

DEYE-H-8K 48VDC
R40,229⁰⁰

8kVA | 48VDC | 1PH
PV Input: 10400W Max | 2 x MPPT



5
YEAR
warranty

12KVA

DEYE-H-12K-3P 48VDC
R58,799⁰⁰

12kVA | 48VDC | 3PH
PV Input: 15600W Max | 2 x MPPT



5
YEAR
warranty

16KVA

DEYE-H-16K 48VDC
R71,510⁰⁰

16kVA | 48VDC | 1PH
PV Input: 20800W Max | 2 x MPPT

SOLAR READY EASY INSTALL BACKUP KITS



1
YEAR
warranty

PV18-1K 12VDC
R4,789⁰⁰

1KVA/1KW | 230VAC
PV Input:
625W/75V Max
Add PV18-WIFI for
Remote Monitoring

PV18-3K 24VDC
R5,999⁰⁰

3KVA/3KW | 230VAC
PV Input:
1500W/145V Max
Add PV18-WIFI for
Remote Monitoring

PV18-5K 48VDC
R10,299⁰⁰

5KVA/5KW | 230VAC
PV Input:
4000W/145V Max
Add PV18-WIFI for
Remote Monitoring

12VDC INVERTERS

Pure Sine Wave
Inverter/Charger
With Automatic
Changeover



CPS600-12-2
R2,829⁰⁰

600W | 12V | 10A

CPS1000-12-2
R3,999⁰⁰

1000W | 12V | 10A

COMPACT INVERTER



Modified Sine
Wave

SG-PSI-150W

R429⁰⁰

150W Continuous Power
300W Surge Power
Input: 12VDC
Output 230VAC/150W
2 x USB-A (5V/2.1A Total)



1
YEAR
warranty

ACDC
DYNAMICS

Solar Ready Inverter
on Easy Install Kit

MKS-CK-03

R12,819⁰⁰

3kW | 24VDC | Inverter
PV Input: 150V / 1500W Max

MKS-CK-05

R15,399⁰⁰

5kW | 48VDC | Inverter
PV Input: 150V / 4000W Max



1
YEAR
warranty

ACDC
DYNAMICS

Solar Ready Inverter
on Easy Install Kit

HYHP-CK-5K

R16,099⁰⁰

5kW | 48VDC | Inverter
PV Input: 450V / 5000W Max



2
YEAR
warranty

LUXPOWERTEK

Solar Ready Inverter
on Easy Install Kit

HYLH-CK-5K

R19,799⁰⁰

5kW | 48VDC | Inverter
PV Input: 450V / 2x3200W Max



5
YEAR
warranty

Deye

Solar Ready Hybrid Inverter
on Easy Install Kit

DEYE-CK-5K

R40,849⁰⁰

5kVA | 48VDC | 1PH

DEYE-CK-8K

R56,559⁰⁰

8kVA | 48VDC | 1PH

DEYE-CK-12K

R76,739⁰⁰

12kVA | 48VDC | 3PH



SOLAR READY EASY INSTALL BACKUP KITS



3
YEAR
BATTERY
warranty

1
YEAR
INVERTER
warranty

CAN
ADD
SOLAR

HYLH-CK-1K-108-BP

R14,999⁰⁰

1KW Inverter - Basic Kit
108Ah/1280Wh Lithium
Battery fuse protection
75VDC PV input / 625W Max



CAN
ADD
SOLAR

HYLH-CK-1K-1280WH

R19,899⁰⁰

1KW Inverter - Easy Installation Kit
108Ah/1280Wh Lithium
With AC/DC Combiner
75VDC PV input / 625W Max



CAN
ADD
SOLAR

HYLH-CK-3K-2X108-BP

R27,839⁰⁰

3KW Inverter - Basic Kit
2 x 108Ah/2560Wh Lithium
Battery fuse protection
145VDC PV input / 1500W Max



CAN
ADD
SOLAR

HYLH-CK-3K-2560WH

R32,499⁰⁰

3KW Inverter - Easy Installation Kit
2 x 108Ah / 2560Wh Lithium
With AC/DC Combiner
145VDC PV input / 1500W Max



National Sales Centre: 010 2023400



Whatsapp Support: 078 780 8546



www.acdc.co.za




ISITEPOWER-M HYBRID SOLUTION

10
YEAR
warranty




ISP-M-5K-5KWH
R49,999⁰⁰

5kW 1PH Power Module &
1 x 5kWh Battery Module
Maximum Output Power
in Backup Mode: 2500W



ISP-M-5K-10KWH
R79,999⁰⁰

5kW 1PH Power Module &
2 x 5kWh Battery Modules



ISP-M-5K-15KWH
R109,999⁰⁰

5kW 1PH Power Module &
3 x 5kWh Battery Modules

Solar Panels to be ordered separately



Integrated system of Grid
Supply, Backup Power &
Power Management



IP65 Protection Rating
Waterproof & Dustproof



Adapts to Complex
Power Grids



Compact & Light
Weight Design



LEAD-ACID BATTERIES

AGM/GEL



NSB100-12

R3,229⁰⁰

12V | 100Ah
328 x 172 x 220mm

NSB200-12

R6,589⁰⁰

12V | 200Ah
522 x 240 x 240mm

DEEP CYCLE AGM



SY1270

R219⁰⁰

12V | 7.2Ah
150 x 65 x 102mm



SY120102

R2,779⁰⁰

12V | 102Ah
331 x 173 x 218mm



SY120200

R5,419⁰⁰

12V | 200Ah
522 x 240 x 240mm

Note: Lead-Acid Batteries are not well-suited for applications that require frequent cycling or deep discharge. Due to the current load shedding situation, there is no warranty on Lead-Acid Batteries.



LIFEPO4 BATTERIES

10
YEAR
warranty



ELF52V-100-5.12K-WM

R24,710⁰⁰

Voltage 51.2VDC
5.12kWh / 100Ah LiFePO4 Battery
Max. Discharge: 100A
Up to 8000 cycles @ 80% DoD (0,5C)

NEW

10
YEAR
warranty



ELF52V-100-5.12K-RM

R24,710⁰⁰

Voltage 51.2VDC
5.12kWh / 100Ah LiFePO4 Battery
Max. Discharge: 100A
Up to 8000 cycles @ 80% DoD (0,5C)

ELF52V-200-10K-WM

R47,725⁰⁰

Voltage 51.2VDC
1.024kWh / 200Ah LiFePO4 Battery
Max. Discharge: 200A
Up to 8000 cycles @ 80% DoD (0,5C)



SPF12-20

R1,599⁰⁰

12.8V | 20Ah / 256Wh
Max. Discharge: 20A

SPF12-200

R13,729⁰⁰

12.8V | 200Ah / 2560Wh
Max. Discharge: 200A

SPF12-7.5

R759⁰⁰

12.8V | 7Ah / 96Wh
Max. Discharge: 20A

SPF12-40

R3,689⁰⁰

12.8V | 40Ah / 512Wh
Max. Discharge: 50A

SPF26V-100

R13,729⁰⁰

25.6V | 100Ah / 2560Wh
Max. Discharge: 100A

SPF12-8-HD

R939⁰⁰

12.8V | 8Ah / 102.4Wh
Max. Discharge: 24A

SPF12-50

R3,939⁰⁰

12.8V | 50Ah / 640Wh
Max. Discharge: 50A

SPF26V-200

R26,429⁰⁰

25.6V | 200Ah / 5120Wh
Max. Discharge: 150A

SPF12-10

R1,139⁰⁰

12.8V | 10Ah / 128Wh
Max. Discharge: 20A

SPF12-100


R7,199⁰⁰

12.8V | 100Ah / 1280Wh
Max. Discharge: 100A

3

YEAR
warranty


BATTERY MOUNTING BRACKETS



WMBRKT-1BAT

R499⁰⁰

For 1 Rack Mount
Battery up to 4u



WMBRKT-2BAT

R1,199⁰⁰

For 2 Rack Mount Batteries,
Flat Pack, up to 8u



LIFEPO4 BATTERIES

5
YEAR
warranty



Rack Mount

LFP26V-100-2.5K-RM

R14,179⁰⁰

25.6V | 2560Wh | 100Ah
Max. Discharge: 100A
Up to 6200 Cycles @ 80%
DoD (0.5C)



Wall Mount

LFP26V-100-2.5K-WM

R14,329⁰⁰

25.6V | 2560Wh | 100Ah
Max. Discharge: 100A
Up to 6200 Cycles @ 80%
DoD (0.5C)



Rack Mount

LFP52V-100-5.2K-RM

R24,599⁰⁰

51.2V | 5120Wh | 100Ah
Max. Discharge: 100A
Up to 6200 Cycles @ 80%
DoD (0.5C)



Wall Mount

LFP52V-100-5.2K-WM

R24,599⁰⁰

51.2V | 5120Wh | 100Ah
Max. Discharge: 100A
Up to 6200 Cycles @ 80%
DoD (0.5C)



Wall Mount

LFP52V-200-10K-FS

R46,259⁰⁰

51.2V | 10240Wh | 200Ah
Max. Discharge: 200A
Up to 6200 Cycles @ 80%
DoD (0.5C)

5
YEAR
warranty



Rack Mount

RESI-51100RM-5.1KWH

R23,899⁰⁰

51.2V | 5120Wh | 100Ah
Max. Discharge: 100A
Up to 6000 Cycles @
80% DoD (0.5C)



Wall Mount

RESI-51100WM-5.1KWH

R24,599⁰⁰

51.2V | 5120Wh | 100Ah
Max. Discharge: 100A
Up to 6000 Cycles @
80% DoD (0.5C)

DIRECT TO THE PUBLIC. Valid from 1 January - 31 March 2024. Prices include VAT. Only while stocks last - E & OE

Terms & conditions apply. Please note that actual stock may vary from pictures provided.



RACPOWER RANGE



BN52V-100-5.2K BP

R25,999⁰⁰

5120Wh | 48VDC | 100Ah
Max. Discharge: 100A
Up to 4500 cycles @ 80% DoD (C2)

HIGH
PERFORMANCE,
ULTRA SAFE LIFEPO4
TECHNOLOGY



BN52V-100-5.2K DU

R42,499⁰⁰

5120Wh | 48VDC | 100Ah
Max. Discharge: 100A
Up to 7500 cycles @ 80% DoD (C2)

MOBILE POWER SERIES - Up to 3000 cycles @ 80% DoD



BN13V-8-104WH

R1,139⁰⁰

104Wh | 13VDC | 8Ah



BN13V-11-140WH

R1,699⁰⁰

140Wh | 13VDC | 11Ah



BN13V-22-280WH

R2,399⁰⁰

280Wh | 13VDC | 22Ah



BN13V-108-1.4K

R9,999⁰⁰

1400Wh | 13VDC | 108Ah



BN13V-218-2.8K

R18,499⁰⁰

2800Wh | 13VDC | 218Ah



BN26V-50-1.3K

R9,999⁰⁰

1300Wh | 26VDC | 50Ah



RESIDENTIAL ESS BATTERIES

10
YEAR
warranty



CFE-5100S-5.1KWH

R28,792⁰⁰

5.1kWh | 100Ah | 51.2V LiFePO4 Battery
Max. Discharge: 100A
Up to 6000 cycles @ 80% DoD (0.2C)

ACCESSORIES - To be ordered Separately

CFE-FLOOR-BRKT

Floor Mounting

R159⁰⁰

CFE-PCAB

Battery Parallel

R319⁰⁰

CFE-ICAB

Battery Input

R725⁰⁰



LITHIUM BATTERIES



US2000C

R19,935⁰⁰

Voltage 48VDC
2.4kWh / 50Ah LiFePO4 Battery
Max. Discharge: 25A
Up to 4500 cycles @
90% DoD (0.5C)



US3000C

R23,915⁰⁰

Voltage 48VDC
3.552kWh / 74Ah LiFePO4 Battery
Max. Discharge: 37A
Up to 4500 cycles @
90% DoD (0.5C)



UP5000

R28,245⁰⁰

Voltage 48VDC
4.800kWh / 75Ah LiFePO4 Battery
Max. Discharge: 75A
Up to 4500 cycles @
90% DoD (0.5C)

CHARGE CONTROLLERS

BLUE SOLAR MPPT CONTROLLERS - PWM LIGHT



BLUESOLAR-5

R389⁰⁰

5A | 12/24V (Auto)
Max Solar: 28/55VDC

BLUESOLAR-10

R489⁰⁰

10A | 12/24V (Auto)
Max Solar: 28/55VDC

BLUESOLAR-20

R599⁰⁰

20A | 12/24V (Auto)
Max Solar: 28/55VDC

BLUE SOLAR PWM
CHARGE CONTROLLERS



CC-5-12/24

R649⁰⁰

5A | 12/24V (Auto)
Max Solar: 28/55VDC

CC-10-12/24

R739⁰⁰

10A | 12/24V (Auto)
Max Solar: 28/55VDC

CC-20-12/24

R919⁰⁰

20A | 12/24V (Auto)
Max Solar: 28/55VDC

CC-30-12/24

R1,199⁰⁰

30A | 12/24V (Auto)
Max Solar: 28/55VDC

- Liquid Crystal Display for status monitoring and set-up
- Day/night timing of the load output allows for a preset ON-time after dusk
- Programmable battery charge algorithm for AGM, GEL, Flooded or LiFePO4 batteries (with internal BMS only)
- Two 5V USB outputs - Max. Current (both outputs combined): 2A



LITHIUM BATTERIES

10
YEAR
warranty



DYN-A48100-4.8KWH

R26,149⁰⁰

Voltage: 48VDC | IP20
Capacity: 4.8kWh/100Ah
Max. Discharge: 50A
Cycle Life: 6000 @ 80% DOD (0,5C)



DYBA51100-5KWH

R27,429⁰⁰

Voltage: 51.2VDC | IP20
Capacity: 5.12kWh/100Ah
Max. Discharge: 50A
Cycle Life: 6000 @ 80% DOD (0,2C)



LITHIUM BATTERIES

10
YEAR
warranty



GR-UP3686-3.6KWH

R23,019⁰⁰

3686Wh | 51.2VDC | 72Ah
Max. Discharge: 115A (1.5C)
Up to 6000 Cycles @ 80% DoD (0.5C)



GR-UP5000-5KWH

R25,999⁰⁰

4960Wh | 51.2VDC | 96Ah
Max. Discharge: 150A (1.5C)
Up to 6000 Cycles @ 80% DoD (0.5C)



GR-UP5000-WM-5KWH

R28,069⁰⁰

4960Wh | 51.2VDC | 96Ah
Max. Discharge: 150A (1.5C)
Up to 6000 Cycles @ 80% DoD (0.5C)



GR-UP6100-6.1KWH

R32,219⁰⁰

6123Wh | 51.2VDC | 119.6Ah
Max. Discharge: 200A (1.5C)
Up to 6000 Cycles @ 80% DoD (0.5C)

MOBILE BACK-UP UNITS

- RECHARGEABLE



DQ1208A500-1
500W | 230VAC
450Wh Battery
R6,279⁰⁰

DQ1208B1000-1
1000W | 230VAC
690Wh Battery
R9,229⁰⁰

c/w 2 x LED Lamps | AC, USB & 12VDC Outlets
Onboard LED Light



PBU-MS-150
R3,149⁰⁰

150W | 230VAC
162Wh Lithium Battery
Solar Input: 13-22V / 30W Max



PBU-PS-500
R8,750⁰⁰

500W | 230VAC
500Wh Lithium Battery
Solar Input: 11-26V / 120W Max



PBU-PS-1300
R20,199⁰⁰

1300W | 230VAC
1254Wh LiFePO4 Battery
Solar Input: 12-26V / 250W Max

AC, USB & 12VDC Outlets | Note: AC output cannot be used while charging

MOBILE BACK-UP UNITS

- WITH UPS FUNCTION



HYTR-1K-100AHL
R18,589⁰⁰

12VDC Lithium Battery incl.
100Ah / 1280Wh | 1000W, 230VAC
3-Pin SA, Schuko & N-Type Sockets
PV Input | Built-in Charger



- WITH UPS FUNCTION



BP-EB3A
R4,999⁰⁰

600W | 230VAC
268Wh Lithium Battery
AC, USB & 12VDC Outlets
Solar Input: 12-28V / 200W Max



PBU-1000W-UPS
R14,649⁰⁰

1000W, 230VAC
3-Pin SA Sockets | 800WH
USB-A, USB-C, Wireless
Charger Output, LED light



DP1000iL
R23,859⁰⁰

1000W | 230VAC
2048Wh Lithium Battery
AC, USB & 12VDC Outlets
PV Input: 140V / 600W Max



YZY-300WY
R4,285⁰⁰
300W, 230VAC
240Wh Lithium Battery



YZY-1000WH
R8,619⁰⁰
1000W, 230VAC
768Wh Lithium Battery

AC, USB & 12VDC Outlets | Note: AC output cannot be used while charging
c/w 2 LED Lamps & Onboard LED Light



- Programmable Charging & Load Priority
- MPPT Solar Input

- WITH UPS FUNCTION

ESS-1KW-LITHIUM
R14,999⁰⁰

1000W | 230VAC
1024Wh Lithium Battery
PV Input: 30-160VDC / 1000W Max

ESS-2KW-LITHIUM
R21,139⁰⁰

2000W | 230VAC
2048Wh Lithium Battery
PV Input: 30-160VDC / 1500W Max

Complete with: 12VDC Barrel Output | USB-A | USB-C
Built-in Fast Charger | PV Input

ESS-1.5KW-LITHIUM
R18,999⁰⁰

1500W | 230VAC
1536Wh Lithium Battery
PV Input: 30-160VDC / 1000W Max

ESS-3KW-LITHIUM
R27,799⁰⁰

3000W | 230VAC
3072Wh Lithium Battery
PV Input: 30-160VDC / 1500W Max

PORTABLE FOLDING PV PANELS



SLP-P60W
R2,439⁰⁰

Folded Size: 360 x 400 x 45mm
Outputs:
1 x Anderson: 18V (60W)
1 x USB-A QC: 5-12V (24W)
1 x USB-C PD: 5-15V (18W)



- WITH UPS FUNCTION

ESS-1.5KW-1.28KWH
R17,729⁰⁰

1500W, 230VAC
1280Wh | PV Input: 760W Max

ESS-3KW-5.12KWH
R32,369⁰⁰

3000W, 230VAC
5120Wh | PV Input 1500W Max

ESS-3KW-2.56KWH
R21,249⁰⁰

3000W, 230VAC
2560Wh | PV Input: 1500W Max

Complete with:
• USB-A, PV Input
• Built-in Charger
• 3-Pin SA socket
• Earth Leakage Protection on Output

SOLAR & DC FANS




SF-DESK-15W
R1,099⁰⁰

15W
Can be charged using
Solar or AC adapter
3-speed with oscillation



SF-FLOOR-15W
R1,189⁰⁰

15W
Can be charged using
Solar or AC adapter
Electronic speed control



SF-D6609
R379⁰⁰

12VDC | 10W | Size: 9"
3 Blades, 2 Speed


DIRECT TO THE PUBLIC. Valid from 1 January - 31 March 2024. Prices include VAT. Only while stocks last - E & OE

Terms & conditions apply. Please note that actual stock may vary from pictures provided.



SOLAR LIGHTING SOLUTIONS

SOLAR FLOODLIGHTS IP65




TK-03-20W
R459⁰⁰

3.2V/5Ah Battery
20W / 400lm
6W PV Panel



TK-03-60W
R699⁰⁰

3.2V/10Ah Battery
60W / 800lm
10W PV Panel




TK-03-100W
R949⁰⁰

3.2V/15Ah Battery
100W / 1200lm
15W PV Panel



TK-03-200W
R1,289⁰⁰

3.2V/20Ah Battery
200W / 1800lm
20W PV Panel



TK-03-300W
R1,999⁰⁰

3.2V/40Ah Battery
300W / 3200lm
40W PV Panel

SOLAR LED PORTABLE WORKLIGHT IP65



NEW

SWL-50-7-12
R599⁰⁰

50W/650lm | 5V/1A USB
Input/Output Ports
Portable with Integrated
PV Panel

SOLAR LED FLOODLIGHT IP65



SFL203
R379⁰⁰

PIR motion
sensing

Lithium 3.7V / 3000mAh
Charging: Up to 10hrs
16W / 1600lm

SOLAR LED SPOT LIGHT IP44



BSSJ09
R429⁰⁰

PIR motion
sensing

Lithium 3.7V / 2000mAh
3.6W / 500lm
Multiple Lighting Modes

SOLAR LED BULKHEADS IP65

Remote Control for dimming & colour temperature adjustment



SL02-D-60W
R339⁰⁰

60W | 520-535lm
5000mAh Battery
6W PV Panel



SL02-D-100W
R429⁰⁰


100W | 770-860lm
5000mAh Battery
8W PV Panel

GUTTER/WALL LIGHT IP44



SLL-02
R89⁰⁰

SINGLE



SLL-02/3
R259⁰⁰

3 PACK

0.2W / 21lm | 1.2V 600mAh
Up to 6hrs Working Time

SOLAR STREET LIGHTING IP65



ALL-IN-ONE



Light weight
ABS housing



PIR motion
sensing

Note: Pole
not included



ST-S20
R479⁰⁰

20W | 360lm
7W PV Panel
3.2V / 5Ah Batt.



ST-S40
R639⁰⁰

40W | 750lm
8W PV Panel
3.2V / 5Ah Batt.



ST-S60
R769⁰⁰

60W | 1350lm
12W PV Panel
3.2V / 12Ah Batt.



ST-S90
R839⁰⁰

90W | 1850lm
18W PV Panel
3.2V / 18Ah Batt.



ST-S120
R1,149⁰⁰

120W | 2400lm
18W PV Panel
3.2V / 22Ah Batt.



ISL-40-45-300
R4,799⁰⁰

40W | 4000lm
45W PV Panel
12.8V / 24Ah Batt.

SOLAR WALL LIGHTS WITH MOTION SENSORS IP65



LD-SWL-03W-CL-1
R269⁰⁰

PIR motion
sensing

3.7V/1200mAh Battery
1.5W / 200lm
2 Selectable working modes
and back lighting onto wall



LSD-SWL-3.2W-B
R399⁰⁰

PIR motion
sensing

3.7V/2000mAh Battery
3.2W / 400lm
3 Selectable working modes
and back lighting onto wall



NEW

B72306-16W
R449⁰⁰

PIR motion
sensing

3.7V/2000mAh Battery
16W / 700lm
Easy Installation

SOLAR PERIMETER ALARM LIGHT IP55



KW-SNLN
R319⁰⁰

2W / 60lm | PIR Motion Sensor
(5-8m/125°) | Siren (129dB),
Flashing LED's
c/w Remote Control to
Set Working Mode



EMS THERMAL HEAT PUMP



Power: 0.765kW
Heating Capacity: 3kW
Current: 3.5A

EMS-TH200DT-NW

R23,999⁰⁰

EMS-TH200DT

R27,999⁰⁰

WiFi Remote Monitoring
& Control

- Low Pressure, Integrated Heat Pump
- Energy Efficient
- Primary heating by heat pump reduces overall energy consumption
- 2kW traditional heating element as backup
- Three heating modes available

SOLAR GARDEN LIGHTS




SOLAR GARDEN SPIKE

TS-G0206-CW

R169⁰⁰

Ni-Mh 1.2V 1200mAh
2W | 180lm | IP44



WW ↔ CW ↔ DL

SOLAR GARDEN SPIKE

TS-G2202-CCT

R229⁰⁰

Lithium 3.7V 2000mAh
4W | 300lm | IP65
CCT Adjustable



SOLAR GARDEN SPIKE

TS-S4205-RGB

R789⁰⁰

Lithium 3.7V 4000mAh
4x3W
IP44 (PV) / IP65 (LED)
RGB Colour Changing



SOLAR UNDERWATER LIGHT

TS-S4203-RGB

R469⁰⁰

Lithium 3.7V 2000mAh
3x1W
IP44 (PV) / IP68 (LED)
RGB Colour Changing



WW ↔ CW ↔ DL

SOLAR PILLAR LIGHT

TS-S5306-CCT

R269⁰⁰

Lithium 3.7V 2000mAh
2W | 30lm | IP65
CCT Adjustable

PORTABLE SOLAR LIGHTING SOLUTIONS

PORTABLE SOLAR LAMP KITS



1 LAMP

MRD-401

R399⁰⁰

3.7V | 4400mAh Battery
7 - 8hrs Full brightness
1.7W | 120lm per lamp



2 LAMPS

MRD-401/2

R469⁰⁰

3.7V | 2000mAh Battery
3 - 4hrs Full brightness
1.7W | 120lm per lamp



4 LAMPS

MRD-401/4

R879⁰⁰

3.7V | 2000mAh Battery
3 - 4hrs Full brightness
1.7W | 120lm per lamp

SOLAR LIGHT & RADIO



BX-FD016-1F

R699⁰⁰

4500mAh Lead Acid | High 7hrs | Low 22hrs
0.9W | 100lm | USB Port with
5 in 1 Charger, FM Radio



TORCH/
LANTERN

SP-SCL01

R99⁰⁰

3.7V 600mAh
2-5W Lamp Power
Charged via Solar or USB

RECHARGEABLE DESK LAMPS



DL-YD007-BK

R279⁰⁰

- Rechargeable
- Backup Time: 6-7hrs
- Charge Time: 5hrs

DL-YD007-GLD

R299⁰⁰

- Touch Switch
- CCT Adjustable - 1800K & 5000K



MYT10392-1-*

R429⁰⁰

- Touch On/Off, Dimming & CCT
- Rechargeable
- Backup Time: 6-7hrs
- Charge Time: 5hrs

*Add Colour to Code: WH (White), BK (Black), GLD (Gold)

LED TORCHES



KB8933CP

R349⁰⁰

10W | 12VDC | 650lm
c/w Car Plug




SP-016

R399⁰⁰

2 x 10W | 700lm
4000mAh
Rechargeable (4hrs)
Foldable | Magnetic

LED CAMPING LIGHT



CJ-2703

R75⁰⁰

2W | 120lm
2 x AA (Not Incl.)
Ø135mm

PORTABLE WORK LIGHT



WL03-COB-20W

R559⁰⁰

20W | 1800lm | 6000K Daylight
11.1V, 3 x 2000mAh (Li)
3hrs High / 8hrs Low
USB Charging

LED HEAD LIGHT



SP22-B058B

R169⁰⁰

3 Working Modes
Rechargeable
c/w Charging Adaptor
& Batteries

LED EMERGENCY LIGHTS



NS350LX

R119⁰⁰

350lm
3.7V / 1.2Ah



LED008

R189⁰⁰

98+220lm
3.7V / 2.2Ah



RWELEDJ-2

R199⁰⁰

40/80lm
3.7V / 1.2Ah



NS650LX

R199⁰⁰

270lm
4VDC | 4hrs

LED LANTERNS



IM891

R229⁰⁰

BLOW ON/OFF
0.5W | Warm White
Dimmable



RW-DL-2

R339⁰⁰

Dimmable
CCT Adjustable:
3000/4000/5000K
USB Rechargeable

DIRECT TO THE PUBLIC. Valid from 1 January - 31 March 2024. Prices include VAT. Only while stocks last - E & OE

Terms & conditions apply. Please note that actual stock may vary from pictures provided.

STAINLESS STEEL BOOSTER PUMPS



SELF-PRIMING JET PUMP

JEXI C800M

R1,979⁰⁰

230VAC | 0.6kW
0.8HP | 4.2A

JEXI C1000M

R2,589⁰⁰

230VAC | 0.75kW
1HP | 5.1A



AUTO PRESSURE SYSTEMS

JEXIPRES C800SIM

R3,329⁰⁰

230VAC | 0.6kW
0.8HP | 4.2A

JEXIPRES C1000SIM

R3,449⁰⁰

230VAC | 0.75kW
1HP | 5.1A



SELF-PRIMING JET PUMP
- WITH PRESSURE CONTROLLER

JEXIPRES C800RM

R3,429⁰⁰

230VAC | 0.6kW
0.8HP | 4.2A

JEXIPRES C1000M

R3,499⁰⁰

230VAC | 0.75kW
1HP | 5.1A

SELF PRIMING MULTI-STAGE CENTRIFUGAL PUMP - IP55



LASCAR HS2-30M

R2,799⁰⁰

230VAC | 0.5kW
0.75HP | 3.8A

LASCAR HS2-40M

R3,049⁰⁰

230VAC | 0.75kW
1HP | 4.8A

LASCAR HS4-25M

R3,299⁰⁰

230VAC | 0.75kW
1HP | 4.9A

LASCAR HS4-55M

R4,189⁰⁰

230VAC | 1.5kW
2HP | 10.4A

LASCAR HS6-40M

R5,859⁰⁰

230VAC | 0.9kW
1.2HP | 6.1A

LASCAR HS6-50M

R6,299⁰⁰

230VAC | 1.5kW
2HP | 11.9A

DRAINAGE PUMPS

DOMESTIC UTILITY



Q1TP-400N3

R779⁰⁰

230VAC | 0.4kW
0.5HP | 1.4A

Q1TP-750N3

R899⁰⁰

230VAC | 0.75kW
1.0HP | 2.9A

Not continuously rated



DOMESTIC CLEAN WATER

Q1CP-250M

R629⁰⁰

230VAC | 0.25kW
0.33HP | 1.1A

Not continuously rated

Q1CP-450M

R689⁰⁰

230VAC | 0.45kW
0.6HP | 1.6A

Q1CP-650M

R819⁰⁰

230VAC | 0.65kW
0.87HP | 2.5A

PETROL ENGINE WATERPUMPS



MGP100-3

R6,299⁰⁰

5.5HP
4"x4" Inlet/Outlet



GEP50

R4,599⁰⁰

6.5HP
3"x3" Inlet/Outlet

GEP80

R6,649⁰⁰

8HP
4"x4" Inlet/Outlet

SWIMMING POOL LAMPS



ACL81

R129⁰⁰

PAR56 - Incandescent
12V | 120W

ACLP46

R119⁰⁰

PAR46 - Incandescent
12V | 100W



HGP56AUTO

R779⁰⁰

PAR 56
12VAC | 18W
RGB Auto changing

LED AQUA POOL LIGHTS IP68

PAR56 RETROFIT LAMP



PAR120-*

●W | ●B **R1,049⁰⁰**

●●●RGB **R1,349⁰⁰**

20W | 1500lm
12-24VAC/DC

COMPLETE SURFACE MOUNT FITTING



P120-*

●W | ●B **R1,449⁰⁰**

●●●RGB **R1,599⁰⁰**

20W | 1500lm
12-24VAC/DC

AIM FLOW POWERED POOL & SPA LED



JHM-L-*

●BL **R319⁰⁰**

●GN **R329⁰⁰**

●CW **R359⁰⁰**

0.1W | Self Driven | 10lm

*Add colour to code: W (White), B (Blue), RGB (Colour Changing)

*Add colour to code: CW (Cool White), BL (Blue), GN (Green)

LED INSECT LAMPS



MR-LED-A60-*5W

R65⁰⁰

Mosquito Repellant Lamp
5W | 300lm

* Add Lamp Base to Code: E27, B22



RW-MKL-15W

R69⁰⁰

15W | E27 | 400lm
CW (6000K)

2 Modes: 1 - Light + Killing
2 - Killing Only



SP-DYT90

R239⁰⁰

Rechargeable IP44
7W | Hook Base | 200lm
CW (4200K)

2 Modes: 1 - Light | 2 - Killing

LED PLANT GROW LAMPS



FILAMENT

XGY-A60-8-E27

R89⁰⁰

8W | E27 | Full Colour Spectrum



PAR38

LED-PAR38-12W-PG

R249⁰⁰

IP65 | E27 | 12W
75% Red (662nm), 25% Blue (447nm)

LED A60 LAMPS

NON-DIMMABLE



HS-B22-10W-*

R14⁵⁰

9W | 720lm | B22

HS-B22-15W-*

R21⁵⁰

15W | 1200lm | B22

HS-E27-10W-*

R14⁵⁰

9W | 720lm | E27

HS-E27-15W-*

R21⁵⁰

15W | 1200lm | E27

*Add Colour to Code: DL (Daylight), CW (Cool White), WW (Warm White)

VALUE PACKS

NON-DIMMABLE



LED-A60-5W-E27-*/2

R27⁵⁰

5W | 450lm | E27
2 per pack



LED-A60-5W-B22-*/2

R27⁵⁰

5W | 450lm | B22
2 per pack

*Add Colour to Code: DL (Daylight), CW (Cool White), WW (Warm White)

LED CANDLE LAMPS



FILAMENT LAMP

2W | E14 | 225lm

*Add Colour to Code: CW (Cool White), WW (Warm White)

C35-2W-E14-*

R19⁰⁰

NON-DIMMABLE

T-LEDC35L-E14-*

R19⁰⁰

3W | E14 | 245lm

DIMMABLE

LEDC35L-E14-*

R29⁰⁰

5W | E14 | 400lm

*Add Colour to Code: CW (Cool White), WW (Warm White)

VALUE PACKS

NON-DIMMABLE



T-LEDB35R-E14-*/3

R49⁰⁰

3W | E14 | 245lm
3 Per Pack

*Add Colour to Code: CW (Cool White), WW (Warm White)

DIMMABLE



LEDC212-*

R35⁰⁰

5W | E14 | 400lm



LEDC35E-E27-*

R35⁰⁰

5W | E27 | 400lm



LEDC35E-B22-*

R35⁰⁰

5W | B22 | 400lm

*Add Colour to Code: CW (Cool White), WW (Warm White)

LED GU10 LAMPS

DIMMABLE



DIM-GU10-5W-*-5Y

R45⁰⁰

5W | 350lm | 48°

VALUE PACK

NON-DIMMABLE



LED-GU10-6W-*/5

R69⁰⁰

6W | 480lm | 120° | 5 per Pack

*Add Colour to Code: DL (Daylight), CW (Cool White), WW (Warm White)

LED MR16 LAMPS

NON-DIMMABLE



HS-MR16-5W-*-5Y

R45⁰⁰

5W | 350lm | 48°

*Add Colour to Code: DL (Daylight), CW (Cool White), WW (Warm White)

LED GOLF BALL LAMPS



T-LEDG50R-*/3

R49⁰⁰

3W | 245lm | 3 Per Pack

VALUE PACK

NON-DIMMABLE

*Add Base to Code: E27 / B22

*Add Colour to Code: CW (Cool White), WW (Warm White)

LED T5 TUBES



LEDT5-A4FR-*

R85⁰⁰

16W | 4FT | T5
Frosted | Ø19mm
Non-Dimmable

LEDT5-A5FR-*

R119⁰⁰

22W | 5FT | T5
Frosted | Ø19mm
Non-Dimmable

*Add Colour to Code: DL (Daylight), CW (Cool White)

LED T8 TUBES



LEDT8-A2FR-*

R29⁰⁰

9W | 2FT | T8
Frosted | Ø26.3mm
Non-Dimmable

LEDT8-A4FR-*

R39⁰⁰

18W | 4FT | T8
Frosted | Ø26.3mm
Non-Dimmable

LEDT8-A5FR-*

R49⁰⁰

22W | 5FT | T8
Frosted | Ø26.3mm
Non-Dimmable

*Add Colour to Code: DL (Daylight), CW (Cool White)

LED T8 EMERGENCY TUBES



EMG-M-LEDT8-A4FR-*

R199⁰⁰

18W | 1600lm | 1200mm
Back-Up Time: 1hr @ 300lm

EMG-M-LEDT8-A5FR-*

R215⁰⁰

22W | 1900lm | 1500mm
Back-Up Time: 1hr @ 300lm

Suitable for areas where lights are always on

*Add Colour to Code: DL (Daylight), CW (Cool White)

NEW LED GU10 EMG LAMP



EMG-DIM-GU10-7W-*

R75⁰⁰

5W | Normal: 650lm

Three step dimming to extend battery life in Emergency Mode:

135lm - ± 2.5 Hours
60lm - ± 5 Hours
24lm - ± 7 Hours

Approximate working time if fully charged

*Add Colour to Code: DL (Daylight), CW (Cool White)

LED EMERGENCY GU10 LAMPS



EMG-GU10-3W-*

R59⁰⁰

3W | 190/85lm | GU10
Working Time: 2-3hrs

EMG-GU10-5W-*

R69⁰⁰

5W | 350/120lm | GU10
Working Time: 2-3hrs

*Add Colour to Code: DL (Daylight), CW (Cool White), WW (Warm White)

DIMMABLE LED EMERGENCY A60 LAMPS



EMG-DIM-A60-7W-*

R69⁰⁰

7W | 650lm | Ø60 x 120
E27 with B22 Adaptor

EMG-DIM-A60-9W-*

R79⁰⁰

9W | 880lm | Ø65 x 133
E27 with B22 Adaptor

EMG-DIM-A60-11W-*

R89⁰⁰

11W | 1100lm | Ø70 x 145
E27 with B22 Adaptor

Three step dimming to extend battery life in Emergency Mode:

300lm - ± 2 Hours
120lm - ± 4 Hours
50lm - ± 7 Hours

Approximate working time if fully charged

*Add Colour to Code: DL (Daylight), CW (Cool White)

DIRECT TO THE PUBLIC. Valid from 1 January - 31 March 2024. Prices include VAT. Only while stocks last - E & OE
Terms & conditions apply. Please note that actual stock may vary from pictures provided.

ACDC
DYNAMICS

5
YEAR
warranty



TYPHOON LED HIGHBAY IP65

Supply voltage: 100-277VAC | 160lm/W | Colour
Temp 6000K | Adjustable Beam Angle: 60°, 85°, 110°

YT-LEDH33-100W

R1,599⁰⁰

100W | 15500lm

YT-LEDH33-150W

R1,699⁰⁰

150W | 23250lm

YT-LEDH33-200W

R1,899⁰⁰

200W | 31000lm

Microwave Sensor to be
ordered separately



YT-LEDH33-BR01

R169⁰⁰

Mounting Bracket for
100W, 150W & 200W



YT-HD03R

R229⁰⁰

Remote Control /
Remote can set
multiple Highbays



YT-LEDH33-MS

R269⁰⁰

Optional Microwave
Motion Sensor



YT-LEDH33-PCC

R349⁰⁰

PC Bowl Cover for
Diffuser with
Mounting Accessories



YT-LEDH33-PCD

R499⁰⁰

PC Diffuser | Reflector
with Mounting
Accessories

LIGHT FITTINGS

OUTDOOR WALL



Die Cast Aluminium
Lamps not included

F3125

R229⁰⁰

60W Max | E27
IP44 | 346 x 176mm

YF-B5359

R299⁰⁰

60W Max | E27
IP33 | 350 x 165mm

BULKHEAD



Plastic | Lamps not included

BH-01

R29⁰⁰

60W Max | B22
IP44 | 220 x 105 x 105mm

CEILING LIGHT



PVC | Lamps not included

NB250-P

R27⁰⁰

Size: 6" | PVC | B22

DAYLIGHT SWITCH



LA16

R139⁰⁰

Light off delay: 30sec | 16A
On 60 Lux / Off 40 Lux

LED FLOODLIGHTS IP65

2
YEAR
warranty

LED ECONOMICAL FLOODLIGHTS

230VAC | Beam Angle: 120°



FL-10W-CW

R49⁰⁰

10W | 800lm
Cool White (5500K)

FL-20W-CW

R79⁰⁰

20W | 1600lm
Cool White (5500K)

FL-30W-CW

R109⁰⁰

30W | 2400lm
Cool White (5500K)

FL-50W-CW

R149⁰⁰

50W | 4000lm
Cool White (5500K)

FL-100W-CW

R269⁰⁰

100W | 8000lm
Cool White (5500K)

FL-150W-CW

R429⁰⁰

150W | 12000lm
Cool White (5500K)

FL-200W-CW

R599⁰⁰

200W | 16000lm
Cool White (5500K)

FL-400W-DL

R1,479⁰⁰

400W | 32000lm
Daylight (6000K)

COLOUR FLOODLIGHTS


Input Voltage: 230VAC | Beam Angle 110° |
Ideal for decorative applications



FLC-20W*

R99⁰⁰


20W



FLC-30W*

R159⁰⁰

30W




FLC-50W*

R199⁰⁰

50W

*Add Colour to Code: ●R (Red), ●GN (Green),
●BL (Blue), ●Y (Yellow)


MOTION SENSING FLOODLIGHTS



PIR-N-10W-*

R219⁰⁰

230 | 10W | 800lm



PIR-N-20W-*

R229⁰⁰

230 | 20W | 1600lm



PIR-N-30W-*

R249⁰⁰

230 | 30W | 2400lm



PIR-N-50W-*

R369⁰⁰

230 | 50W | 4000lm

*Add Colour to Code: CW (Cool White), WW (Warm White)

LED BULKHEADS



Standard

LG09A-300-17-*

R399⁰⁰

17W | 1300lm | IP54
Ø305 x 84mm

*Add Colour to Code: CW (Cool White), DL (Daylight)



Day/Night

LG09A-300-17-*-DN

R489⁰⁰

17W | 1300lm | IP54
Ø305 x 84mm



Standard

BL220-12W-+-*

R219⁰⁰

12W | 840lm | IP54
Ø220 x 99mm



Day/Night

BL220-12W-+-*-DN

R239⁰⁰

12W | 840lm | IP54
Ø220 x 99mm

*Add Trim Colour to Code: WH (White), BK (Black)

*Add Colour to Code: CW (Cool White), DL (Daylight)



PIR Motion Sensor

BL220-12W-PIR-+-*

R299⁰⁰

12W | 840lm | IP54
Ø220 x 99mm



Standard

BL320-24W-*

R339⁰⁰

24W | 1800lm | IP65
Ø320 x 113mm



PLASTIC DOWNLIGHTS



DL-0175

R19⁰⁰

Cut-Out: Ø75mm



DL-0275

R19⁰⁰

Cut-Out: Ø75mm



DL-0375

R25⁰⁰

Cut-Out: Ø75mm



DL-0475

R25⁰⁰

Cut-Out: Ø75mm



DL-0575

R25⁰⁰

Cut-Out: Ø75mm



DL-0670

R25⁰⁰

Cut-Out: Ø75mm



DL-048080

R25⁰⁰

Cut-Out: 75 x 75mm



DL-0480160

R49⁰⁰

Cut-Out: 80 x 160mm



DL-0480240

R75⁰⁰

Cut-Out: 80 x 240mm



DL-09100A


R85⁰⁰

Surface Mount

For GU10/MR16 Lamps

Lamp & Lamp Holder to be ordered separately

LED RECESSED PANELS






FN-0606-40W-*

R759⁰⁰

40W | 5000lm
595 x 595 x 10mm



FN-60120-50W-*

R1,499⁰⁰

50W | 6250lm
595 x 1195 x 10mm

• 120lm/W

• Flicker Free

• 5 Year Warranty

*Add Colour to Code:
CW (Cool White), **DL** (Daylight)

LED DOWNLIGHTS



LCS0310R-1-*

R119⁰⁰

1W | 85lm
Size: Ø35 x 25mm
Cut Out: Ø25mm



LCS0310R-3-*

R139⁰⁰

3W | 255lm
Size: Ø40 x 25mm
Cut Out: Ø30mm

*Add Colour to Code:
CW (Cool White), **WW** (Warm White)



RN-RW04-R6W-*

R79⁰⁰

6W | 300lm
Size: Ø90mm
Cut Out: Ø75mm



RN-RW04-R12W-*

R129⁰⁰

12W | 780lm
Size: Ø120mm
Cut Out: Ø100mm



RN-RW04-R16W-*

R169⁰⁰

16W | 1040lm
Size: Ø170mm
Cut Out: Ø150mm



RN-RW04-R24W-*

R239⁰⁰

24W | 1560lm
Size: Ø225mm
Cut Out: Ø200mm

*Add Colour to Code: **DL** (Daylight), **CW** (Cool White), **WW** (Warm White)



RN-AP3-3W-*

R29⁰⁰

3W | 240lm
Size: Ø75 x 45mm
Cut Out: Ø60mm



RN-AP3-5W-*

R35⁰⁰

5W | 400lm
Size: Ø90 x 45mm
Cut Out: Ø75mm



RN-AP3-7W-*

R39⁰⁰

7W | 560lm
Size: Ø90 x 45mm
Cut Out: Ø75mm

*Add Colour to Code:
CW (Cool White), **WW** (Warm White)



SQ-AP3-3W-*

R35⁰⁰

3W | 240lm
Size: 75 x 75 x 45mm
Cut Out: 60 x 60mm



SQ-AP3-5W-*

R39⁰⁰

5W | 400lm
Size: 90 x 90 x 45mm
Cut Out: 75 x 75mm



SQ-AP3-7W-*

R69⁰⁰

7W | 560lm
Size: 90 x 90 x 45mm
Cut Out: 75 x 75mm



SQ-AP3-10W-*

R75⁰⁰

10W | 800lm
Size: 120 x 120 x 55mm
Cut Out: 95 x 95mm

*Add Colour to Code:
CW (Cool White), **WW** (Warm White)

LED T8 FITTINGS



SINGLE LAMPS



AL-A2

R59⁰⁰

9W | 2FT
624 x 35 x 31mm



AL-A3

R79⁰⁰

13W | 3FT
928 x 35 x 31mm



AL-A4

R95⁰⁰

18W | 4FT
1234 x 35 x 31mm



AL-A5

R115⁰⁰

22W | 5FT
1534 x 35 x 31mm

Tubes to be ordered separately



TWIN LAMPS



AL-A2X2

R85⁰⁰

2 x 9W | 2FT
624 x 35 x 31mm



AL-A3X2

R99⁰⁰

2 x 13W | 3FT
928 x 35 x 31mm



AL-A4X2

R125⁰⁰

2 x 18W | 4FT
1234 x 35 x 31mm



AL-A5X2

R139⁰⁰

2 x 22W | 5FT
1534 x 35 x 31mm

Tubes to be ordered separately



SLIMLINE SINGLE TUBE

OS-LED-006

R32⁰⁰

Single Lamp
9W | 2FT
610 x 33 x 15mm



OS-LED-012

R45⁰⁰

Single Lamp
18W | 4FT
1210 x 33 x 15mm

Tubes to be ordered separately

DIRECT TO THE PUBLIC. Valid from 1 January - 31 March 2024. Prices include VAT. Only while stocks last - E & OE

Terms & conditions apply. Please note that actual stock may vary from pictures provided.



SMART LIGHTING

SMART LED DOWNLIGHT



BT-DL-RN100-6W	BT-DL-RN160-12W	BT-DL-RN200-18W
R379⁰⁰	R529⁰⁰	R599⁰⁰
6W 300lm Size: Ø100mm	12W 840lm Size: Ø160mm	18W 1350lm Size: Ø200mm

works with the Google Assistant

WORKS WITH amazon alexa

ACDC SMART SWITCH

Bluetooth Controllable

App Control

Remote Switching

Music

Colour RGBW Adjustable

Colour Temp. Adjustable

SMART LED STRIP LIGHTS



5m

HH-RGBIC3010-L5

R549⁰⁰

Switching Schedules



3m

HH-RGBIC60SN-L3

R759⁰⁰

Set Timers & Schedules



5m

HH-COB630210-RGB-L5

R1,099⁰⁰

Set Timers & Schedules

Count Down Timer

WORKS WITH amazon alexa

works with the Google Assistant

ACDC SMART SWITCH

App Control

WiFi Control

Remote Switching

Dimmable

Music

SMART WIFI DIY ALARM SYSTEMS

DIY TWO-WAY PORTABLE WI-FI



MXK-CONCH-T

R1,139⁰⁰

1 x Smart Hub | 1 x Remotes
1 x Door contact with built-in motion sensor

ACDC SMART SWITCH

WiFi Control

App Control

Radio

WORKS WITH amazon alexa

works with the Google Assistant

DIY GSM WIRELESS



MXK-X1-2G-PLUS-T

R1,699⁰⁰

1 x Smart Hub | 2 x Remotes
1 x Door Contact | 1 x PIR Motion Sensor

ACDC SMART SWITCH

GSM

App Control

Radio

WORKS WITH amazon alexa

works with the Google Assistant

SMART ROBOT VACUUM CLEANER



ROBVACUUM-8

R2,599⁰⁰

Vacuum + Sweeping
+ Mopping

- Gyroscopic navigation and route planning
- Obstacle and drop off detection and avoidance
- Low Profile that allows cleaning under furniture
- Auto Docking & Recharging
- Triple filtration to avoid allergies

WORKS WITH amazon alexa

works with the Google Assistant

ACDC SMART SWITCH

App Control

WiFi Control

WIFI GARAGE DOOR CONTROLLER



AS-MS-102

R499⁰⁰

16A | 100-240VAC
NO Contact

WORKS WITH amazon alexa

works with the Google Assistant

ACDC SMART SWITCH

WiFi Control

App Control

Open / Close Remotely

Alarm Notification

Count Down Timer

Switching Schedules

LED STRIP LIGHTS

0.5m



IMG-R30*-S

R39⁰⁰

LEDs: 30/0.5m
Max Power: 1.5W/m
135lm | 12VDC

*Add colour to code: ● R (Red), ● BL (Blue),
● Y (Yellow), ● GN (Green), ● WW (Warm White), O CW (Cool White)



5m

LD30W-R3528-*

R159⁰⁰

Non-Weatherproof IP20
LEDs: 30/m | Max Power:
2.4W/m | 12VDC

5m

LD60W-R3528-*

R179⁰⁰

Non-Weatherproof IP20
LEDs: 60/m | Max Power:
4.8W/m | 12VDC

5m

LD60W-W3528-*

R239⁰⁰

Weatherproof IP54
LEDs: 60/m | Max Power:
4.8W/m | 12VDC

*Add colour to code: ● R (Red), ● BL (Blue), ● Y (Yellow), ● GN (Green),
● WW (Warm White), O CW (Cool White)

SMART LED BULB



AS-WF-A60-*

R149⁰⁰

10W | 800lm
* E27 / B22

WORKS WITH amazon alexa

works with the Google Assistant

ACDC SMART SWITCH

WiFi Control

App Control

Remote Switching

Dimmable

Colour RGBW Adjustable

Colour Temp. Adjustable

SMART WIFI SWITCH MODULES



AS-PICO-DIM

R459⁰⁰

Dimmer
10-300VA LED
Resistive loads -
Max. 200W

Remote Switching

Dimmable

WORKS WITH amazon alexa

works with the Google Assistant

ACDC SMART SWITCH

WiFi Control

App Control

Switching Schedules

AS-PICO-SW

R229⁰⁰

Switch
10-300VA LED (1-15)
Resistive loads -
Max. 200W

Remote Switching

AS-PICO-SL

R129⁰⁰

Duplicate switch
or dimmer for
2-way Switching

B7000 COVER PLATES



A7105D

R19⁰⁰

(4 x 2) 1 lever for
Pico Wi-Fi
Switches



A7106D

R19⁰⁰

(4 x 2) 1 lever for
Pico Wi-Fi Switches
& 1 lever for HY
Dimmers



DOMESTIC SOCKETS & SWITCHES



SP7001-W

R39⁰⁰

1 Lever 1 Way
Switch | 2x4



SP7002-W

R49⁰⁰

2 Lever 1 Way
Switch | 2x4



SP7003-W

R55⁰⁰

3 Lever 1 Way
Switch | 2x4



SP7401-W

R59⁰⁰

1 x 16A Switched
Socket | 4x4



SP7402-W

R79⁰⁰

2 x 16A Switched
Socket | 4x4



SP7403-W

R89⁰⁰

1 x 16A + 1 x N-Type
Switched Sockets | 4x4



SP7001-S

R49⁰⁰

1 Lever 1 Way
Switch | 2x4



SP7002-S

R59⁰⁰

2 Lever 1 Way
Switch | 2x4



SP7003-S

R69⁰⁰

3 Lever 1 Way
Switch | 2x4



SP7401-S

R69⁰⁰

1 x 16A Switched
Socket | 4x4



SP7402-S

R95⁰⁰

2 x 16A Switched
SocketS | 4x4



SP7403-S

R99⁰⁰

1 x 16A + 1 x N-Type
Switched Sockets | 4x4

WALL BOXES IP54



A302S

R89⁰⁰

32 D/P Isolator
PVC



A311S

R89⁰⁰

16A Single Socket
PVC



A311-FB

R99⁰⁰

16A Single Socket
Fibre (DMC)



A311D

R169⁰⁰

16A Double Socket
Fibre (DMC)

4 X 2 SMART WIFI TOUCH SWITCHES



WF7001P-*



R49⁰⁰

1 Gang (4x2)
Glass Plate

WF7002P-*

R55⁰⁰

2 Gang (4x2)
Glass Plate



WF7001

R259⁰⁰

Intelligent Module
1 Gang (4x2)
Max. Load (1000W)

WF7002

R299⁰⁰

Intelligent Module
2 Gang (4x2)
Max. Load (2 x 1000W)



*Add Colour to Code: WH (White), BK (Black), G (Gold)

SMART SWITCHING MODULES



QS-WIFI-S03-1G

R279⁰⁰

ON/OFF SWITCHING
250W/LED | 1 Gang
46 x 46 x 18mm



QS-WIFI-S03-2G

R339⁰⁰

ON/OFF SWITCHING
2 x 150W/LED | 2 Gang
46 x 46 x 18mm



QS-WIFI-D01-1G

R449⁰⁰

ON/OFF & DIMMING
150W/LED | 1 Gang
46 x 46 x 18mm



QS-WIFI-D01-2G

R499⁰⁰




ON/OFF & DIMMING
2 x 100W/LED | 2 Gang
46 x 46 x 18mm



QS-RF-C01

R259⁰⁰

ACCESSORIES
RF2.4GHz wireless
remote controller



SMART WIFI ADAPTOR




HSA01WT

R399⁰⁰

3 Pin SA Smart Socket
15A@250VAC (3750W)

- Energy Meter Function
- Physical On/Off Button on Device
- Supply Voltage: 100-240VAC



DIRECT TO THE PUBLIC. Valid from 1 January - 31 March 2024. Prices include VAT. Only while stocks last - E & OE

Terms & conditions apply. Please note that actual stock may vary from pictures provided.



TIME SWITCHES



ATMS1601 230VAC

R429⁰⁰

100-240VAC, 50Hz
16A@250VAC (COSØ= 1)
1 Dry Contact



WiFi Control



App Control



Remote Switching



Count Down Timer



Share Control with Others



Switching Schedules



WORKS WITH amazon alexa

works with the Google Assistant



ATMS1602 230VAC

R429⁰⁰

100-240VAC, 50Hz
16A@250VAC (COSØ= 1)
1 Wet Contact



Electricity Statistics

- All programming stored locally on device and when device is disconnected from the network it continues to work according to the set program until power fails
- After power failure, schedules must be retrieved from the cloud
- Pushbutton for manual On/Off Switching
- Schedules: 30 On/Off Programs can repeat daily or on specific days of the week
- Din Rail Mounted



BND-X5

R249⁰⁰

DIN Economy Mechanical Time Switch
16A | 24hr Dial
With Working Reserve



DHC15A-20A

R279⁰⁰

Electronic Time Switch
20A | 24hrs/7days
No. of Programmes:
20 On/20 Off



SUL181D

R285⁰⁰

DIN Economy Mechanical Time Switch
16A | 24hr Dial
With Working Reserve

3M

ELECTRICAL INSULATION TAPES



PVC ELECTRICAL TAPE
General Purpose | 0.18mm Thick

R24⁰⁰ EACH

3M-74712

Black

3M-74713

Yellow

3M-74714

Red

3M-74715

White

3M-74716

Green

3M-74717

Blue



3M-44881

R129⁰⁰

SCOTCH SUPER 33+
PVC TAPE
All Weather
Premium Grade
Size: 19mm x 20m
Thickness: 0.178mm



3M-79430

R279⁰⁰

SELF AMALGAMATING
INSULATION TAPE
EPR based high voltage
jointing tape
Size: 19mm x 9m
Thickness: 0.76mm



3M-11247

R315⁰⁰

ELECTRICAL
INSULATION PUTTY
Electrical grade insulation
compound in tape form
Size: 38mm x 1.5mm
Thickness: 3.175mm

EXTENTION REELS



1 x 16A Socket + 1 x N-Type + 1 x Schucko

ERS-1020

R539⁰⁰

10A | 20M
1.0mm² Cable

ERS-1620

R639⁰⁰

16A | 20M
1.5mm² Cable

ERS-1625

R739⁰⁰

16A | 25M
1.5mm² Cable

PLUG TOPS & ADAPTORS



ISDPT03

R13⁰⁰

15A White Std Plug Top
With Handle



YJ-N12

R23⁰⁰

SA & 2 Euro Adaptor



YJ-N12-1

R39⁰⁰

SA & Schuko & 2 Euro



A416

R19⁰⁰

Triple Euro Plug Adaptor



A-005

R129⁰⁰

3x N-Type SA 16A Adaptor
c/w 3x USB 5V/2.1A



APIII-2C

R95⁰⁰

SA & Schuko & Euro
With 2 x USB Charger 1A

PLUG TOPS

WITH SURGE PROTECTION



LP-601

R69⁰⁰

16A Surge Protection
Plug Top
without Wiring Check



LP-600

R75⁰⁰

16A Surge Protection
Plug Top
with Wiring Check

EXTENDERS



YJ-N33F

R129⁰⁰

3 x 16A + 3 x 2Pin Euro
with overload protection
c/w 0.5m cord

YJ-N43-1F

R149⁰⁰

4 x 16A + 3 x 2Pin Euro +
1 x Schuko. With
overload protection
c/w 0.5m cord

ECO POP-UP SOCKETS



STP-1E-22-2C2U

R899⁰⁰

SA 2 x 3 Pin, 2 x RJ45 Ports,
2 x USB (2.1A/5V)



STP-1E-22-2U

R979⁰⁰

SA 2 x 3 Pin, 2 x 2Pin,
2 x USB (2.1A/5V)



ENCLOSED ISOLATORS IP66



Stainless Steel | Padlockable Handle | AISI 316
For Hygienic & Heavy Duty Applications

KER325RS

R8,849⁰⁰

25A 3 Pole
293 x 120 x 113mm

KER363RS

R13,489⁰⁰

63A 3 Pole
389 x 160 x 127mm

KER340RS

R9,239⁰⁰

40A 3 Pole
293 x 120 x 113mm

KER380RS

R13,999⁰⁰

80A 3 Pole
389 x 160 x 127mm



Polycarbonate | Padlockable Handle | UV Resistance

KEM325UYR

R629⁰⁰

25A 3 Pole
131 x 96 x 106mm

KEM363UYR

R1,139⁰⁰

63A 3 Pole
190 x 144 x 131mm

KEM340UYR

R729⁰⁰

40A 3 Pole
131 x 96 x 106mm

KEM380UYR

R1,499⁰⁰

80A 3 Pole
190 x 144 x 131mm

HAND TOOLS



F4004TK7

R199⁰⁰

Folding Knife
With Belt Clip & Blade



SB202403

R159⁰⁰

30pc
Allen (Hex) Key Set



STRIP-SOLARMINI

R679⁰⁰

Mini Stripper c/w
Side Cutter for
Solar/HV Fence Cable



STRIP-7-FLAT

R859⁰⁰

Stripper c/w Side Cutter
for Flat Twin+E Cable



SB133249

R899⁰⁰

9Pc Ratchet Wrench Set



LJ503DR

R829⁰⁰

3 Step Aluminium Ladder
1230mm Extended



LD-S93B

R25⁰⁰

Torpedo Level
Length - 225mm



TX-H2502

R349⁰⁰

25pc Drill Bit Set
1.0 to 13.0mm



PLD2230

R359⁰⁰

Heat Gun | 2000W
3 Speed/Temp. Settings



HSD-16

R419⁰⁰

16 Piece Hole Saw Kit



EB-J30A

R729⁰⁰

Electric Blower | 230VAC
550W | 2.8m³/h



LJ506DR

R1,389⁰⁰

6 Step Aluminium Ladder
1890mm Extended

VOLTAGE TESTERS AND METERS



GK7

R139⁰⁰

Non-Contact Voltage
Tester | 12-1000VAC
c/w LED Torch



MS8907

R159⁰⁰

Non-Contact Voltage
Tester | 50-1000VAC
Work light (torch)
Sound & Light Indication



901

R869⁰⁰

Analogue Voltage Tester
120 - 750V AC/DC



M266

R429⁰⁰

750VAC | 1000VDC
LCD display | Data hold
Jaw Size: 50mm



CTH-608

R279⁰⁰

Indoor Thermometer
Wall Mount or Desktop
Temperature + Humidity



CTH-609

R319⁰⁰

In/Outdoor Thermometer
Wall Mount or Desktop
Temperature + Humidity

Kress

CORDED POWER TOOLS



KUS04P

R999⁰⁰

830W | 115mm
Angle Grinder
Soft Start &
Anti-Restart Function



KUS35P

R2,999⁰⁰

2200W | 230mm
Angle Grinder
Soft Start &
Anti-Restart Function



KUT10K

R899⁰⁰

500W | Robust motor
10mm Keyless Chuck



KU120

R999⁰⁰

650W | Robust motor
13mm Keyless Chuck



KUX12P

R2,999⁰⁰

850W motor | SDS Plus | Powerful
3J of impact energy | 3 Functions:
drilling, hammer drilling and
chiselling

DIRECT TO THE PUBLIC. Valid from 1 January - 31 March 2024. Prices include VAT. Only while stocks last - E & OE

Terms & conditions apply. Please note that actual stock may vary from pictures provided.

ACDC
DYNAMICS

CORDLESS POWER TOOLS - All supplied c/w 1 x Battery & Fast Charger



LCD777-1S

R1,429⁰⁰

20V Cordless Drill
0-400 / 0-1400RPM | 35Nm
13mm Chuck



LCD777-1SC

R1,599⁰⁰

20V Cordless Hammer Drill
0-440 / 0-1650RPM | 50Nm
13mm Chuck



LCH777-1

R1,859⁰⁰

20V Cordless Rotary Hammer
0-900RPM | 0-5000BPM
Impact Force: 1.1J | SDS Plus Chuck



LCW777-1B

R1,689⁰⁰

20V Cordless Impact Wrench
0-2800RPM | 250Nm
1/2" Square Drive



LCG777-1

R2,339⁰⁰

20V Cordless Angle Grinder
10000RPM | 115/125mm Disc
Spindle Lock



DIGITAL METERS

MULTIMETERS



C-LOGIC-5100

R1,199⁰⁰

AC/DC Voltage: 600V
AC/DC Current: 10A
Resistance | Capacitance
Frequency | Temperature



C-LOGIC-5200

R1,839⁰⁰

AC/DC Voltage: 1000V
AC/DC Current: 10A
Resistance | Capacitance
Frequency | Temperature



C-LOGIC-5600

R1,859⁰⁰

AC/DC Voltage: 1000V
AC/DC Current: 10A
Resistance | Capacitance
Frequency | Temperature



C-LOGIC-580

R1,459⁰⁰

AC/DC Voltage: 600V
Resistance | Frequency
Smart Auto Ranging



C-LOGIC-80

R799⁰⁰

AC/DC Voltage: 750/1000V
AC Current: 1000A
Resistance



C-LOGIC-8500

R1,799⁰⁰

AC/DC Voltage: 750/1000V
AC/DC Current: 1000A
Resistance | Capacitance
Frequency

VOLTAGE TESTER



C-LOGIC-98

R1,189⁰⁰

Motor & Phase
Rotation Tester
Test Voltage: 120-400VAC

TOOL KITS AND TOOL BAGS



SB-P003

R839⁰⁰

Tool Backpack
20 Pockets
c/w Rubberised Bottom



SB-S002

R919⁰⁰

Super Open Mouth Tool Bag
24 Pockets



V10-012

R1,089⁰⁰

1000V 12 Pc Electrician Tool Set
+ Carry Bag (VDE)



V10-010

R799⁰⁰

1000V 10 Pc Electrician Tool Set
+ Carry Bag (VDE)



VFL-2105

R199⁰⁰

1000V 6 Pc Electrician
Screwdriver Kit (VDE)



SB210123

R549⁰⁰

Basic DIY Tool Kit



SB-T017

R889⁰⁰

Tool Bag with Tubular Handle
56 Pockets | Foldable Sides



SB-G005

R449⁰⁰

Utility Tool Vest
14 Pockets



ELA-185M

R6,699⁰⁰

Mobile Tool Cabinet
993H x 700W x 510Dmm

CEILING
EXTRACTOR FANS



APT20-4C

R399⁰⁰

200mm (8") | 30W
Speed: 1200r/min
Flow Rate: 270m³/h

APT25-5C

R429⁰⁰

250mm (10") | 40W
Speed: 1200r/min
Flow Rate: 384m³/h