


WIRED


FOR GREATNESS

All Prices are VAT inclusive and are subject to availability.
Valid from 1 July – 30 September 2025. While stocks last E&OE.

4 X 2 SMART WIFI TOUCH SWITCHES




Glass Wall Plates – Light Switches – No Neutral Required



WF7001P-WH

R89⁰⁰


1 Gang (4x2) | White



WF7001P-BK

R89⁰⁰


1 Gang (4x2) | Black



WF7001P-G

R89⁰⁰


1 Gang (4x2) | Gold



WF7002P-WH

R89⁰⁰


2 Gang (4x2) | White



WF7002P-BK

R89⁰⁰


2 Gang (4x2) | Black



WF7002P-G

R89⁰⁰


2 Gang (4x2) | Gold



WF7003P-WH

R99⁰⁰


3 Gang (4x2) | White



WF7003P-BK

R99⁰⁰

3 Gang (4x2) | Black



WF7003P-G

R99⁰⁰

3 Gang (4x2) | Gold

Intelligent Modules



WF7001

R349⁰⁰


Max. Load (1000W)



WF7002

R399⁰⁰

Max. Load (2x1000W)



WF7003

R499⁰⁰

Max. Load (3x1000W)

LED A60 LAMP

R169⁰⁰

AS-WF-A60-*

10W | 800lm

*Add Base to Code:
E27 | B22




SOLAR WIFI SECURITY LIGHT WITH CAMERA

MJ-01W-100W

R2,149⁰⁰

100W/800lm
Camera: 1080P HD
Motion Detection
Alarm




SMART WIFI ADAPTOR

HSA01WT

R499⁰⁰

3 Pin SA Smart Socket
15A@250VAC (3750W)

- Energy Meter Function
- Physical On/Off Button on Device
- 100-240VAC



WIFI TIMER + ENERGY METER

– 100-240VAC, 50Hz

ATMS2002 230VAC

R519⁰⁰

20A/250VAC



HWF03T

R529⁰⁰

16A/250VAC



ATMS6004WM 230VAC

R759⁰⁰

60A/250VAC



ATMS4002 230VAC

R659⁰⁰

40A/250VAC



ATMS6002WM 230VAC

R699⁰⁰

60A/250VAC


SMART WIFI SWITCH



AS-NF-101


R169⁰⁰

100-240VAC | 16A | 88 x 39 x 22mm



SMART WIFI TIMER/SWITCH

20A/250VAC | Dry Contact (SPST:NO)



ATMS2001 230VAC

R519⁰⁰



ATMS2001Z 230VAC

R569⁰⁰

ZIGBEE GATEWAY


100-240VAC, 50Hz | 3VA/1.2W
Zigbee 3.0, Wi-Fi
Wireless Connection

ATMS2GZ01

R729⁰⁰



All smart products include:



acdc.co.za

NATIONAL CALL CENTRE: Sales 010 202 3400 | Technical 010 202 3500 | Solar Hot Line 010 045 8002



HEAD OFFICE – LONGMEADOW:

info@acdc.co.za | 010 202 3300
26 Nguni Drive, Longmeadow
Business Estate, Edenvale

OTHER BRANCHES:

GERMISTON: 011 418 9600
CPT: 021 492 2000

PTN: 031 700 4215
RVH: 031 492 4800



Visit our Website

LED FITTINGS & TUBES

FROSTED

Ø26.3MM

LEDT8-A2FR-*

R23⁰⁰

9W | 2FT | T8
700-800lm

LEDT8-A4FR-*

R29⁰⁰

18W | 4FT | T8
1480-1600lm

LEDT8-A5FR-*

R36⁰⁰

22W | 5FT | T8
1750-1900lm

*Add Colour to Code: DL (Daylight), CW (Cool White)

OPEN CHANNEL FITTINGS

PRE-WIRED FOR LED

Single Lamp

OS-LED-006

R35⁰⁰

9W (2FT)
610 x 33 x 15mm

OS-LED-012

R49⁰⁰

18W (4FT)
1210 x 33 x 15mm

OS-LED-015

R59⁰⁰

22W (5FT)
1546 x 33 x 15mm

Twin Lamp

OS-LED-012-2

R59⁰⁰ 18W (4FT)
1210 x 33 x 15mm

OS-LED-015-2

R69⁰⁰ 22W (5FT)
1546 x 33 x 15mm

ECONOMY WEATHERPROOF LINEAR LIGHTS

PRE-WIRED FOR LED

IP65

LEDWPT8-109

R159⁰⁰

1 x 9W | 660 x 65 x 60mm

LEDWPT8-118

R179⁰⁰

1 x 18W | 1270 x 65 x 60mm

LEDWPT8-122

R249⁰⁰

1 x 22W | 1570 x 65 x 60mm

LEDWPT8-209

R169⁰⁰

2 x 9W | 660 x 95 x 60mm

LEDWPT8-218

R239⁰⁰

2 x 18W | 1270 x 95 x 60mm

LEDWPT8-222

R289⁰⁰

2 x 22W | 1570 x 95 x 60mm

LED LINKABLE LIGHTS

Cool White (4000K)
c/w Power Cord &
Mounting Accessories

RW-OC-T5-6W

R139⁰⁰

6W | 325mm

RW-OC-T5-10W

R149⁰⁰

10W | 586mm

RW-OC-T5-14W

R159⁰⁰

14W | 885mm

RW-OC-T5-18W

R219⁰⁰

18W | 1185mm

LED SLIM LINE BATTENS

Daylight (6000K)

DY-30-10W

R79⁰⁰

10W | 900lm
300 x 75 x 24mm

DY-60-20W

R119⁰⁰

20W | 1800lm
600 x 75 x 24mm

DY-120-40W

R219⁰⁰

40W | 900lm
1200 x 75 x 24mm

LED LAMPS

T-LED-7W-*-*

R12⁰⁰

7W | 540lm

*Add Base to Code: E27 | B22

R13⁰⁰

R13⁰⁰

9W | 720lm

NON-DIMMABLE

*Add Colour to Code: DL (Daylight),
CW (Cool White), WW (Warm White)

A60-LSM-*-*10-*

R69⁰⁰

10W | 806lm | Day/Night &
Motion Sensing Lamps

*Add Base to Code: E27 | B22

*Add Colour to Code:
DL (Daylight), CW (Cool White),
WW (Warm White)

LED GU10 LAMPS

LED-GU10-6W-*/5

6W | 480lm | 5 Pack
120° Beam Angle

R49⁰⁰

5 PACK

*Add Colour to Code:
DL (Daylight), CW (Cool White), WW (Warm White)

HS-GU10-5W-*-*5Y

5W | 350lm

R35⁰⁰

5
YEAR
warranty

PIR MOTION SENSORS

Surface Mount



OS-472B-A

R159⁰⁰

220-240VAC
200W Max
8m/180°



FL380

R239⁰⁰

220-240VAC
2000W Max
12m/360° at 4m (H)



OS-181C

R669⁰⁰

230VAC | 1840W Max
10m/270° at 2.5m(H)
Wall or Ceiling Mount

MICROWAVE
MOTION SENSOR

Recessed



ES-M12

R269⁰⁰

230VAC
1200W Max
10m / 360°

ADJUSTABLE TIME & LUX

RECESSED PIR MOTION SENSORS



ES-P14

R139⁰⁰

360° | 6m Max
500W Max



ES-P17B

R149⁰⁰

360° | 6m Max
1200W Max



ES-P17C

R199⁰⁰

360° | 2-20m
2000W Max

ADJUSTABLE TIME & LUX

LED BACKLIT PANELS

DFL-P0606-40W-CCT

R399⁰⁰

40W | 4400lm | 595 x 595 x 30mm

DFL-P1206-64W-CCT

R829⁰⁰

64W | 7040lm | 1195 x 595 x 30mm

3CCT ADJUSTABLE

WW-4200K

CW-5000K

DL-6500K



Due to our policy of continuous improvement we reserve the right of modifying specifications and appearance. All Prices are VAT inclusive and are subject to availability . Valid from 1 July - 30 September 2025 - while stocks last | E&OE. Images may vary from actual products. All electrical products should be installed by a qualified technician.

LED ECONOMICAL FLOODLIGHTS

230VAC | Beam Angle: 120° | Cool White

IP65

2
YEAR
warranty



FL-10W-CW

R49⁰⁰

10W | 800lm

FL-30W-CW

R109⁰⁰

30W | 2400lm

FL-100W-CW

R239⁰⁰

100W | 8000lm

FL-200W-CW

R469⁰⁰

200W | 16000lm

FL-20W-CW

R79⁰⁰

20W | 1600lm

FL-50W-CW

R149⁰⁰

50W | 4000lm

FL-150W-CW

R429⁰⁰

150W | 12000lm

FL-400W-CW

R1,199⁰⁰

400W | 32000lm

LED LOW PROFILE FLOODLIGHTS

Supply Voltage: 180-265VAC

Beam Angle: 90°

30 000hrs

Surge Protection

IP65



3
YEAR
warranty

BK02-30W-CCT

R169⁰⁰

30W | 3600lm

BK02-100W-CCT

R399⁰⁰

100W | 12000lm

BK02-200W-CCT

R759⁰⁰

200W | 24000lm

BK02-50W-CCT

R229⁰⁰

50W | 6000lm

BK02-150W-CCT

R559⁰⁰

150W | 18000lm

3CCT ADJUSTABLE

WW-3000K CW-4200K DL-6000K

LED BULKHEADS

- Ideal for Coastal Regions

LED-BLIA-C-10W-CCT

R189⁰⁰

10W | 900lm | IP54
Ø211 x 55mm

BL220-20W-WH-CCT

R199⁰⁰

20W | 1800lm | IP54
Ø220 x 80mm

BL220-20W-PIR-BK-CCT

R279⁰⁰

20W | 1800lm | IP65
Ø220 x 80mm

BLO220-15W-PIR-BK-CCT

R249⁰⁰

15W | 1350lm | IP65
220 x 106 x 60mm

DAYLIGHT SWITCHES

CA-22006

R59⁰⁰

6A | Fixed
On 31.5 / Off
12.5 Lux



CA-22015

R99⁰⁰

15A | Fixed On 31.5
/ Off 12.5 Lux



LC-10

R99⁰⁰

10A | On < 20 Lux, Off > 80 Lux



LC-11

R89⁰⁰

10A | On < 20 Lux, Off > 80 Lux

LA16-VDC

30sec
16A @ 12-30VDC
1.5A @ 31-48VDC

R159⁰⁰



3CCT ADJUSTABLE

WW-3000K CW-4200K DL-6000K

WALL LIGHTS - PLASTIC

- Ideal for Coastal Regions



FG07701-P-BK-CCT

R359⁰⁰

4W | 300lm
230 x 80 x 27mm



FG07601-P-BK-CCT

R329⁰⁰

4W | 300lm
125 x 125 x 37mm



FG07502-P-BK-CCT

R359⁰⁰


6W | 400lm
220 x 113 x 51mm



FG07702-P-BK-CCT

R329⁰⁰

3W | 190lm
230 x 80 x 27mm



FG07602-P-BK-CCT

R279⁰⁰

1.5W | 70lm
125 x 125 x 37mm



FG07501-P-BK-CCT

R199⁰⁰

1.5W | 110lm
100 x 60 x 33mm

OUTDOOR LIGHTING



YF-B5359

R299⁰⁰

60W | E27 | IP33
350 x 165mm
Black



F3225-B/G

R219⁰⁰

60W | E27 | IP33
405 x 203mm
Green/Black



F3025-B/G

R229⁰⁰

100W | E27 | IP33
346 x 176mm
Green/Black



F3025

R229⁰⁰

100W | E27 | IP44
346 x 176mm
Black



JQ703

R219⁰⁰

26W | E27 | IP33
Ø230mm
Built in Day/Night Switch

UP/DOWN LIGHTS - PLASTIC


IDEAL FOR COASTAL REGIONS IP54



PS1101-GU10-BK

R179⁰⁰

1 x 7W Max | GU10
110 x 110 x 85mm



PS1102-GU10-BK

R179⁰⁰

1 x 7W Max | GU10
110 x 110 x 85mm



PS0970-GU10-BK

R139⁰⁰


1 x 7W Max | GU10
90 x 90 x 92mm



PS1952-GU10-BK

R239⁰⁰

2 x 7W Max | GU10
110 x 195 x 85mm



PS1951-GU10-BK

R239⁰⁰

2 x 7W Max | GU10
110 x 195 x 85mm



PS1670-GU10-BK

R169⁰⁰

2 x 7W Max | GU10
70 x 160 x 92mm



PS0980-GU10-BK

R139⁰⁰

1 x 7W Max | GU10
70 x 90 x 92mm



PS1680-GU10-BK

R169⁰⁰

2 x 7W Max | GU10
70 x 160 x 92mm

THE WAIT IS OVER... DISCOVER THE
HEART OF INNOVATION



CATALOGUE 25 / 26

ORION MODULAR SOCKETS & SWITCHES

WH - White	SL - Slate	BK - Black
		
M724-1L-1W-WH R29 ⁰⁰ 1 Lever 1 Way	M724-1L-1W-SL R35 ⁰⁰ 1 Lever 1 Way	M724-1L-1W-BK R35 ⁰⁰ 1 Lever 1 Way
M724-1L-2W-WH R35 ⁰⁰ 1 Lever 2 Way	M724-1L-2W-SL R39 ⁰⁰ 1 Lever 2 Way	M724-1L-2W-BK R39 ⁰⁰ 1 Lever 2 Way
M724-2L-1W-WH R45 ⁰⁰ 2 Lever 1 Way	M724-2L-1W-SL R49 ⁰⁰ 2 Lever 1 Way	M724-2L-1W-BK R49 ⁰⁰ 2 Lever 1 Way
M724-2L-2W-WH R49 ⁰⁰ 2 Lever 2 Way	M724-2L-2W-SL R55 ⁰⁰ 2 Lever 2 Way	M724-2L-2W-BK R55 ⁰⁰ 2 Lever 2 Way
M724-3L-1W-WH R59 ⁰⁰ 3 Lever 1 Way	M724-3L-1W-SL R69 ⁰⁰ 3 Lever 1 Way	M724-3L-1W-BK R69 ⁰⁰ 3 Lever 1 Way
M724-3N-WH R115 ⁰⁰ 3 x N-Type SA 16A Socket Outlets	M724-3N-SL R119 ⁰⁰ 3 x N-Type SA 16A Socket Outlets	M724-3N-BK R119 ⁰⁰ 3 x N-Type SA 16A Socket Outlets
M724-SASW-WH R59 ⁰⁰ 1 x SA 16A Switched Socket Outlets	M724-SASW-SL R69 ⁰⁰ 1 x SA 16A Switched Socket Outlets	M724-SASW-BK R69 ⁰⁰ 1 x SA 16A Switched Socket Outlets
M744-SASW-WH R69 ⁰⁰ 1 x SA 16A Switched Socket Outlets	M744-SASW-SL R79 ⁰⁰ 1 x SA 16A Switched Socket Outlets	M744-SASW-BK R79 ⁰⁰ 1 x SA 16A Switched Socket Outlets
M744-2SASW-WH R109 ⁰⁰ 2x SA 16A Switched Socket Outlets	M744-2SASW-SL R119 ⁰⁰ 2x SA 16A Switched Socket Outlets	M744-2SASW-BK R119 ⁰⁰ 2x SA 16A Switched Socket Outlets
M744-SASW-3N-WH R185 ⁰⁰ 3 x N-Type SA 16A Socket Outlets	M744-SASW-3N-SL R189 ⁰⁰ 3 x N-Type SA 16A Socket Outlets	M744-SASW-3N-BK R189 ⁰⁰ 3 x N-Type SA 16A Socket Outlets

ADAPTORS

			
A-005 R119 ⁰⁰ 3 x N-Type 16A 5V / 2.1A Adaptor c/w 3 x USB	YJ-N12-1 R45 ⁰⁰ 1 x SA, 1 x Euro & 1 x Schuko	A411 R11 ⁰⁰ Single Euro Plug Adaptor	YJ-N12 R25 ⁰⁰ 1 x 16A SA & 2 x Euro Socket Adaptor

EXTENDERS

	
YJ-N43-1F R149 ⁰⁰ 4 x 16A + 3 x 2Pin Euro + 1 x Schuko With overload protection c/w 0.5m cord	YJ-N33F R139 ⁰⁰ 3 x 16A + 3 x 2Pin Euro + 1 x Schuko With overload protection c/w 0.5m cord
	
AP5X5 R149 ⁰⁰ Standard 5 x 16A + 5 x 2Pin Euro + 1 x Schuko c/w 0.5m Cord	AP5X5-SP R179 ⁰⁰ Built-in Surge Protection

HEAVY DUTY EXTENSION CORD

TT-F01-3M R129 ⁰⁰ 3m	TT-F01-5M R189 ⁰⁰ 5m	TT-F01-10M R349 ⁰⁰ 10m
TT-F01-15M R499 ⁰⁰ 15m	TT-F01-20M R649 ⁰⁰ 20m	1.5mm ² x 3 16A H07RN-F Black Rubber Cable & Rubber Janus Coupler

PLUGS & SOCKETS

	* Add colour to code: ● WH (White) ● BL (Blue) ● Y (Yellow) ● OR (Orange) ● R (Red) ● BK (Black) ● BR (Brown)	Snapper 16A SNP300-* R1700 EACH
A310* R1900 EACH Nylon Janus Coupler * Add colour to code: WH (White) or BK (Black)	RA300BK R1500 Rubber 16A Plug Top	RA310BK R2500 Janus Coupler Rubber Black 16A
		ISDPT03 R1500 White 15A SA with handle

SMART SWITCH MODULES

						
WIFI Control	Radio					
WORKS WITH amazon alexa	works with the Google Assistant					
ON/OFF CONTROL						
QS-WIFI-S03-1G R339 ⁰⁰ 250W/LED 1 Gang	QS-WIFI-S03-2G R399 ⁰⁰ 2x150W/LED 2 Gang	QS-ZB-S05-L-1G R389 ⁰⁰ 100W/LED 1 Gang	QS-ZB-S04-L-2G R539 ⁰⁰ 2x100W/LED 2 Gang			
DIMMING						
QS-WIFI-D01-1G R549 ⁰⁰ 150W/LED 1 Gang	QS-WIFI-D01-2G R599 ⁰⁰ 2x100W/LED 2 Gang	RF2.4GHz wireless remote controller QS-RF-C01 R319 ⁰⁰				



Due to our policy of continuous improvement we reserve the right of modifying specifications and appearance. All Prices are VAT inclusive and are subject to availability . Valid from 1 July - 30 September 2025 - while stocks last | E&OE. Images may vary from actual products. All electrical products should be installed by a qualified technician.

DIN DISTRIBUTION BOARDS

FLUSH MOUNT - WITH DOOR & TRAY



4-Way

FDBEDIN-4

R85⁰⁰



6-Way

FDBEDIN-6

R99⁰⁰



8-Way

FDBEDIN-8

R169⁰⁰



12-Way

FDBEDIN-12

R189⁰⁰



15-Way

FDBEDIN-15

R249⁰⁰



18-Way

FDBEDIN-18

R259⁰⁰



24-Way
(2x12)

FDBEDIN-24

R349⁰⁰



36-Way
(3x12)

FDBEDIN-36

R639⁰⁰

SURFACE MOUNT - WITH DOOR



4-Way

SDBEDIN-4

R79⁰⁰



6-Way

SDBEDIN-6

R95⁰⁰



8-Way

SDBEDIN-8

R99⁰⁰



12-Way

SDBEDIN-12

R149⁰⁰



18-Way

SDBEDIN-18

R199⁰⁰



24-Way
(2x12)

SDBEDIN-24

R299⁰⁰



36-Way
(3x12)

SDBEDIN-36

R459⁰⁰



CD-BEC21

R105⁰⁰

230VAC | 60A
Single Phase



CD-WBECNANO

R469⁰⁰

230VAC
60A | Single Phase
c/w UIU



CD-WBEC62

R2,339⁰⁰

230/400VAC
100A | Three Phase
c/w UIU

13MM MINIATURE CIRCUIT BREAKERS

4.5KA C-CURVE 13MM MCB

EARTH LEAKAGE
RELAYS - RCDs 30mA



1 POLE

SA1-5 5A



1 POLE + N

SA1N-20 20A



2 POLE

SA2-20 20A



2 POLE

SAE2-25 25A




SA1-10 10A



SA1N-25 25A



SA2-25 25A



SAE2-40 40A




SA1-15 15A



SA1N-32 32A



SA2-32 32A




SAE2A-63 63A




SA1-20 20A



SA1N-40 40A




SA2-40 40A



SAE2-63 63A



SA1-25 25A



SA1N-50 50A



SA2-50 50A



SAE2-125 125A



SA1-32 32A



SA1N-63 63A



SA2-63 63A



SAE2-250 250A




SA1-40 40A



SA1N-100 100A



SA2-100 100A



SAE2-400 400A




SA1-50 50A



SA1N-160 160A



SA2-160 160A




SAE2-630 630A



SA1-63 63A



SA1N-200 200A




SA2-200 200A




SAE2-1000 1000A



SA1-100 100A



SA1N-250 250A



SA2-250 250A



SAE2-1600 1600A



SA1-160 160A



SA1N-400 400A



SA2-400 400A



SAE2-2500 2500A



SA1-250 250A



SA1N-630 630A




SA2-630 630A



SAE2-4000 4000A




SA1-400 400A



SA1N-1000 1000A



SA2-1000 1000A



SAE2-6300 6300A



SA1-630 630A



SA1N-1600 1600A



SA2-1600 1600A



SAE2-10000 10000A



SA1-1000 1000A



SA1N-2500 2500A



SA2-2500 2500A




SAE2-16000 16000A



SA1-1600 1600A



SA1N-4000 4000A



SA2-4000 4000A



SAE2-25000 25000A



6A | 2.2kw | 400V

TC1-M0610*

1N/O Aux

TC1-M0601*

1N/C Aux

R319⁰⁰ EACH



9A | 4kw | 400V

TC1-M0901*

1N/O Aux

TC1-M0910*

1N/C Aux

R329⁰⁰ EACH



12A | 5.5kw | 400V

TC1-M1201*

1N/O Aux

TC1-M1210*

1N/C Aux

R339⁰⁰ EACH



16A | 7.5kw | 400V

TC1-M1601*

1N/O Aux

TC1-M1610*

1N/C Aux

R359⁰⁰ EACH



221-415/8

R219⁰⁰

PACK OF 8
5 Way | 32A



221-413/12

R179⁰⁰

PACK OF 12
3 Way | 32A



221-412/16

R179⁰⁰

PACK OF 16
2 Way | 32A



221-2411/12

R189⁰⁰

PACK OF 12
1 Way | 32A



NEW

887-850

R2,599⁰⁰

221 L-BOXX Mini Splicing Connector Kit
This kit includes: 221-412(x100), 221-413(x100),
221-415(x25), 221-500(x2), 221-2411(x30),
221-2503(x1) and 221-2502(x1)

SURGE PROTECTION DEVICE



SASP-5KA 5kA


R69⁰⁰



SASP-15KA 15kA

R79⁰⁰

1 Pole | 1200V | 1M



4 POLE

SAE4-63 63A

R579⁰⁰

DIGITAL TIME SWITCHES



DHC15A-20A

R279⁰⁰

20A | 24hrs/7days
20 On/20 Off Programs
With Working Reserve



SAT-30A

R589⁰⁰

30A | 24hrs/7days
8 On + 8 Off Program
With Working Reserve

DIN MECHANICAL TIME SWITCHES



BND-X5

R289⁰⁰

16A | 24hr Dial
With Working Reserve



SUL181D

R289⁰⁰

16A | 24hr Dial
With Working Reserve

EXPERTS IN
PANEL BUILDING

Enquire panels@acdc.co.za for more information



End-to-End
Expertise



Emirates
LIONS
Solutions



SUPERSPORT
Quality
Assurance



LIONS
Quick
Turnaround

SUBMERSIBLE DRAINAGE PUMPS

DOMESTIC CLEAN WATER



Q1CP-250M

R649⁰⁰
230VAC | 0.25kW
c/w Float Switch

Q1CP-450M

R719⁰⁰
230VAC | 0.45kW
c/w Float Switch

Q1CP-650M

R839⁰⁰
230VAC | 0.65kW
c/w Float Switch

FOUNTAIN PUMP



SEALLESS, WATER COOLED,
CONTINUOUS RATED

DRENAPS 6-6MA

R1,999⁰⁰
230VAC | 0.18kW
c/w Float Switch

DOMESTIC UTILITY



Q1TP-400N3

R799⁰⁰
230VAC | 0.4kW
c/w Float Switch

Q1TP-750N3

R939⁰⁰
230VAC | 0.75kW
c/w Float Switch

MICRO SWITCH FLOAT SWITCHES

15A | 230VAC



B-01/5

5m

B-01/10

10m

R319⁰⁰

R479⁰⁰

WIRELESS PUMP CONTROL SYSTEM

Remote Float Kit Including
Pump & Tank Station

Add on Tank station

TM01

R4,199⁰⁰

TMT01

R2,199⁰⁰

Remote Float is your solution to automate a pump to keep one or more tanks filled. Remote Float comes in two parts. One unit at the tank and other at the pump. It can switch smaller pumps (<1.1kW) directly or control bigger pumps using contactors.
Wireless Range: Up to 15km line of sight

ELECTRICAL INSULATION TAPES

1710 PVC ELECTRICAL TAPE
General Purpose | 0.18mm Thick

R25⁰⁰
EACH

3M

20M



3M-74712

Black

3M-74715

White

3M-74713

Yellow

3M-74716

Green

3M-74714

Red

3M-74717

Blue

20M



3M-44881

R119⁰⁰
**SCOTCH SUPER 33+
PVC TAPE**
All Weather
Premium Grade

9M



3M-79430

R279⁰⁰
**SELF AMALGAMATING
INSULATION TAPE**
EPR based high volts
jointing tape

1,5M



3M-11247

R399⁰⁰
**ELECTRICAL
INSULATION PUTTY**
Electrical grade insulation
compound in tape form

RECHARGEABLE
DC WORK LIGHT



WL10621-30

R1,929⁰⁰

30W | 105lm/W
6500K Daylight

RECHARGEABLE PORTABLE WORK LIGHTS



WL03-COB-10W

R389⁰⁰

10W | 750lm
6000K Daylight
3hrs High / 10hrs Low
USB Charging

WL03-COB-20W

R559⁰⁰

20W | 1800lm
6000K Daylight
3hrs High / 8hrs Low
USB Charging

LED TORCHES & WORKLIGHTS

NON-RECHARGEABLE



HL-TC6145-1

3W | 100lm
3 x AAA (Not included)

Portable,
Magnetic
& Rotatable
Battery
Operated



HL-TC6145-2

5W | 300lm
3 x AAA (Not included)

PIR motion
sensing



SP-SNL14D

3W | 120lm
4 x AAA (Not included)

Magnetic
Base

LED TORCHES



SP-FL3WC

R79⁰⁰


3W | 150lm
3 x AAA (Not Incl.)
3 Lighting Modes



SP-FL32

R59⁰⁰

1W | 100lm
3 x AAA (Not Incl.)



SP-WL32C

R85⁰⁰

Pen Light | 3W | 200lm
3 x AAA (Not Incl.)
Magnetic Base & Hook

ENERGIZER BATTERIES



E96BP2

R49⁰⁰
2 x AAAA



E92BP4-MAX

R89⁰⁰
4 x AAA



EM-AAA-BP8

R139⁰⁰
8 x AAA



E91BP4-MAX

R89⁰⁰
4 x AA



EM-AA-BP8

R139⁰⁰
8 x AA



E93BP2-MAX

R85⁰⁰
2 x C



E95BP2-MAX

R99⁰⁰
2 x D



522BP1-MAX

R89⁰⁰
1 x 9V

ENERGIZER RECHARGEABLE BATTERIES



NH12RP4-700

R199⁰⁰
4 x AAA (700mAh)



NH15RP4-1400

R205⁰⁰
4 x AA (2000mAh)



ER-AA-2300MAH-BP4

R299⁰⁰
4 x AA (2300mAh)



NH22BP1

R219⁰⁰
1 x 9V (175mAh)



ER-CH-UNI

R499⁰⁰
AA / AAA / C / D / 9V
Universal Charger



ER-CH-MAXI

R419⁰⁰
4 x AA | 4 x 2000mAh
Batteries Included



Due to our policy of continuous improvement we reserve the right of modifying specifications and appearance. All Prices are VAT inclusive and are subject to availability . Valid from 1 July - 30 September 2025 - while stocks last | E&OE. Images may vary from actual products. All electrical products should be installed by a qualified technician.

SOLAR LIGHTING IP54



RW-SCL-220
R399⁰⁰
6W | 750lm | 6Ah 3.7V
Kit Includes:
Ceiling Light: Ø220mm
Energy Box: 96x96x31mm
Solar Panel: 6W,6V


RW-SCL-300
R529⁰⁰
9W | 1100 lm | 9Ah 3.7V
Kit Includes:
Ceiling Light: Ø300mm
Energy Box: 120x120x31mm
Solar Panel: 12W,6V



SOLAR CEILING LIGHTS
RW-SCL-220/2
R669⁰⁰
6W x 2 | 750 lm x 2
12Ah 3.7V
Kit Includes:
Ceiling Lights: Ø220mm x 2
Energy Box: 120x120x31mm
Solar Panel: 15W,6V



SOLAR STRIP LIGHTS
RW-SSL-5M
R339⁰⁰
3W | 150 lm/5m | 2Ah 3.7V
Kit Includes:
Strip Light: 5m
Energy Box: 78x78x28mm
Solar Panel: 3W,6V



SOLAR LINEAR LIGHTS
RW-STL-0.6M/2
R759⁰⁰
6W x 2 | 550lm x 2 | 12Ah 3.7V
Kit Includes:
Linear Light: Ø590mm x 2
Energy Box: 120x120x31mm
Solar Panel: 15W,6V



SOLAR LED BULB LIGHTS
RW-STRING-5M
R339⁰⁰
3W | 10lm x 10
2Ah 3.7V
Kit Includes:
String Light: 5m (10 LED bulbs)
Energy Box: 78x78x28mm
Solar Panel: 3W,6V

ECO FLOOD LIGHTS WITH REMOTE CONTROL IP65




TK-03-20W
R479⁰⁰
3.2V/5Ah Battery
20W / 400lm
6W PV Panel




TK-03-60W
R699⁰⁰
3.2V/10Ah Battery
60W / 800lm
10W PV Panel



TK-03-100W
R869⁰⁰
3.2V/15Ah Battery
100W / 1200lm
15W PV Panel



TK-03-200W
R1,049⁰⁰
3.2V/20Ah Battery
200W / 1800lm
20W PV Panel



TK-03-300W
R1,999⁰⁰
3.2V/40Ah Battery
300W / 3200lm
40W PV Panel


SOLAR STREET LIGHTING IP65



ST-S20
R469⁰⁰
20W | 360lm
7W PV Panel
3.2V / 5Ah Battery

ST-S40
R599⁰⁰
40W | 750lm
8W PV Panel
3.2V / 5Ah Battery

ST-S60
R699⁰⁰
60W | 1350lm
12W PV Panel
3.2V / 12Ah Battery



PIR MOTION SENSING SOLAR FLOODLIGHTS
IP65
Built-in Stand

LD-SFL-5W
R419⁰⁰
5W / 500lm | 2 Working Modes
2.3W PV Panel

LD-SFL-10W
R829⁰⁰
10W / 1150lm | 2 Working Modes
6W PV Panel



FLOODLIGHT/LANTERN
IP65
• Solar/USB Charging
• 3 Light Modes + Red & Blue Flash
• 180° Rotatable Bracket
• 5V/1A USB Input/Output Ports
• Up to 6hrs Battery Life

CPL-PL-50W
R369⁰⁰
10W/580lm

CPL-PL-100W
R439⁰⁰
15W/780lm



SOLAR CAMPING LIGHT
RW-SCL-20
R299⁰⁰
High 2hrs / Low 6hrs
1W/80lm | 3W/210lm
USBA to USBC cable (300mm)



IP55
SOLAR PERIMETER ALARM LIGHT
KW-SNLN
R379⁰⁰
2W / 60lm | PIR Motion Sensor
Siren (129dB), Flashing LED's
c/w Remote Control
to set Working Mode



IP65
SOLAR WALL LIGHT
B72306-16W
R469⁰⁰
16W / 700lm
Easy Installation
1.3W PV Panel

PWM – SOLAR CHARGE CONTROLLERS

SR-HC2410 R339⁰⁰ 10A 12/24VDC Max Voc: 55VDC 120 x 75 x 34mm	SR-HC2430 R679⁰⁰ 30A 12/24VDC Max Voc: 55VDC 159 x 100 x 39mm	SR-HC2460 R1,399⁰⁰ 60A 12/24VDC Max Voc: 55VDC 193 x 131 x 56mm
SR-HC2420 R519⁰⁰ 20A 12/24VDC Max Voc: 55VDC 134 x 85 x 36mm	SR-HC2440 R769⁰⁰ 40A 12/24VDC Max Voc: 55VDC 159 x 100 x 39mm	SR-HC4840 R1,859⁰⁰ 40A 12/24/36/48VDC Max Voc: 100VDC 193 x 131 x 56mm

MPPT – SOLAR CHARGE CONTROLLERS

SHINER2420-B R1,539⁰⁰ 20A 12/24VDC Max Voc: 60VDC 181 x 118 x 62mm	SHINER2410-B R1,259⁰⁰ 10A 12/24VDC Max Voc: 60VDC 155 x 99 x 42mm	SHINER2440-B R2,559⁰⁰ 20A 12/24VDC Max Voc: 100VDC 228 x 160 x 72mm	SHINER2460-B R3,629⁰⁰ 20A 12/24VDC Max Voc: 100VDC 261 x 186 x 82mm
SHINER4820-B R2,069⁰⁰ 20A 12/24/36/48VDC Max Voc: 100VDC 181 x 118 x 62mm	SHINER2430-B R1,979⁰⁰ 20A 12/24 VDC Max Voc: 100VDC 187 x 133 x 72mm		



LITHIUM BATTERIES

Up to 8000 cycles @ 80% DoD (0,5C)

10
YEAR
warranty



1C Rack Mount
ELF52V-100-5.12K-RM

R21,999⁰⁰
51.2V | 5120Wh | 100Ah
Max. Discharge: 100A



1C Wall Mount
ELF52V-100-5.12K-WM

R21,999⁰⁰
51.2V | 5120kWh | 100Ah
Max. Discharge: 100A



1C Wall Mount
ELF52V-200-10K-WM

R43,769⁰⁰
51.2V | 10240Wh | 200Ah
Max. Discharge: 200A



Up to 6200 cycles @
80% DoD (0,5C)

5
YEAR
warranty



Rack Mount
LFP52V-100-5.2K-RM

R17,639⁰⁰
51.2V | 5120Wh | 100Ah
Max. Discharge: 100A



Wall Mount
LFP52V-100-5.2K-WM

R17,489⁰⁰
51.2V | 5120Wh | 100Ah
Max. Discharge: 100A



Wall Mount
LFP52V-200-10K-FS

R34,999⁰⁰
51.2V | 10240Wh | 200Ah
Max. Discharge: 150A

LEAD-ACID BATTERIES

AGM / GEL



NSB065-12 **R2,399⁰⁰**
12V | 65Ah | 350 x 167 x 183mm

NSB100-12 **R3,199⁰⁰**
12V | 100Ah | 328 x 172 x 220mm

NSB200-12 **R6,399⁰⁰**
12V | 200Ah | 522 x 240 x 240mm

DEEP CYCLE / AGM

SY120102 **R2,819⁰⁰**

12V | 102Ah | 331 x 173 x 218mm



SY120200 **R5,649⁰⁰**
12V | 200Ah | 522 x 240 x 240mm

SEALED LEAD ACID

SY1270 **R219⁰⁰**

12V | 7.2Ah | 150 x 65 x 102mm



Note: Lead-Acid Batteries are not well-suited for applications that require frequent cycling or deep discharge. Due to the current load shedding situation, there is no warranty on Lead-Acid Batteries.



MAX LITEIN HIGH VOLTAGE BATTERIES

BYD-MAXLITEIN-7.5KWH

R32,965⁹⁰

HIGH VOLTAGE BATTERY
7.5kWh | 76.8VDC

BYD-MAXLITEIN-PDU

R28,575²⁰

HIGH VOLTAGE
CONTROL MODULE

BYD-MAXLITEIN-RACK

R15,759⁶⁰

RACK for up to 11
Batteries | 1 x PDU



Safety

LFP cells developed
in-house. Proven in
millions of EVs



High
Performance

1C fast charging
and discharging



Reliability

LFP expertise since 2002
1M+ systems in 100+
countries



Easy Installation

Quick set-up
Easy commissioning



Flexibility

Flexible capacity options
30kWh ~ 2.64MWh
Tailored indoor rack



Intelligent
Management

Asset management
Battery working
monitoring



LV5.0 LOW VOLTAGE BATTERIES



BYD-LV5.0-5KWH

R18,799⁰⁰

51.2V | 5kWh
Max. 32 in Parallel



Safety

Self-developed LFP
Battery. Safety Proved by
Millions of Electric Vehicles



Reliability

LFP R&D Started from
2002. 1.000.000+ Systems
in 90+ Countries



High USABLE CAPACITY

100% Usable Capacity



Flexibility

Modular Design
Expand Anytime



Intelligent
Management

Monitoring and
Analysis Remote
Diagnosis and OTA



One-button
Adaptation

One-click Auto-
configuration of
Compatible Inverters

NB: MAKE SURE INVERTER IS ON THE BYD COMPATIBILITY LIST. CONTACT OUR SOLAR TEAM FOR MORE INFORMATION



LIFEPO4 BATTERIES

RACK OR WALL MOUNTING

DEYE-RW52V-M5.3K-WM

R21,259⁰⁰

51.2V | 104Ah / 5.32KWh
Max. Charge/Discharge: 100A
Cycle: ≥6000 (0.5/1C / 90%DOD)

10
YEAR
warranty

DEYE-RW52V-F10.6-WM

R40,329⁰⁰

51.2V | 208Ah / 10.64KWh
Max. Charge/Discharge: 250A
Cycle: ≥6000 (0.5/1C / 90%DOD)

3
YEAR
warranty



12V SPF12-7.5
R759⁰⁰

12.8V | 7Ah / 96Wh
Max. Discharge: 20A



12V SPF12-8-HD
R829⁰⁰

12.8V | 8Ah / 102.4Wh
Max. Discharge: 24A



12V SPF12-10
R989⁰⁰

12.8V | 10Ah / 128Wh
Max. Discharge: 20A

12V SPF12-20
R999⁰⁰

12.8V | 20Ah / 256Wh
Max. Discharge: 20A

12V SPF12-40
R3,399⁰⁰

12.8V | 40Ah / 512Wh
Max. Discharge: 50A

12V SPF12-50
R3,599⁰⁰

12.8V | 50Ah / 640Wh
Max. Discharge: 50A

12V SPF12-60
R4,999⁰⁰

12.8V | 60Ah / 768Wh
Max. Discharge: 50A

12V SPF12-100
R5,499⁰⁰

12.8V | 100Ah / 1280Wh
Max. Discharge: 100A

12V SPF12-200
R12,799⁰⁰

12.8V | 200Ah / 2560Wh
Max. Discharge: 200A

24V SPF26V-100
R10,279⁰⁰

25.6V | 100Ah / 2560Wh
Max. Discharge: 100A

24V SPF26V-200
R23,799⁰⁰

25.6V | 200Ah / 5120Wh
Max. Discharge: 150A

High
Performance,
Ultra Safe
LiFePO4
Technology



Due to our policy of continuous improvement we reserve the right of modifying specifications and appearance. All Prices are VAT inclusive and are subject to availability . Valid from 1 July - 30 September 2025 - while stocks last | E&OE. Images may vary from actual products. All electrical products should be installed by a qualified technician.

HYBRID GRID-TIED INVERTERS

HYBRID

- Lithium-ion/ Lead-Acid Battery 48VDC
- BMS Communication (incl.)
- c/w Full Remote Monitoring & Control



5
YEAR
warranty

SE-H-6K 48VDC

R21,419⁰⁰

6000W | 230VAC | 1PH
PV Input: 550VDC
Max. 9000W



SE-H-10K 48VDC

R35,999⁰⁰

10 000W | 230VAC | 1PH
PV Input: 600VDC
Max. 15000W

Parallel Capable | c/w Full Remote Monitoring & Control




5KVA
1PH

DEYE-H-5K 48VDC

R17,799⁰⁰

5kVA | 48VDC | 1PH
PV Input: 6500W Max
2 x MPPT




8KVA
1PH

DEYE-H-8K 48VDC

R31,249⁰⁰

8kVA | 48VDC | 1PH
PV Input: 10400W Max
2 x MPPT



12KVA
1PH

DEYE-H-12K 48VDC

R43,599⁰⁰

12kVA | 48VDC | 1PH
PV Input: 15600W Max
2 x MPPT




16KVA
1PH

DEYE-H-16K 48VDC

R56,549⁰⁰

16kVA | 48VDC | 1PH
PV Input: 20800W Max
2 x MPPT



12KVA
3PH

DEYE-H-12K-3P 48VDC

R45,689⁰⁰

12kVA | 48VDC | 3PH
PV Input: 15600W Max
2 x MPPT

10
YEAR
warranty

Deye

OFF-GRID INVERTERS



1
YEAR
warranty

PV18-1K 12VDC

R3,299⁰⁰

1KVA/1KW | 230VAC
PV Input:
625W/75V Max
Add PV18-WIFI for Remote Monitoring



2
YEAR
warranty

PV18-5K 48VDC

R8,229⁰⁰


5KVA/5KW | 230VAC
PV Input:
4000W/145V Max

XANADU-10K 48VDC

R20,299⁰⁰

10kW | 230VAC | Dual AC Output
Lithium or Lead Acid Battery | 48VDC
BMS Communication (incl.)
PV Input: 500VDC | Max. 12000W
2 MPPT Trackers

Pure Sine Wave | Combines the functions of Inverter,
MPPT Solar Charger, AC Battery Charger, UPS



Wall Mount

HP-5K 48VDC

R8,399⁰⁰

5000W | 230VAC
Lithium/Lead Acid Battery 48VDC
BMS Communication (incl.)
PV Input: 500VDC | Max. 5000W
Parallel Capable



Rack Mount

RM-5.5K 48VDC

R10,799⁰⁰

5500W | 230VAC
Lithium/Lead Acid Battery 48VDC
BMS Communication (incl.)
PV Input: 500VDC | Max. 5500W
Parallel Capable

ALL-IN-ONE INVERTER & BATTERIES

AIO-2KW-LITHIUM

R20,799⁰⁰

Wall Mount

2000W | 230VAC
2048Wh LiFePO4 Battery
≥2000 cycles


AIO-3KW-LITHIUM

R23,999⁰⁰

3000W | 230VAC
3072Wh LiFePO4 Battery
≥2000 cycles



5
YEAR
warranty



SRNE

3
YEAR
INVERTER
warranty

5
YEAR
BATTERY
warranty

SR-EOT05S

R30,159⁰⁰

5000W | 230VAC | 50Hz
5Kwh Battery | 51.2V

KEY STRENGTHS

- Supports wall-mounted and floor- standing installation
- Support Wifi, real-time data can be viewed through APP
- Integrated circuit breaker improves system safety
- Equipped with manual bypass switch to facilitate manual switching of power supply mode
- 2 inverters can be connected in parallel to achieve 10kw power
- Large screen LCD displays real- time data

ISITEPOWER-M ALL-IN-ONE SOLUTION



HUAWEI


10
YEAR
warranty



ISP-M-5K-5KWH

R44,999⁰⁰


5kW 1PH Power Module &
1x5kWh Battery Module
Maximum Output Power
in Backup Mode: 2500W



ISP-M-5K-10KWH

R75,899⁰⁰

5kW 1PH Power
Module & 2x5kWh
Battery Modules



ISP-M-5K-15KWH

R99,999⁰⁰

5kW 1PH Power
Module & 3x5kWh
Battery Modules

NEW

POWER
INVERTER/CHARGERS

- Pure sine wave inverter
- Support LiFePO4 and Lead-acid Battery
- Built-in selectable charger
- Deep discharge protection
- Automatic line-to-battery switch over



EP-1500-600W

R2,799⁰⁰

230VAC / 184-278VAC
Output: 600W
Battery: 12VDC
Lithium/Lead-acid Battery
Max AC: 10A/15A

EP-1500-1200W

R3,599⁰⁰

230VAC / 184-278VAC
Output: 1200W
Battery: 24VDC
Lithium/Lead-acid Battery
Max AC: 5A/10A

EXPERTS IN
PANEL BUILDING

Enquire panels@acdc.co.za for more information



End-to-End
Expertise



Custom
Solutions



Quality
Assurance



Quick
Turnaround

MOBILE BACK-UP UNITS WITH UPS FUNCTION



NEW

PBU-300W-UPS

R3,699⁰⁰

300W | 230VAC
280Wh Lithium Battery
AC, USB & 12VDC Outlets
Solar Input: 12-30V | 10A (110W)



NEW

PBU-600W-UPS

R6,349⁰⁰

600W | 230VAC
560Wh Lithium Battery
AC, USB & 12VDC Outlets
Solar Input: 12-30V | 5A (200W)



PBU-1000W-UPS

R10,729⁰⁰

1000W | 230VAC | 999Wh
Lithium Battery | AC, USB &
12VDC Outlets | Built-in LED Light
Solar Input: 12-30V | 400W Max

NEW



PBU-1500W-UPS

R16,079⁰⁰

1500W | 230VAC
1440Wh Lithium Battery
AC, USB & 12VDC Outlets
Solar Input: 10-50V | 12A (400W)

PBU-2000W-UPS

R18,979⁰⁰

2000W | 230VAC
2160Wh Lithium Battery
AC, USB & 12VDC Outlets
Solar Input: 10-50V | 12A (400W)

BLUETTI



Built-in LED & Remote
Monitoring App

BP-EB3A

R4,399⁰⁰

600W | 230VAC
268Wh Lithium Battery
AC, USB & 12VDC Outlets
Solar Input: 12-28V / 200W Max

NEW



RS-500W-UPS

R6,799⁰⁰

500W | 230VAC
384Wh LiFePO4 Battery
AC, USB & 12VDC Outlets

PORTABLE POWER STATIONS



DP1000IL

R21,999⁰⁰

1000W | 230VAC
12VDC | 2048Wh
530 x 320 x 460mm
2x 3-pin SA

INVERTER TROLLEYS

BTR-1K 12VDC

R5,999⁰⁰

1000VA | 600W | 230VAC
12VDC (Excl Batteries)

BTR-2K 24VDC

R6,899⁰⁰

2000VA | 1200W | 230VAC
24VDC (Excl Batteries)

3-Pin SA socket



Can accommodate 12V/100Ah or 24V/50Ah
Lithium/Lead-acid Battery | No PV Input



WITH UPS FUNCTION

HYTR-1K-100AHL

R14,399⁰⁰

12VDC (Lithium Battery Included)
100Ah | 1280Wh | 1000W | 230VAC
PV Input: 30-160VDC | Built-in Charger

MOBILE POWER BACKUP UNITS



ESS-1.5KW-1.28KWH

R17,729⁰⁰

1500W | 230VAC
1280Wh | ≥ 2500 cycles

ESS-3KW-2.56KWH

R21,249⁰⁰

3000W | 230VAC
2560Wh | ≥ 2500 cycles

ESS-3KW-5.12KWH

R32,369⁰⁰

3000W | 230VAC
5120Wh | ≥ 2500 cycles

ESS-1.5KW-LITHIUM

R18,999⁰⁰

1500W | 230VAC
1536Wh Lithium Battery
1000W Max

ESS-2KW-LITHIUM

R21,139⁰⁰

2000W | 230VAC
2048Wh Lithium Battery
1500W Max

ESS-1KW-LITHIUM

R14,999⁰⁰

1000W | 230VAC
1024Wh Lithium Battery
1000W Max

ESS-3KW-LITHIUM

R27,799⁰⁰

3000W | 230VAC
3072Wh Lithium Battery
1500W Max



2
YEAR
warranty

Complete with:
12VDC Barrel Output USB-A | USB-C
Built-in Fast Charger | PV Input



30
LED

IP40

RWELEDJ-2

R199⁰⁰

40/80lm
Low 6hrs /
High 3hrs



30
LED

IP40

NS350LX

R99⁰⁰

350lm | 4hrs



60
LED

IP40

NS650LX

R199⁰⁰

270lm | 4hrs



66
LED

IP40

AL-2166

R169⁰⁰

360lm
Max power 1.5hrs /
Low power 10hrs



60
LED

IP20

AL-3600

R199⁰⁰

360lm
Low 4hrs /
High 2hrs



60
LED

IP40

AL-2060

R239⁰⁰

400/200lm
Low 8hrs /
High 4hrs



60
LED

IP40

LED008

R199⁰⁰

98+220lm | 8hrs
Single LED / 4hrs
Multiple LED

DIMMABLE

LED EMERGENCY A60 LAMPS

EMG-DIM-A60-7W-*

R69⁰⁰ 7W | 650lm
Ø60 x 120mm

EMG-DIM-A60-9W-*

R79⁰⁰ 9W | 880lm
Ø65 x 133mm

EMG-DIM-A60-11W-*

R89⁰⁰ 11W | 1100lm
Ø70 x 145mm

3-STEP DIMMING
to extend battery life in
emergency mode

300lm: ± 2 Hrs | 120lm: ± 4 Hrs | 50lm: ± 7 Hrs
Approximate working time if fully charged

*Add Colour to Code: DL (Daylight), CW (Cool White)

EMG-A60-5W-*

R55⁰⁰

5W | 375/250lm
60 x 108mm

EMG-A60-9W-*

R69⁰⁰

9W | 675/300lm
60 x 108mm

EMG-A60-12W-*

R99⁰⁰

12W | 900/350lm
80 x 170mm

*Add Colour to Code: DL (Daylight), CW (Cool White)

NON-DIMMABLE



DIMMABLE

LED EMERGENCY GU10 LAMPS

EMG-DIM-GU10-7W-*

R75⁰⁰ 7W | Normal: 450lm

*Add Colour to Code: DL (Daylight), CW (Cool White)

3-STEP DIMMING
to extend battery life in
emergency mode

135lm: ± 2.5 Hrs | 60lm: ± 5 Hrs | 24lm: ± 7 Hrs
Approximate working time if fully charged

1
YEAR
warranty

EMG-GU10-3W-*

R35⁰⁰

3W | Normal: 190lm | Emg: 85lm

EMG-GU10-5W-*

R69⁰⁰

5W | Normal: 350lm | Emg: 120lm

NON-DIMMABLE

*Add Colour to Code: DL (Daylight), CW (Cool White), WW (Warm White)



Due to our policy of continuous improvement we reserve the right of modifying specifications and appearance. All Prices are VAT inclusive and are subject to availability . Valid from 1 July - 30 September 2025 - while stocks last | E&OE. Images may vary from actual products. All electrical products should be installed by a qualified technician.



TOOL KITS

TK-3167

R4,599⁰⁰

617 Pc Toolkit In Abs
Trolley Toolbox

TOOT2631

R3,849⁰⁰

85 Pc Toolkit In 5 Tray
Cantilever Toolbox



BT-032

R3,779⁰⁰

31 Pc Electricians
Back Pack Tool Kit


VDE TOOLS



SB0607243

R529⁰⁰

13pc VDE Screwdriver Set
All in one driver set with
clip on handle



SCREWDRIVER KIT

VFL-2234

R529⁰⁰

1000V 8 Pc
Electrician Tool Set

COMBINATION PLIERS

V10-2105

R219⁰⁰

(150mm) 6"

V10-2106

R229⁰⁰

(180mm) 7"

V10-2107

R279⁰⁰

(200mm) 8"



TOOL BOXES & ORGANISERS

STORAGE DRAWERS

MJ-10219

R699⁰⁰

3 Pull-out drawers
2 Top Compartments
with Transparent lids
Total of 17 Compartments
Size: 400L x 205H x 290Wmm



MJ-10184

R779⁰⁰

4 Pull-out drawers
Single Top compartment
with Transparent lid
Total of 21 Compartments
Size: 415L x 225H x 240Wmm

PLASTIC TOOL BOXES



MJ-30019D

R389⁰⁰

485L x 270H x 245Wmm



MJ-10571

R259⁰⁰

420L x 230H x 200Wmm



STORAGE BOX

MJ-46368

R219⁰⁰

1 Sided Storage
Organiser
Adjustable Partitions
26 Compartments

HAND TOOLS

TWO WAY Mallet



SB203591-45

R119⁰⁰

45mm Ø | With fibreglass handle

BALL-PEEN HAMMER



SB203162-16

R159⁰⁰

440g | Fully polished
with plastic handle

SB203162-24

R189⁰⁰


672g | Fully polished
with plastic handle

7PC SPANNER SET

TSS-7-8/19

R179⁰⁰

7Pc Piece Tube Spanner Set
8x9 10x11 12x13, 14x15,
16x17, 18x19mm



SCREWDRIVER BIT SET

SB157243

R89⁰⁰

31 Pieces
Phillips, Flat, Torx and Hex



BALL POINT ALLEN KEY SET

SB233157

R149⁰⁰

9 Pieces | 1.5 - 10mm



UTILITY KNIFE SET

SB215162

R199⁰⁰

Large Snap-off Knife, Small
Snap-off Knife, Heavy Duty
Utility Knife



FW-99G

R2,399⁰⁰

Double Deck
Folding Trolley
c/w one Basket



FW-99G-BASKET

R359⁰⁰

Spare Folding Basket for
FW-99G Trolley



JL-PB300B-P

R1,849⁰⁰

Big Wheel Folding
Hand Truck 300kg
Deck: 900x600mm



JL-PB300A

R979⁰⁰

Heavy Duty Folding
Hand Truck 300kg
Deck: 900x600mm



JL-Z100E

R699⁰⁰

Heavy Duty Folding
Hand Trolley 120kg

THE WAIT IS OVER... **DISCOVER THE**
HEART OF INNOVATION



CATALOGUE 25 / 26



Brushless Hammer Drill

KUC30.1

R3,199⁰⁰

CORDLESS
POWER TOOLS

20V | 13mm
metal-chuck
60Nm | c/w 2 x 2.0Ah
Battery, Charger &
Stack Case

NEW



Complete with
COMPLIMENTARY
ACCESSORY KIT
*While stocks last



KUG02

R4,599⁰⁰



Complete with
COMPLIMENTARY
ACCESSORY KIT
*While stocks last

NEW

Hammer Drill

No Load: 0-1800rpm
Chuck Size: 10mm
Impact: 0-27000bpm
Max Torque: 40Nm

Impact Driver

No Load: 0-3300rpm
Chuck Size: 1/4" Hex
Impact: 0-4000bpm
Max Torque: 140Nm

CORDLESS BARE
POWER TOOLS



Blower

KUF30.9

20V | Powerful Max
290 km/h airspeed
3 speed settings

R1,499⁰⁰



KUC50.2

R7,499⁰⁰

Brushless Rotary Hammer Drill | 20V
Pulse assist function (ceramic tiles)
20mm SDS + 3 functions c/w 2 x 4.0Ah
Battery, Charger & Stack Case



KUB33.91

R6,999⁰⁰

Brushless Impact Wrench 20V
Max 2400bpm | 1300Nm of Torque
c/w Stacking Case

CORDED
POWER TOOLS

KUS04P

R999⁰⁰

Angle Grinder

830W | 115mm | Soft Start &
Anti-Restart Function



KUS35P

R2,999⁰⁰

Angle Grinder | 2200W
230mm | Soft Start &
Anti-Restart Function

KU110K

Corded Drill

500W Robust motor
10mm | Keyless Chuck



R799⁰⁰

KU120

R999⁰⁰

Corded Drill

650W Robust motor
13mm | Keyed Chuck



WET-DRY VACUUM
CLEANER

KH035.9

R3,499⁰⁰

High 1.3m³/min, Low 0.7m³/min
2 Speed | 3.6m Built in hose
Battery & Charger not included

BATTERIES & CHARGER

KAD21

R3,499⁰⁰

2 x 4.0 Ah Batteries +
1 x 6.0 Ah Rapid charger



POWER CLAMP METER



MS2205

R4,029⁰⁰

Clamp DDM/3PH/
600V/1000A/Auto/
Hold/Data Log
RS232/RMS



MS6610

R579⁰⁰

- High Accuracy
- Data Hold on the
separate sensor allow
easy measurement
from the optimal position
- Silicon Photo Diode with Filter

VOLTAGE TESTERS

BESTEST 7

R18⁰⁰

Screw Driver Type
200 - 250VAC
• Contact test to earth
• With pocket clip



BESTEST 18

R49⁰⁰

Screw Driver Type
100 - 500VAC
• With pocket clip
• Non-contact test



TESTBOY20

R259⁰⁰

Continuity &
Non-Contact
Cat II 300V
0 - 300VAC
Buzzer / LED



901

R1,049⁰⁰

Analogue
Cat III 750V
120-750VAC/DC
Neon / Analogue
Scale



LIGHT METER

INFRARED
THERMOMETER



MS6522A

R619⁰⁰

-20-300°C

THERMAL IMAGING CAMERAS



ST-REVEAL

R5,699⁰⁰

Thermal Sensor: 206 x 156
Detection: 150 Meters
Field of View: 36°
Temp.: -40°C to 330°C

- Wide field of view quickly
scans the inside of any room
- Best-in-Class
Temperature Range
- Up to 10hrs of continuous
thermal imaging on a
single charge
- Intuitive Software Continuous
feature enhancements

ST-REVEALPRO

R9,559⁰⁰

Thermal Sensor: 320 x 240
Detection: 550 Meters
Field of View: 32°
Temp.: -40°C to 330°C

